Index to Volume 98

January–June, 2003

Author Index

ABBOTT R III. *See* Kestle JRW, 284
ADAMS EF. *See* Rienstein S, 162
AHLSKOG JE. *See* Cohen-Gadol AA, 1247
AHMED A. *See* Anderson D, 1104
AIYAGARI V. *See* Deibert E, 741
AKABANE T. *See* Sato K, 1318
AL-GAHTANY M, BILBAO J, KOVACS K, HORVATH E, SMYTH HS. Juxtaposition of an ectopic corticotroph adenoma of the sphenoid sinus with orthotopic intrasellar corticotroph hyperplasia in a patient with Cushing disease. Case report, 891
———, CUSIMANO M, SINGER W, BILBAO J, KOVACS K, MAROTTA T. Brown tumors of the skull base. Case report and review of the literature, 417
ALASTRA AJG. *See* Nelson PK, 498
ALBERICO RA. *See* Levy EI, 544
ALBERT FK. Resection and prognosis. Letters, 225
ALBERTS LR. *See* Tomes DJ, 578
ALBRIGHT AL, GILMARTIN R, SWIFT D, KRACH LE, IVANHOE CB, MCLAUGHLIN JF. Long-term intrathecal baclofen therapy for severe spasticity of cerebral origin, 291
ALDAPE K. *See* Schmidt MH, 1165
ALDEN TD. *See* Ellegala DB, 974
ALDERSON LM. *See* Sampath P, 570
ALÉN JF, LAGARES A, LOBATO RD, GÓMEZ PA, RIVAS JJ, RAMOS A. Comparison between perimesencephalic nonaneurysmal subarachnoid hemorrhage and subarachnoid hemorrhage caused by posterior circulation aneurysms, 529
ALEXANDER MJ. *See* Bulsara KR, 524
———. *See* McGirt MJ, 1222
———. *See* Smith TP, 421
ALKAYED NJ. *See* Antezana DF, 860
ALVINO E. *See* Pallini R, 812
AMAR AP. *See* Chen JCT, 967
AMUNDSON E. *See* Sampath P, 570
ANDERSON D, AHMED A. Treatment of patients with intractable obsessive–compulsive disorder with anterior capsular stimulation. Case report, 1104
ANDERSON DE, CANTERBURY RJ. Deep brain stimulation for obsessive–compulsive disorder. Editorial, 942
ANDERSON LG. *See* Antezana DF, 860
ANDERSON RCE, EMERSON RG, DOWLING KC, FELDSTEIN NA. Improvement in brainstem auditory evoked potentials after suboccipital decompression in patients with Chiari I malformations, 459
ANDO T. *See* Nakajima T, 57
ANDREWS PJD, SLEEMAN D. Predicting recovery. Letters, 442
ANTEZANA DF, CLATTERBUCK RE, ALKAYED NJ, MURPHY SJ, ANDERSON LG, FRAZIER J, HURN PD, TRAYSTMAN RJ, TAMARGO RJ. High-dose ibuprofen for reduction of striatal infarcts during middle cerebral artery occlusion in rats, 860
ARAKI T. *See* Önal C, 1017
ARITA K. *See* Iida K, 793
ATKIN ED, PERKINS E, ROSS IB. Surgical handling characteristics of an ethylene vinyl alcohol copolymer compared with *N*-butyl cyanoacrylate used for embolization of vessels in an arteriovenous malformation resection model in swine, 366
ATKINSON JLD. *See* Maher CO, 908
———. *See* Rabinstein AA, 319
ATTIA W, TADA T, HONGO K, NAGASHIMA H, TAKEMAE T, TANAKA Y, KOBAYASHI S. Microvascular pathological features of immediate perinidal parenchyma in cerebral arteriovenous malformations: giant bed capillaries, 823
AUGUSTE KI. *See* Quiñones-Hinojosa A, 642
AVELLINO AM. *See* Newell DW, 440
AWAD IA. *See* Dunsker SB, 1150
AWASTHI D. *See* Tender GC, 1128
AZIZ TZ. *See* Nandi D, 651

BAKKER D. *See* Malessy MJA, 261
BALTUCH GH. *See* Samadani U, 888
———. *See* Umemura A, 779
BANKIEWICZ KS. *See* Oiwa Y, 136
BARBARO NM. *See* Tang L, 837
BARBERÀ J. *See* Cerdá-Nicolás M, 194
BARKER FG II. *See* Chang SM, 1175
BARNES J. *See* Ogungbo B, 43
BARNETT GH. Book review, 1141
BARRIÉ-ATTARIAN M. *See* Galanaud D, 269
BARTH H. *See* Reichardt KA, 180
BARTH JT. *See* Erlanger D, 477
BARZILAI B. *See* Deibert E, 741
BATES LM. *See* Cohen-Gadol AA, 1255
BEAUDRY M. *See* Mathieu D, 1194
BECKER G. *See* Tucha O, 21
BEDAVANIJA A, BRIEGER J, LEHR HA, MAURER J, MANN WJ. Association of proliferative activity and size in acoustic neuroma: implications for timing of surgery, 807
BEER R. *See* Pfausler B, 1040
BEHNKE E. *See* Frighetto L, 920
BEITZEL M. *See* Nguyen TT, 584
BEJJANI G. *See* Hadjipanayis CG, 165
BEK S. *See* Iplikçioglu AC, 1147
BELLNER J. *See* Zemack G, 471
BELZA M. *See* Lovell MR, 296
BENDOK BR. *See* Kim SH, 1116
BERETTA L. *See* Mattioli C, 37

Berger M. *See* Chang SM, 1175
Berger MS. *See* Hirose Y, 591
———. *See* Ojemann SG, 465
———. *See* Schmidt MH, 1165
———. *See* Tang L, 837
Berk C. *See* Sun MC, 565
Bernstein M, Upshur REG. Framework for bioethical assessment of an article on therapy, 485
———. *See* Chang SM, 1175
———. *See* Tsao MN, 169
Beroš V. *See* Rumboldt Z, 434
Besser M. *See* Owler BK, 1045
Biegon A. *See* Farin A, 32
Bilbao J. *See* Al-Gahtany M, 417, 891
Binaghi S. *See* Wintermark M, 828
Bitar A. *See* Duffau H, 764
Blackburn A. *See* Ogungbo B, 43
Blömer U. *See* Reichardt KA, 180
Boiardi A. *See* Broggi G, 935
Böker DK. *See* Jödicke A, 515
Boop FA. *See* Kestle JRW, 284
Borel C. *See* Bulsara KR, 524
Boschert J, Hellwig D, Krauss JK. Endoscopic third ventriculostomy for shunt dysfunction in occlusive hydrocephalus: long-term follow up and review, 1032
Boulos AS. *See* Kim SH, 1116
———. *See* Levy EI, 544
Bova FJ. *See* Foote KD, 337
Brachman DG. *See* Kim LJ, 1312
Braverman AC. *See* Deibert E, 741
Brechbiel MW. *See* Nguyen TT, 584
Brem H. *See* Chang SM, 1175
———. *See* Olivi A, 936
———. *See* Sampath P, 570
Brewer GJ, Espinosa JA, Struble RG. Effect of neuregen nutrient medium on survival of cortical neurons after aspiration lesion in rats, 1291
Bressack MA. Hyperoxia: good or bad? Letters, 223
Brieger J. *See* Bedavanija A, 807
Britton JW. *See* Cohen-Gadol AA, 1255
Broggi G. *See* Ferroli P, 934
———, Ferroli P, Franzini A, Silvani A, Salmaggi A, Eoli M, Boiardi A. Cranial nerve hemangioblastoma. Letters, 935
Broshek DK. *See* Erlanger D, 477
Brotchi J. *See* Lefranc F, 145
Brownstone RM. *See* MacDonald SC, 1094
Bruce JN, Bruce SS. Preservation of bone flaps in patients with postcraniotomy infections, 1203
Bruce SS. *See* Bruce JN, 1203
Brugières P. *See* Karachi C, 897
Buatti JM. *See* Foote KD, 337
Buckner JC. *See* Ecker RD, 1182
Bullock MR. Hyperoxia: good or bad? Editorial, 943
———. ———. Letters, 224
Bulsara KR. *See* McGirt MJ, 14
———, McGirt MJ, Liao L, Villavincencio AT, Borel C, Alexander MJ, Friedman AH. Use of the peak troponin value to differentiate myocardial infarction from reversible neurogenic left ventricular dysfunction associated with aneurysmal subarachnoid hemorrhage, 524
Buonanno FS. *See* Topcuoglu MA, 1235
Burgunder JM. *See* Krauss JK, 785
Burkhard C, Di Patre PL, Schüler D, Schüler G, Yasargil MG, Yonekawa Y, Lütolf UM, Kleihues P, Ohgaki H. A population-based study of the incidence and survival rates in patients with pilocytic astrocytoma, 1170
Burkholder LM, Houlden DA, Midha R, Weiss E, Vennettilli M. Neurogenic motor evoked potentials: role in brachial plexus surgery. Case report, 607

Caimi M. *See* Magnoni S, 952
Canterbury RJ. Deep brain stimulation for obsessive–compulsive disorder. Editorial, 941
Cantu R. *See* Erlanger D, 477
———. *See* Lovell MR, 296
Capelle HH. *See* Krauss JK, 785
Capelle L. *See* Duffau H, 764
Caramés MÀ. *See* Clavo B, 1263
Carter BS. *See* Topcuoglu MA, 1235
Carvalho GA. *See* Samii A, 307
Cascino GD. *See* Cohen-Gadol AA, 1255
Casentini L. *See* Colombo F, 536
Castellan L. *See* Colombo F, 536
Catalá L. *See* Clavo B, 1263
Causin F. *See* Colombo F, 536
Cavallino RP. *See* Gupta A, 648
Cavedon C. *See* Colombo F, 536
Cerdá-Nicolás M, Lopez-Gines C, Perez-Bacete M, Roldan P, Talamantes F, Barberá J. Histologically benign metastatic meningioma: morphological and cytogenetic study. Case report, 194
Chalaron M. *See* Wintermark M, 828
Chang SM. *See* Schmidt MH, 1165
———, Parney IF, McDermott M, Barker FG II, Schmidt MH, Huang W, Laws ER Jr, Lillehei KO, Bernstein M, Brem H, Sloan AE, Berger M, the Glioma Outcomes Investigators. Perioperative complications and neurological outcomes of first and second craniotomies among patients enrolled in the Glioma Outcome Project, 1175
Chang YF. *See* Tyler-Kabara EC, 647
Chen JCT, Amar AP, Choi SH, Singer P, Couldwell WT, Weiss MH. Transsphenoidal microsurgical treatment of Cushing disease: postoperative assessment of surgical efficacy by application of an overnight low-dose dexamethasone suppression test, 967
———, Weiss MH. Cushing disease. Editorial, 951
Chen JW. *See* Taylor WR, 205
Chen XH. *See* Smith DH, 1072
Cheng GKW. *See* MacDonald SC, 1094
Cheng M. *See* Kim LJ, 1312
Chetty R. *See* Nathoo N, 302
Chevalier C. *See* Lefranc F, 145
Chinot O. *See* Galanaud D, 269
Chitoku S. *See* Önal C, 1017
Cho YJ. *See* Kim DH, 1005
Choi SH. *See* Chen JCT, 967
Chumas PD. *See* Thomson S, 186
Chute D. *See* Frighetto L, 920
Cimino-Reale G. *See* Pallini R, 812
Citerio G. *See* Mattioli C, 37
Clatterbuck RE. *See* Antezana DF, 860
Clavo B, Robaina F, Catalá L, Valcárcel B, Morera J, Caramés MÀ, Ruiz-Egea E, Panero F, Lloret M, Hernández MA. Increased locoregional blood flow in brain tumors after cervical spinal cord stimulation, 1263

Cloft H. *See* Collignon FP, 1135
Cochrane DD. *See* Kestle JRW, 284
Cohan P. *See* Zada G, 350
Cohen-Gadol AA, Ahlskog JE, Matsumoto JY, Swenson MA, McClelland RL, Davis DH. Selective peripheral denervation for the treatment of intractable spasmodic torticollis: experience with 168 patients at the Mayo Clinic, 1247
———, Britton JW, Collignon FP, Bates LM, Cascino GD, Meyer FB. Nonlesional central lobule seizures: awake cortical mapping and subdural grid monitoring for resection of seizure focus, 1255
Cojocaru T. Book review, 1142
Colcher A. *See* Samadani U, 888
———. *See* Umemura A, 779
Colle H. *See* Visser-Vandewalle V, 882
Collignon FP. *See* Cohen-Gadol AA, 1255
———, Friedman JA, Piepgras DG, Nichols DA, Cloft H. Transcutaneous coil, stent, and balloon migration following endovascular treatment of a cervical carotid artery aneurysm. Case illustration, 1135
Collins GH. *See* King RB, 1136
Collins MW. *See* Lovell MR, 296
Colohan ART. Book review, 644
Colombo A. *See* Magnoni S, 952
Colombo F, Cavedon C, Francescon P, Casentini L, Fornezza U, Castellan L, Causin F, Perini S. Three-dimensional angiography for radiosurgical treatment planning for arteriovenous malformations, 536
Colvin M. *See* Sampath P, 570
Confort-Gouny S. *See* Galanaud D, 269
Connolly C. *See* Nathoo N, 302
Coons S. *See* Kim LJ, 1312
Cormio M. *See* Mattioli C, 37
Cornu O. *See* Dufrane D, 1198
Coscarella E, Javahery R, Morcos JJ. Book review, 929
Couldwell WT. *See* Chen JCT, 967
———. *See* Krieger MD, 719
———. *See* Zhang W, 846
———, Murali R. Lumbar drain. Letters, 443
Couture DE. *See* Ellegala DB, 974
Cozzone PJ. *See* Galanaud D, 269
Cummings TJ. *See* McGirt MJ, 14
Cusimano M. *See* Al-Gahtany M, 417

D'Ambrosio E. *See* Pallini R, 812
Dacey R. *See* Deibert E, 741
Daniel L. *See* Trouillas J, 1084
Daniel RT, Villemure JG. Hemispherotomy techniques. Letters, 438
Darouiche RO. *See* Zabramski JM, 725
Date I. *See* Yoshida H, 874
Davis DH. *See* Cohen-Gadol AA, 1247
Davis RL. *See* King RB, 1136
Day AL. Distal PICA aneurysms. Letters, 1144
De Salles AAF. *See* Frighetto L, 920
de Tribolet N. *See* Sajadi A, 935
Decq P. *See* Karachi C, 897
Dedrick RL. *See* Nguyen TT, 584
Deibert E, Barzilai B, Braverman AC, Edwards DF, Aiyagari V, Dacey R, Diringer M. Clinical significance of elevated troponin I levels in patients with nontraumatic subarachnoid hemorrhage, 741
Dekker AJ. *See* Malessy MJA, 261
Delloye C. *See* Dufrane D, 1198
DeMattia JA. *See* Zhang W, 846
Dempsey RJ, Rao VLR. Cytidinediphosphocholine treatment to decrease traumatic brain injury–induced hippocampal neuronal death, cortical contusion volume, and neurological dysfunction in rats, 867
Denvil D. *See* Duffau H, 764
Deutsch R. *See* Farin A, 32
DeVroom HL. *See* Lonser RR, 106
———. *See* Pluta RM, 117
———. *See* Sansur CA, 453
———. *See* Weil RJ, 95
Dhellemmes P. *See* Lefranc F, 145
Di Patre PL. *See* Burkhard C, 1170
Dierks T. *See* Herminghaus S, 74
DiMeco F. *See* Olivi A, 936
Diringer M. *See* Deibert E, 741
Dodd JG. *See* MacDonald SC, 1094
Dowling KC. *See* Anderson RCE, 459
Drake JM. *See* Kestle JRW, 284
Duckwiler G. *See* Murayama Y, 959
Duffau H, Capelle L, Denvil D, Sichez N, Gatignol P, Taillandier L, Lopes M, Mitchell MC, Roche S, Muller JC, Bitar A, Sichez JP, van Effenterre R. Usefulness of intraoperative electrical subcortical mapping during surgery for low-grade gliomas located within eloquent brain regions: functional results in a consecutive series of 103 patients, 764
Dufrane D, Marchal C, Cornu O, Raftopoulos C, Delloye C. Clinical application of a physically and chemically processed human substitute for dura mater, 1198
Dunne VG. *See* Owler BK, 1045
Dunsker SB, Awad IA, McCormick PC. Spine patient outcomes research trial. Letters, 1150

Ecker RD, Marsh WR, Pollock BE, Kurtkaya-Yapicier Ö, McClelland R, Scheithauer BW, Buckner JC. Hemangiopericytoma in the central nervous system: treatment, pathological features, and long-term follow up in 38 patients, 1182
Edwards DF. *See* Deibert E, 741
Edwards RJ, Pople IK. Death and third ventriculostomy. Letters, 649
Ellegala DB, Alden TD, Couture DE, Vance ML, Maartens NF, Laws ER Jr. Anemia, testosterone, and pituitary adenoma in men, 974
Elliott I. *See* Önal C, 1017
Ellis TL. *See* Foote KD, 337
Elsaghier A. *See* Gnanalingham KK, 8
Emerson RG. *See* Anderson RCE, 459
Endo S. *See* Yamamoto H, 1217
Engelhardt K. *See* Pfausler B, 1040
Ennis R. *See* Sansur CA, 453
Enterline DS. *See* Smith TP, 421
Eoli M. *See* Broggi G, 935
Erickson LC. *See* Hirose Y, 591
Erlanger D, Kaushik T, Cantu R, Barth JT, Broshek DK, Freeman JR, Webbe FM. Symptom-based assessment of the severity of a concussion, 477

ESKIOGLU E. *See* Sansur CA, 453
ESPINOSA JA. *See* Brewer GJ, 1291

FALCHETTI ML. *See* Pallini R, 812
FARACE E. Book review, 221
FARIN A. *See* Taylor WR, 205
———, DEUTSCH R, BIEGON A, MARSHALL LF. Sex-related differences in patients with severe head injury: greater susceptiblity to brain swelling in female patients 50 years of age and younger, 32
FEDENBERG C. *See* Kim LJ, 1312
FEINDEL W. Theodore Brown Rasmussen (1910–2002): epilepsy surgeon, scientist, and teacher. Historical vignette, 631
FELDSTEIN NA. *See* Anderson RCE, 459
FENG H. *See* Lin J, 621
FERNANDEZ E. *See* Pallini R, 812
FERRARI P. *See* Tang L, 837
FERROLI P. *See* Broggi G, 935
———, GIOMBINI S, FRANZINI A, BROGGI G. Cranial nerve hemangioblastoma. Letters, 934
FIELD M. *See* Lovell MR, 296
FIGARELLA-BRANGER D. *See* Galanaud D, 269
———. *See* Trouillas J, 1084
FILHO JAF. *See* Verrees M, 1307
FILIZ G. *See* Özgenel GY, 371
FIRSCHING R. Predicting recovery. Letters, 440
FISCHER G. *See* Trouillas J, 1084
FLEETWOOD IG. *See* MacDonald SC, 1094
———, MARCELLUS ML, LEVY RP, MARKS MP, STEINBERG GK. Deep arteriovenous malformations of the basal ganglia and thalamus: natural history, 747
FLICKINGER J. *See* Sheehan JP, 342
FOOTE KD, FRIEDMAN WA, ELLIS TL, BOVA FJ, BUATTI JM, MEEKS SL. Salvage retreatment after failure of radiosurgery in patients with arteriovenous malformations, 337
FORNEZZA U. *See* Colombo F, 536
FRANCESCON P. *See* Colombo F, 536
FRANCIS JL. *See* Palmer JD, 1208
FRANZINI A. *See* Broggi G, 935
———. *See* Ferroli P, 934
FRASER KW. *See* Wang H, 926
FRAZEE J. *See* Murayama Y, 959
FRAZIER J. *See* Antezana DF, 860
FRIDRIKSSON S. *See* Hillman J, 1149
———. *See* Säveland H, 1148
FREEMAN JR. *See* Erlanger D, 477
FRIEDMAN A. *See* Wieser HG, 751
FRIEDMAN AH. *See* Bulsara KR, 524
———. *See* McGirt MJ, 14, 1222
FRIEDMAN E. *See* Rienstein S, 162
FRIEDMAN HS. *See* McGirt MJ, 14
FRIEDMAN JA. *See* Collignon FP, 1135
———. *See* Rabinstein AA, 319
FRIEDMAN WA. *See* Foote KD, 337
FRIGHETTO L, DE SALLES AAF, BEHNKE E, SMITH ZA, CHUTE D. Image-guided frameless stereotactic biopsy sampling of parasellar lesions. Technical note, 920
FRONCKOWIAK MD. *See* Levy EI, 544
FU FH. *See* Lovell MR, 296
FUENTES S. *See* Galanaud D, 269
FUJII Y, NAKADA T. Cortical reorganization in patients with subcortical hemiparesis: neural mechanisms of functional recovery and prognostic implication, 64
FUJIMAKI T, TAKAGI K, NAGATA K. Cerebrospinal fluid volume. Letters, 1144
FUJIWARA K. *See* Yoshida H, 874
FULGHAM JR. *See* Rabinstein AA, 319

GABIUS HJ. *See* Lefranc F, 145
GALANAUD D, CHINOT O, NICOLI F, CONFORT-GOUNY S, LE FUR Y, BARRIE-ATTARIAN M, RANJEVA JP, FUENTES S, VIOUT P, FIGARELLA-BRANGER D, COZZONE PJ. Use of proton magnetic resonance spectroscopy of the brain to differentiate gliomatosis cerebri from low-grade glioma, 269
GARMESTANI K. *See* Nguyen TT, 584
GATIGNOL P. *See* Duffau H, 764
GENNARELLI TA. *See* Taylor WR, 205
GEREVINI S. *See* Mattioli C, 37
GERMAN DC. *See* Giller CA, 1299
GERMANO IM. *See* Yao KC, 378
GHISONI L. *See* Magnoni S, 952
GILLER CA, LIU H, GURNANI P, VICTOR S, YAZDANI U, GERMAN DC. Validation of a near-infrared probe for detection of thin intracranial white matter structures, 1299
GILMARTIN R. *See* Albright AL, 291
GIOMBINI S. *See* Ferroli P, 934
GLENN GM. *See* Wanebo JE, 82
THE GLIOMA OUTCOMES INVESTIGATORS. *See* Chang SM, 1175
GNANALINGHAM KK, ELSAGHIER A, KIBBLER C, SHIEFF C. The impact of methicillin-resistant *Staphylococcus aureus* in a neurosurgical unit: a growing problem, 8
GOBIN YP. *See* Murayama Y, 959
GOETSCH S. *See* Linskey ME, 800
GOLDMAN B. *See* Rienstein S, 162
GOLDRING AA. *See* Rienstein S, 162
GOLFINOS JG. *See* Russell SM, 1109
GÓMEZ PA. *See* Alén JF, 529
GOTO T. *See* Takami T, 913
———. *See* Tsuyuguchi N, 1056
———, HONGO K, IWASHITA T, NAGASHIMA H, OIKAWA S, KYOSHIMA K, KOBAYASHI S. Paget disease causing intracerebral mucoceles. Case illustration, 643
———, ———, KOYAMA JI, KOBAYASHI S. Feasibility of using the potassium titanyl phosphate laser with micromanipulators in robotic neurosurgery: a preliminary study in the rat, 131
GOUVERNET J. *See* Trouillas J, 1084
GRAHAM DI. *See* Smith DH, 1072
GRANT GA. *See* Sharma MR, 1320
———, MENO JR, NGUYEN TS, STANNESS KA, JANIGRO D, WINN HR. Adenosine-induced modulation of excitatory amino acid transport across isolated brain arterioles, 554
GREGSON BA. *See* Ogungbo B, 43
GRINNELL V. *See* Owler BK, 1045
GRUMET M. *See* Hasegawa K, 1065
GUHLMANN A. *See* Nowak DA, 903
GUIGARD MP. *See* Trouillas J, 1084
GUO Q. *See* Lin J, 621
GUPTA A, NADIMPALI SPR, CAVALLINO RP. Intraventricular neurocysticercosis. Letters, 648
GURNANI P. *See* Giller CA, 1299
GUTERMAN LR. *See* Kim SH, 1116

———. *See* Levy EI, 544
GUTMAN FB. *See* Sansing LH, 985

HADDEN A. Book review, 931
HADER WJ. Death and third ventriculostomy. Letters, 650
HADJIPANAYIS CG, BEJJANI G, WILEY C, HASEGAWA T, MADDOCK M, KONDZIOLKA D. Intracranial Rosai–Dorfman disease treated with microsurgical resection and stereotactic radiosurgery. Case report, 165
HAGIWARA H. *See* Miyasaka Y, 190
HAINES SJ. *See* Hopkins TE, 1113
HALLIDAY WC. *See* Tsao MN, 169
HALMAGYI GM. *See* Owler BK, 1045
HAMADA H. *See* Yamamoto H, 1217
HAMADA I. *See* Terao T, 1241
HAMILTON AJ. *See* Zabramski JM, 725
HAMILTON MG. *See* Tsao MN, 169
HAN HS. *See* Karabiyikoglu M, 1271
HAN K. *See* Kim DH, 993
HAN PP, PONCE FA, SPETZLER RF. Intention-to-treat analysis of Spetzler–Martin Grades IV and V arteriovenous malformations: natural history of these lesions and treatment paradigm, 3
HANEL RA. *See* Levy EI, 544
HANIGAN WC. *See* Lin J, 737
HARA M. *See* Takami T, 913
———. *See* Tsuyuguchi N, 1056
HARA N. *See* Shingu T, 154
HARRIS JB. Snowboarding and head injury. Letters, 932
HARSH GR IV. *See* Lehman NL, 1120
HARVEY-WHITE J. *See* Oiwa Y, 136
HASEGAWA K, GRUMET M. Trauma-induced tumorigenesis of cells implanted into the rat spinal cord, 1065
HASEGAWA T. *See* Hadjipanayis CG, 165
HASHIMOTO N. *See* Kawanabe Y, 561
HAYASHI N. *See* Yamamoto H, 1217
HEBB AO, HEBB K, RAMACHANDRAN AC, MENDEZ I. Glial cell line–derived neurotrophic factor–supplemented hibernation of fetal ventral mesencephalic neurons for transplantation in Parkinson disease: long-term storage, 1078
HEBB K. *See* Hebb AO, 1078
HEISS JD. *See* Sansur CA, 453
HELLBUSCH LC. *See* Tomes DJ, 578
HELLWIG D. *See* Boschert J, 1032
HELM GA. *See* Sheehan JP, 125
HENN JS. *See* Passacantilli E, 219
HERMINGHAUS S, DIERKS T, PILATUS U, MÖLLER-HARTMANN W, WITTSACK J, MARQUARDT G, LABISCH C, LANFERMANN H, SCHLOTE W, ZANELLA FE. Determination of histopathological tumor grade in neuroepithelial brain tumors by using spectral pattern analysis of in vivo spectroscopic data, 74
HERNÁNDEZ MA. *See* Clavo B, 1263
HERNESNIEMI J. Distal PICA aneurysms. Letters, 1144
HEROS R. Spetzler–Martin Grades IV and V arteriovenous malformations. Editorial, 1
HEROS RC. Guglielmi Detachable Coil technology. Editorial, 945
HILLMAN J. *See* Säveland H, 1148
———, FRIDRIKSSON S, NILSSON O, SÄVELAND H, JAKOBSSON KE. Prevention of early rebleeding. Letters, 1149
HIRASHIMA Y. *See* Yamamoto H, 1217
HIRATA M. *See* Takagi K, 50
HIROSE Y, KREKLAU EL, ERICKSON LC, BERGER MS, PIEPER RO. Delayed repletion of O^6-methylguanine-DNA methyltransferase resulting in failure to protect the human glioblastoma cell line SF767 from temozolomide-induced cytotoxicity, 591
HOCHMAN S. *See* MacDonald SC, 1094
HOCKLEY A. *See* Xenos C, 277
HONEGGER J, ZENTNER J. Secondary cerebellar hemorrhage. Letters, 227
HONEY CR. *See* Sun MC, 565
HONGO K. *See* Attia W, 823
———. *See* Goto T, 131, 643
———. *See* Kakizawa Y, 625
———. *See* Tanaka Y, 359, 1188
HOPKINS LN. *See* Kim SH, 1116
———. *See* Levy EI, 544
HOPKINS TE, HAINES SJ. Rapid development of Chiari I malformation in an infant with Seckel syndrome and craniosynostosis. Case report and review of the literature, 1113
HORI T. *See* Taira T, 414
HORN P. *See* Vajkoczy P, 1227
HORNER TG. *See* Zabramski JM, 725
HOROUPIAN DS. *See* Lehman NL, 1120
HOROWITZ MB. *See* Tyler-Kabara EC, 647
HORVATH E. *See* Al-Gahtany M, 891
HOULDEN DA. *See* Burkholder LM, 607
HSU FPK. Book review, 1322
HU G, LYETH BG, ZHAO X, MITCHELL JB, WATSON JC. Neuroprotection by the stable nitroxide 3-carbamoylproxyl during reperfusion in a rat model of transient focal ischemia, 393
HUANG W. *See* Chang SM, 1175
HÜBNER F. *See* Jödicke A, 515
HULTS KN. *See* Taylor WR, 205
HURN PD. *See* Antezana DF, 860
HURTIG HI. *See* Umemura A, 779
HUSSAIN M. *See* Yang Y, 397

IANNOTTI F. *See* Palmer JD, 1208
IIDA K, KURISU K, ARITA K, OHTANI M. Hyperemia prior to acute brain swelling during rewarming of patients who have been treated with moderate hypothermia for severe head injuries, 793
IIHARA K, MURAO K, SAKAI N, SOEDA A, ISHIBASHI-UEDA H, YUTANI C, YAMADA N, NAGATA I. Continued growth of and increased symptoms from a thrombosed giant aneurysm of the vertebral artery after complete endovascular occlusion and trapping: the role of vasa vasorum. Case report, 407
IMANAKA-YOSHIDA K. *See* Toma N, 199
INAGAKI M. *See* Maeda K, 854
INAGAWA T. Diurnal and seasonal variations in the onset of primary intracerebral hemorrhage in individuals living in Izumo City, Japan, 326
INOUE S. *See* Yasuhara T, 933
INOUE T. *See* Katsuta T, 404
INOUE Y. *See* Takami T, 913
IPLIKÇIOGLU AC, BEK S. Prevention of early rebleeding. Letters, 1147
ISHIBASHI-UEDA H. *See* Iihara K, 407
ITAKURA T. *See* Terada T, 491
ITOH M. *See* Nakajima T, 57
IULIANO B. *See* Pluta RM, 117

IVANHOE CB. *See* Albright AL, 291
IVERSON GL. *See* Lovell MR, 296
IWAI Y. *See* Tsuyuguchi N, 1056
IWAISAKO K. *See* Takimoto H, 917
IWAKI T. *See* Katsuta T, 404
IWASHITA T. *See* Goto T, 643
IWATA A. *See* Smith DH, 1072

JAGGI JL. *See* Samadani U, 888
———. *See* Umemura A, 779
JAHAN R. *See* Murayama Y, 959
JAKOBSSON KE. *See* Hillman J, 1149
———. *See* Säveland H, 1148
JAN M. *See* Trouillas J, 1084
JANIGRO D. *See* Grant GA, 554
JAVAHERY R. *See* Coscarella E, 929
JAYWANT S. *See* Tsao MN, 169
JIMENEZ DF. *See* Morenski JD, 611
JÖDICKE A, HÜBNER F, BÖKER DK. Monitoring of brain tissue oxygenation during aneurysm surgery: prediction of procedure-related ischemic events, 515
JOHNSTONE PAS. *See* Linskey ME, 800
JOINT C. *See* Nandi D, 651
JOKURA H. *See* Sato K, 1318
JORDAN LM. *See* MacDonald SC, 1094
JOUANNEAU E. *See* Trouillas J, 1084

KAIBARA T. *See* Louw DF, 638
KAKIZAWA Y. *See* Tanaka Y, 359
———, HONGO K, TAKASAWA H, MIYAIRI Y, SATO A, TANAKA Y, KOBAYASHI S. "Real" three-dimensional constructive interference in steady-state imaging to discern microneurosurgical anatomy. Technical note, 625
KALTNER H. *See* Lefranc F, 145
KAMEZAKI T. *See* Matsumaru Y, 426
KAMPFL A. *See* Pfausler B, 1040
KANG JK. *See* Son BC, 175
KANZAWA T. *See* Yao KC, 378
KAPTAIN GJ. Book review, 645
KARABIYIKOGLU M, HAN HS, YENARI MA, STEINBERG GK. Attenuation of nitric oxide synthase isoform expression by mild hypothermia after focal cerebral ischemia: variations depending on timing of cooling, 1271
KARACHI C, LE GUÉRINEL C, BRUGIÈRES P, MELON E, DECQ P. Hydrocephalus due to idiopathic stenosis of the foramina of Magendie and Luschka. Report of three cases, 897
KARASAWA J. *See* Kubo S, 430
———. *See* Takimoto H, 917
KARIBE H. *See* Sato K, 1318
KASSAM AB. *See* Tyler-Kabara EC, 647
KATO A. *See* Kubo S, 430
KATSUTA T, INOUE T, NAKAGAKI H, TAKESHITA M, MORIMOTO K, IWAKI T. Distinctions between pituicytoma and ordinary pilocytic astrocytoma. Case report, 404
KAUSHIK T. *See* Erlanger D, 477
KAWAGUCHI K. *See* Toma N, 199
KAWAMOTO S. *See* Yoshikawa G, 1134
KAWANABE Y, MASAKI T, HASHIMOTO N. Effects of Ca^{++}-permeable nonselective cation channel blocker LOE 908 on subarachnoid hemorrhage–induced vasospasm in the basilar artery in rabbits, 561
KAWASHIMA M. *See* Tanriover N, 1277
KAZNATCHEEVA EA. *See* Sansing LH, 985
KELBCH C. *See* Taylor WR, 205
KELLY DF. *See* Zada G, 350
KENNY B. *See* Mathieu D, 1194
KESTLE JRW, DRAKE JM, COCHRANE DD, MILNER R, WALKER ML, ABBOTT R III, BOOP FA. Lack of benefit of endoscopic ventriculoperitoneal shunt insertion: a multicenter randomized trial, 284
KIBBLER C. *See* Gnanalingham KK, 8
KIM CH. Secondary cerebellar hemorrhage. Letters, 226
KIM DH, CHO YJ, TIEL RL, KLINE DG. Outcomes of surgery in 1019 brachial plexus lesions treated at Louisiana State University Health Sciences Center, 1005
———, HAN K, TIEL RL, MUROVIC JA, KLINE DG. Surgical outcomes of 654 ulnar nerve lesions, 993
KIM LJ, KLOPFENSTEIN JD, CHENG M, NAGUL M, COONS S, FEDENBERG C, BRACHMAN DG, WHITE WL. Ectopic intracavernous sinus adrenocorticotropic hormone–secreting microadenoma: could this be a common cause of failed transsphenoidal surgery in Cushing disease? Case report, 1312
KIM MC. *See* Son BC, 175
KIM SH, QURESHI AI, BOULOS AS, BENDOK BR, LEVY EI, YAHIA AM, GUTERMAN LR, HOPKINS LN. Intracranial stent placement for the treatment of a carotid-cavernous fistula associated with intracranial angioplasty. Case report, 1116
KING RB, DAVIS RL, COLLINS GH. Third ventriculostomy for internal hydrocephalus complicated by unrecognized subdural hygroma and hematoma: a case report of a patient treated by Dr. Walter Dandy. Historical vignette, 1136
KIRBY MA. Book review, 1141
KISS R. *See* Lefranc F, 145
KITO T, KURODA E, YOKOTA A, YAMASHITA U. Cytotoxicity in glioma cells due to interleukin-12 and interleukin-18–stimulated macrophages mediated by interferon-γ–regulated nitric oxide, 385
KLANFAR Z. *See* Rumboldt Z, 434
KLEIHUES P. *See* Burkhard C, 1170
KLEIN G. *See* Yamasaki T, 599
KLINE DG. *See* Kim DH, 993, 1005
KLOPFENSTEIN JD. *See* Kim LJ, 1312
KNOWLTON S. *See* Taylor WR, 205
KOBAYASHI K. *See* Yoshida H, 874
KOBAYASHI S. *See* Attia W, 823
———. *See* Goto T, 131, 643
———. *See* Kakizawa Y, 625
———. *See* Tanaka Y, 359, 1188
KOBAYASHI T. *See* Taira T, 414
KODAMA N. *See* Suzuki K, 507
KOMAROFF E. *See* Sansing LH, 985
KOMATA T. *See* Yao KC, 378
KONDO S. *See* Yao KC, 378
KONDO Y. *See* Yao KC, 378
KONDZIOLKA D. *See* Hadjipanayis CG, 165
———. *See* Sheehan JP, 342
KONNO Y. *See* Suzuki K, 507
KOROSHETZ WJ. *See* Topcuoglu MA, 1235
KOVACS K. *See* Al-Gahtany M, 417, 891
KOYAMA JI. *See* Goto T, 131
KRACH LE. *See* Albright AL, 291
KRAUS RR. *See* Wang H, 926

KRAUSS JK. *See* Boschert J, 1032
———, LOHER TJ, WEIGEL R, CAPELLE HH, WEBER S, BURGUNDER JM. Chronic stimulation of the globus pallidus internus for treatment of non-*DYT1* generalized dystonia and choreoathetosis: 2-year follow up, 785
KREKLAU EL. *See* Hirose Y, 591
KRIEGER MD, COULDWELL WT, WEISS MH. Assessment of long-term remission of acromegaly following surgery, 719
KRISHT AL. Book review, 929
KUBO S. *See* Takimoto H, 917
———, UENO M, TAKIMOTO H, KARASAWA J, KATO A, YOSHIMINE T. Endoscopically aided retroperitoneal placement of a lumboperitoneal shunt. Technical note, 430
KURISU K. *See* Iida K, 793
KURODA E. *See* Kito T, 385
KURTKAYA-YAPICIER Ö. *See* Ecker RD, 1182
KUTZ S. *See* Tender GC, 1128
KYOSHIMA K. *See* Goto T, 643

LABISCH C. *See* Herminghaus S, 74
LAGARES A. *See* Alén JF, 529
LAIDLAW JD, SIU KH. Early aneurysm surgery. Letters, 445
LAMBORN KR. *See* Schmidt MH, 1165
LANE JI. *See* Maher CO, 908
LANFERMANN H. *See* Herminghaus S, 74
LANG EW, PAULAT K, WITTE C, ZOLONDZ J, MEHDORN HM. Noninvasive intracranial compliance monitoring. Technical note and clinical results, 214
LANGE KW. *See* Tucha O, 21
LANZINO G. *See* Passacantilli E, 219
———. *See* Wang H, 926
———, WANG H. Prevention of early rebleeding. Letters, 1146
LAPERRIERE N. *See* Tsao MN, 169
LAROCCA LM. *See* Pallini R, 812
LASKOWITZ DT. *See* McGirt MJ, 1222
LAWS ER JR. Book review, 930
———. Peripheral nerve surgery. Editorial, 1157
———. *See* Chang SM, 1175
———. *See* Ellegala DB, 974
LAWTON MT. *See* Quiñones-Hinojosa A, 642
LE FUR Y. *See* Galanaud D, 269
LE GUÉRINEL C. *See* Karachi C, 897
LEE MS, PLESS M. Apoplectic lymphocytic hypophysitis. Case report, 183
LEFRANC F, CHEVALIER C, VINCHON M, DHELLEMMES P, SCHÜRING MP, KALTNER H, BROTCHI J, RUCHOUX MM, GABIUS HJ, SALMON I, KISS R. Characterization of the levels of expression of retinoic acid receptors, galectin-3, macrophage migration inhibiting factor, and p53 in 51 adamantinomatous craniopharyngiomas, 145
LEHMAN NL, HOROUPIAN DS, HARSH GR IV. Synchronous subarachnoid drop metastases from a pituitary adenoma with multiple recurrences. Case report, 1120
LEHMAN RM. Field potentials. Letters, 651
LEHR HA. *See* Bedavanija A, 807
LETTICH E. *See* Ojemann SG, 465
LEVESQUE MF. Book review, 435
LEVY EI. *See* Kim SH, 1116
———, BOULOS AS, HANEL RA, TIO FO, ALBERICO RA, FRONCKOWIAK MD, NEMES B, PACIOREK AM, GUTERMAN LR, HOPKINS LN. In vivo model of intracranial stent implantation: a pilot study to examine the histological response of cerebral vessels after randomized implantation of heparin-coated and uncoated endoluminal stents in a blinded fashion, 544
LEVY RP. *See* Fleetwood IG, 747
LI F. *See* Lin J, 621
LI KW. *See* Olivi A, 936
LI Q. *See* Yang Y, 397
LIAO L. *See* Bulsara KR, 524
LIAU LM. Book review, 436, 1323
LIFSHUTZ J. Book review, 436
LIGHTSTONE AW. *See* Tsao MN, 169
LILLEHEI KO. *See* Chang SM, 1175
LIN J, FENG H, LI F, ZHAO B, GUO Q. Intraparenchymal schwannoma of the medulla oblongata. Case report, 621
———, HANIGAN WC, TARANTINO M, WANG J. The use of recombinant activated factor VII to reverse warfarin-induced anticoagulation in patients with hemorrhages in the central nervous system: preliminary findings, 737
LINSKEY ME, JOHNSTONE PAS, O'LEARY M, GOETSCH S. Radiation exposure of normal temporal bone structures during stereotactically guided gamma knife surgery for vestibular schwannomas, 800
LITTLE KM. *See* McGirt MJ, 14
LIU H. *See* Giller CA, 1299
LLORET M. *See* Clavo B, 1263
LOBATO RD. *See* Alén JF, 529
LOCATELLI M. *See* Magnoni S, 952
LOGAN W. *See* Önal C, 1017
LOHER TJ. *See* Krauss JK, 785
LONSER RR. *See* Wanebo JE, 82
———. *See* Weil RJ, 95
———, WEIL RJ, WANEBO JE, DEVROOM HL, OLDFIELD EH. Surgical management of spinal cord hemangioblastomas in patients with von Hippel–Lindau disease, 106
LOPES M. *See* Duffau H, 764
LOPEZ-GINES C. *See* Cerdá-Nicolás M, 194
LOUW DF, KAIBARA T, SUTHERLAND GR. Aneurysm clips. Historical vignette, 638
LOVELL MR, COLLINS MW, IVERSON GL, FIELD M, MAROON JC, CANTU R, PODELL K, POWELL JW, BELZA M, FU FH. Recovery from mild concussion in high school athletes, 296
LUNSFORD LD. *See* Sheehan JP, 342
LUTCH MJ. *See* Taylor WR, 205
LÜTOLF UM. *See* Burkhard C, 1170
LYETH BG. *See* Hu G, 393
LYNCH JR. *See* McGirt MJ, 1222

MAARTENS NF. *See* Ellegala DB, 974
MACDONALD SC, FLEETWOOD IG, HOCHMAN S, DODD JG, CHENG GKW, JORDAN LM, BROWNSTONE RM. Functional motor neurons differentiating from mouse multipotent spinal cord precursor cells in culture and after transplantation into transected sciatic nerve, 1094
MACKINNON SE. *See* Tung TH, 313
MADDOCK M. *See* Hadjipanayis CG, 165
MAEDA K, MIZUNO M, WAKABAYASHI T, TAKASU S, NAGASAKA T, INAGAKI M, YOSHIDA J. Morphological assessment of the development of multinucleated giant cells in glioma by using mitosis-specific phosphorylated antibodies, 854
MAEDER P. *See* Wintermark M, 828

Magnoni S, Ghisoni L, Locatelli M, Caimi M, Colombo A, Valeriani V, Stocchetti N. Lack of improvement in cerebral metabolism after hyperoxia in severe head injury: a microdialysis study, 952
Maher CO, Atkinson JLD, Lane JI. Arteriovenous malformation in the trigeminal nerve. Case report, 908
Maira G. *See* Pallini R, 812
Malessy MJA, Bakker D, Dekker AJ, van Dijk JG, Thomeer RTWM. Functional magnetic resonance imaging and control over the biceps muscle after intercostal–musculocutaneous nerve transfer, 261
Maniker A. Peripheral nerve surgery. Editorial, 1158
———, Passannante M. Peripheral nerve surgery and neurosurgeons: results of a national survey of practice patterns and attitudes, 1159
Mann WJ. *See* Bedavanija A, 807
Mantle M. *See* Tang L, 837
Marcellus ML. *See* Fleetwood IG, 747
Marchal C. *See* Dufrane D, 1198
Marks MP. *See* Fleetwood IG, 747
Maroon JC. *See* Lovell MR, 296
Marotta T. *See* Al-Gahtany M, 417
Marquardt G. *See* Herminghaus S, 74
Marsh WR. *See* Ecker RD, 1182
Marshall LF. *See* Farin A, 32
———. *See* Taylor WR, 205
Martin N. *See* Murayama Y, 959
Martin R. *See* Mathieu D, 1194
Maruno M. *See* Tomishima T, 1319
Maruyama T. *See* Wanifuchi T, 1145
Masaki T. *See* Kawanabe Y, 561
Masuo O. *See* Terada T, 491
Mathieu D, Beaudry M, Martin R, McLelland H, Robert B, Kenny B. Effect of the local anesthetic agent bupivacaine prior to application of the skull-pin holder for craniotomies, 1194
Matouk CC. *See* McDonald PJ, 1133
Matsumaru Y, Yanaka K, Muroi A, Sato H, Kamezaki T, Nose T. Significance of a small bulge on the basilar artery in patients with perimesencephalic nonaneurysmal subarachnoid hemorrhage. Report of two cases, 426
Matsumoto H. *See* Terada T, 491
Matsumoto JY. *See* Cohen-Gadol AA, 1247
Matsumoto M. *See* Suzuki K, 507
Matsushima S. *See* Toma N, 199
Mattioli C, Beretta L, Gerevini S, Veglia F, Citerio G, Cormio M, Stocchetti N. Traumatic subarachnoid hemorrhage on the computerized tomography scan obtained at admission: a multicenter assessment of the accuracy of diagnosis and the potential impact on patient outcome, 37
Maurer J. *See* Bedavanija A, 807
Mavropoulos JC. *See* McGirt MJ, 1222
McClelland R. *See* Ecker RD, 1182
McClelland RL. *See* Cohen-Gadol AA, 1247
———. *See* Rabinstein AA, 319
McCormick PC. *See* Dunsker SB, 1150
McDermott M. *See* Chang SM, 1175
McDermott MW. *See* Schmidt MH, 1165
McDonald PJ, Matouk CC, Papsin B, Rutka JT. Clival osteoblastoma in a child. Case illustration, 1133
McDowell D. *See* Owler BK, 1045
McGirt LY. *See* McGirt MJ, 1222
McGirt MJ. *See* Bulsara KR, 524
———, Bulsara KR, Cummings TJ, New KC, Little KM, Friedman HS, Friedman AH. Prognostic value of magnetic resonance imaging–guided stereotactic biopsy in the evaluation of recurrent malignant astrocytoma compared with a lesion due to radiation effect, 14
———, Mavropoulos JC, McGirt LY, Alexander MJ, Friedman AH, Laskowitz DT, Lynch JR. Leukocytosis as an independent risk factor for cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 1222
McIver JI. *See* Rabinstein AA, 319
McLaughlin JF. *See* Albright AL, 291
McLelland H. *See* Mathieu D, 1194
Meeks SL. *See* Foote KD, 337
Mehdorn HM. *See* Lang EW, 214
———. *See* Reichardt KA, 180
Melon E. *See* Karachi C, 897
Meltzer H. *See* Taylor WR, 205
Mendelow AD. *See* Ogungbo B, 43
Mendez I. *See* Hebb AO, 1078
Meno JR. *See* Grant GA, 554
Mericle RA. *See* Tanriover N, 1277
Meuli R. *See* Wintermark M, 828
Meyer FB. *See* Cohen-Gadol AA, 1255
———. *See* Rabinstein AA, 319
Midha R. *See* Burkholder LM, 607
Milner R. *See* Kestle JRW, 284
Mitchell JB. *See* Hu G, 393
Mitchell MC. *See* Duffau H, 764
Miyairi Y. *See* Kakizawa Y, 625
Miyasaka Y, Nakahara K, Takagi H, Hagiwara H. Development of multiple cerebral arteriovenous malformations documented in an adult by serial angiography. Case report, 190
Miyoshi Y. *See* Yoshida H, 874
Mizuno M. *See* Maeda K, 854
Möller-Hartmann W. *See* Herminghaus S, 74
Moon DE. *See* Son BC, 175
Morcos JJ. *See* Coscarella E, 929
Morenski JD, Tobias JD, Jimenez DF. Recombinant activated factor VII for cerebral injury–induced coagulopathy in pediatric patients. Report of three cases and review of the literature, 611
Morera J. *See* Clavo B, 1263
Mori H. *See* Nishiyama K, 1027
Morimoto K. *See* Katsuta T, 404
Morino M. Hemispherotomy techniques. Letters, 438
Moritake K. *See* Shingu T, 154
———. *See* Yamasaki T, 599
Morris S. *See* Tomishima T, 1319
Muller JC. *See* Duffau H, 764
Munch E. *See* Vajkoczy P, 1227
Murakawa M. *See* Suzuki K, 507
Murao K. *See* Iihara K, 407
———. *See* Toma N, 199
Murayama Y, Nien YL, Duckwiler G, Gobin YP, Jahan R, Frazee J, Martin N, Viñuela F. Guglielmi Detachable Coil embolization of cerebral aneurysms: 11 years' experience, 959
———, Viñuela F. Guglielmi Detachable Coil technology. Editorial, 947
Muroi A. *See* Matsumaru Y, 426
Murovic JA. *See* Kim DH, 993
Murphy SJ. *See* Antezana DF, 860

NABAVI A. *See* Reichardt KA, 180
NADIMPALI SPR. *See* Gupta A, 648
NAGASAKA T. *See* Maeda K, 854
NAGASHIMA H. *See* Attia W, 823
———. *See* Goto T, 643
NAGATA I. *See* Iihara K, 407
NAGATA K. *See* Fujimaki T, 1144
———. *See* Yoshikawa G, 1134
NAGUL M. *See* Kim LJ, 1312
NAIDOO R. *See* Nathoo N, 302
NAJM IM. Book review, 1321
NAKADA T. *See* Fujii Y, 64
NAKAGAKI H. *See* Katsuta T, 404
NAKAGOMI T. *See* Takagi K, 50
NAKAGUCHI H, TSUTSUMI K. Snowboarding and head injury. Letters, 932
NAKAHARA K. *See* Miyasaka Y, 190
NAKAJIMA T, NIMURA T, YAMAGUCHI K, ANDO T, ITOH M, YOSHIMOTO T, SHIRANE R. The impact of stereotactic pallidal surgery on the dopamine D_2 receptor in Parkinson disease: a positron emission tomography study, 57
NANDI D, AZIZ TZ, SCOTT R, JOINT C, STEIN JF. Field potentials. Letters, 651
NATARAJAN K. *See* Xenos C, 277
NATHOO N, CHETTY R, VAN DELLEN JR, CONNOLLY C, NAIDOO R. Apolipoprotein E polymorphism and outcome after closed traumatic brain injury: influence of ethnic and regional differences, 302
NELSON PK, RUSSELL SM, WOO HH, ALASTRA AJG, VIDOVICH DV. Use of a wedged microcatheter for curative transarterial embolization of complex intracranial dural arteriovenous fistulas: indications, endovascular technique, and outcome in 21 patients, 498
NEMES B. *See* Levy EI, 544
NEW KC. *See* McGirt MJ, 14
NEWELL DW. *See* Sharma MR, 1320
———, AVELLINO AM, SCHUSTER JM. Intracranial anastomosis. Letters, 440
NEWMAN GC. *See* Sansing LH, 985
NGUYEN T. *See* Pluta RM, 117
NGUYEN TS. *See* Grant GA, 554
NGUYEN TT, PANNU YS, SUNG C, DEDRICK RL, WALBRIDGE S, BRECHBIEL MW, GARMESTANI K, BEITZEL M, YORDANOV AT, OLDFIELD EH. Convective distribution of macromolecules in the primate brain demonstrated using computerized tomography and magnetic resonance imaging, 584
NICHOLS DA. *See* Collignon FP, 1135
———. *See* Rabinstein AA, 319
NICOLI F. *See* Galanaud D, 269
NIEN YL. *See* Murayama Y, 959
NILSSON O. *See* Hillman J, 1149
———. *See* Säveland H, 1148
NIMURA T. *See* Nakajima T, 57
NINA P. *See* Schisano G, 1147
NISHIDA T. *See* Tomishima T, 1319
NISHIKAWA M. *See* Takami T, 913
NISHIYAMA K, MORI H, TANAKA R. Changes in cerebrospinal fluid hydrodynamics following endoscopic third ventriculostomy for shunt-dependent noncommunicating hydrocephalus, 1027
NOSE T. *See* Matsumaru Y, 426
NOVAK CB. *See* Tung TH, 313
NOWAK DA, RODIEK SO, ZINNER J, GUHLMANN A, TOPKA H. Broadening the clinical spectrum: unusual presentation of spontaneous cerebrospinal fluid hypovolemia. Case report, 903
NUTIK SL. Subclinoid aneurysms, 731

O'LEARY M. *See* Linskey ME, 800
OCHI A. *See* Önal C, 1017
OGILVY CS. *See* Topcuoglu MA, 1235
OGUNGBO B. De novo aneurysms. Letters, 933
———, GREGSON B, BLACKBURN A, BARNES J, VIVAR R, SENGUPTA R, MENDELOW AD. Aneurysmal subarachnoid hemorrhage in young adults, 43
OHATA K. *See* Takami T, 913
———. *See* Tsuyuguchi N, 1056
OHGAKI H. *See* Burkhard C, 1170
OHMOTO T. *See* Yasuhara T, 933
———. *See* Yoshida H, 874
OHTANI M. *See* Iida K, 793
OIKAWA S. *See* Goto T, 643
OINUMA M. *See* Suzuki K, 507
OIWA Y, SANCHEZ-PERNAUTE R, HARVEY-WHITE J, BANKIEWICZ KS. Progressive and extensive dopaminergic degeneration induced by convection-enhanced delivery of 6-hydroxydopamine into the rat striatum: a novel rodent model of Parkinson disease, 136
OJEMANN GA. *See* Ojemann SG, 465
OJEMANN SG, BERGER MS, LETTICH E, OJEMANN GA. Localization of language function in children: results of electrical stimulation mapping, 465
OKINAGA K. *See* Takagi K, 50
OKIYAMA R. *See* Terao T, 1241
OLDFIELD EH. Cushing disease. Editorial, 948
———. *See* Lonser RR, 106
———. *See* Nguyen TT, 584
———. *See* Pluta RM, 117
———. *See* Sansur CA, 453
———. *See* Wanebo JE, 82
———. *See* Weil RJ, 95
OLIVI A, DIMECO F, LI KW, TYLER BM, WOLF AS, BREM H. Cranial nerve hemangioblastoma. Letters, 936
OLSON J. *See* Zabramski JM, 725
ÖNAL C, OTSUBO H, ARAKI T, CHITOKU S, OCHI A, WEISS S, LOGAN W, ELLIOTT I, SNEAD OC III, RUTKA JT. Complications of invasive subdural grid monitoring in children with epilepsy, 1017
ORIGASA H. *See* Yamamoto H, 1217
ORTEGA M. *See* Wieser HG, 751
OSAGO H. *See* Shingu T, 154
OSTERDOCK R. Book review, 221
OTSUBO H. *See* Önal C, 1017
OTSUKA Y. *See* Tsuyuguchi N, 1056
OWLER BK, PARKER G, HALMAGYI GM, DUNNE VG, GRINNELL V, MCDOWELL D, BESSER M. Pseudotumor cerebri syndrome: venous sinus obstruction and its treatment with stent placement, 1045
ÖZGENEL GY, FILIZ G. Effects of human amniotic fluid on peripheral nerve scarring and regeneration in rats, 371

PACIOREK AM. *See* Levy EI, 544
PALLINI R, MAIRA G, PIERCONTI F, FALCHETTI ML, ALVINO E, CIMINO-REALE G, FERNANDEZ E, D'AMBROSIO E, LAROCCA LM. Chordoma of the skull base: predictors of tumor recurrence, 812

PALMER JD, FRANCIS JL, PICKARD JD, IANNOTTI F. The efficacy and safety of aprotinin for hemostasis during intracranial surgery, 1208
PANERO F. *See* Clavo B, 1263
PANNU YS. *See* Nguyen TT, 584
PAPSIN B. *See* McDonald PJ, 1133
PARKER G. *See* Owler BK, 1045
PARNEY IF. *See* Chang SM, 1175
PARTOVI S. *See* Passacantilli E, 219
PASSACANTILLI E, LANZINO G, HENN JS, PARTOVI S, SPETZLER RF. Intracranial extradural schwannoma of the 12th cranial nerve. Case illustration, 219
PASSANNANTE M. *See* Maniker A, 1159
PAUL GM. *See* Tucha O, 21
PAULAT K. *See* Lang EW, 214
PEREZ-BACETE M. *See* Cerdá-Nicolás M, 194
PERINI S. *See* Colombo F, 536
PERKINS CJ. *See* Sansing LH, 985
PERKINS E. *See* Akin E, 366
PERRIN G. *See* Trouillas J, 1084
PFAUSLER B, SPISS H, BEER R, KAMPFL A, ENGELHARDT K, SCHOBER M, SCHMUTZHARD E. Treatment of staphylococcal ventriculitis associated with external cerebrospinal fluid drains: a prospective randomized trial of intravenous compared with intraventricular vancomycin therapy, 1040
PICHELMANN MA. *See* Rabinstein AA, 319
PICKARD JD. *See* Palmer JD, 1208
PIEPER RO. *See* Hirose Y, 591
PIEPGRAS DG. *See* Collignon FP, 1135
———. *See* Rabinstein AA, 319
PIERCONTI F. *See* Pallini R, 812
PILATUS U. *See* Herminghaus S, 74
PILZER D. *See* Rienstein S, 162
PLESS M. *See* Lee MS, 183
PLUTA RM, IULIANO B, DEVROOM HL, NGUYEN T, OLDFIELD EH. Comparison of anterior and posterior surgical approaches in the treatment of ventral spinal hemangioblastomas in patients with von Hippel–Lindau disease, 117
PODELL K. *See* Lovell MR, 296
POLLOCK BE. *See* Ecker RD, 1182
PONCE FA. *See* Han PP, 3
POPLE IK. *See* Edwards RJ, 649
POWELL JW. *See* Lovell MR, 296
PRADOS MD. *See* Schmidt MH, 1165
PREIER M. *See* Tucha O, 21

QUIGG M. *See* Sheehan JP, 125
QUIÑONES-HINOJOSA A, AUGUSTE KI, LAWTON MT. Unusual venous drainage of an arteriovenous malformation. Case illustration, 642
QURESHI AI. *See* Kim SH, 1116

RABINSTEIN AA, PICHELMANN MA, FRIEDMAN JA, PIEPGRAS DG, NICHOLS DA, MCIVER JI, TOUSSAINT LG III, MCCLELLAND RL, FULGHAM JR, MEYER FB, ATKINSON JLD, WIJDICKS EFM. Symptomatic vasospasm and outcomes following aneurysmal subarachnoid hemorrhage: a comparison between surgical repair and endovascular coil occlusion, 319
RAFAEL H. Intracranial anastomosis. Letters, 439
RAFTOPOULOS C. *See* Dufrane D, 1198
RAMACHANDRAN AC. *See* Hebb AO, 1078
RAMOS A. *See* Alén JF, 529
RANJEVA JP. *See* Galanaud D, 269
RAO VLR. *See* Dempsey RJ, 867
RATCHESON RA. *See* Verrees M, 1307
REGLI L. *See* Wintermark M, 828
REICHARDT KA, NABAVI A, BARTH H, MEHDORN HM, BLÖMER U. Barotrauma as a possible cause of aneurysmal subarachnoid hemorrhage. Case report, 180
RENGACHARY SS. Book review, 435
RHOTON AL JR. *See* Tanriover N, 1277
RICHARDSON J. *See* Taylor WR, 205
RIENSTEIN S, ADAMS EF, PILZER D, GOLDRING AA, GOLDMAN B, FRIEDMAN E. Comparative genomic hybridization analysis of craniopharyngiomas, 162
RIGBY P. *See* Tender GC, 1128
RIVAS JJ. *See* Alén JF, 529
ROBAINA F. *See* Clavo B, 1263
ROBERT B. *See* Mathieu D, 1194
ROBERTS TPL. *See* Tang L, 837
ROBERTSON C. *See* Zabramski JM, 725
ROCHE S. *See* Duffau H, 764
RODIEK SO. *See* Nowak DA, 903
ROLDAN P. *See* Cerdá-Nicolás M, 194
ROMAND JA. *See* Treggiari MM, 978
ROMNER B. *See* Zemack G, 471
ROOS Y, VERMEULEN M. Prevention of early rebleeding. Letters, 1148
ROSS IB. Book review, 220, 1143
———. *See* Akin E, 366
ROUGON G. *See* Trouillas J, 1084
ROUX FE. Death and third ventriculostomy. Letters, 650
ROWLEY HA. *See* Tang L, 837
RUCHOUX MM. *See* Lefranc F, 145
RUIZ-EGEA E. *See* Clavo B, 1263
RUMBOLDT Z, BEROŠ V, KLANFAR Z. Multiple cerebral aneurysms and a dural arteriovenous fistula in a patient with polyarteritis nodosa. Case illustration, 434
RUSSELL SM. *See* Nelson PK, 498
———, GOLFINOS JG. Amusia following resection of a Heschl gyrus glioma. Case report, 1109
RUTKA JT. *See* McDonald PJ, 1133
———. *See* Önal C, 1017

SAITOH Y. *See* Tomishima T, 1319
SAJADI A, DE TRIBOLET N. Cranial nerve hemangioblastoma. Letters, 935
SAKAI K. *See* Tanaka Y, 359
SAKAI N. *See* Iihara K, 407
SAKAMOTO S. *See* Tsuyuguchi N, 1056
SAKUMA J. *See* Suzuki K, 507
SALMAGGI A. *See* Broggi G, 935
SALMON I. *See* Lefranc F, 145
SAMADANI U, UMEMURA A, JAGGI JL, COLCHER A, ZAGER EL, BALTUCH GH. Thalamic deep brain stimulation for disabling tremor after excision of a midbrain cavernous angioma. Case report, 888
SAMII A, CARVALHO GA, SAMII M. Brachial plexus injury: factors affecting functional outcome in spinal accessory nerve transfer for the restoration of elbow flexion, 307
SAMII M. *See* Samii A, 307
SAMPATH P, AMUNDSON E, WALL ME, TYLER BM, WANI MC, ALDERSON LM, COLVIN M, BREM H, WEINGART JD. Camptothecin analogs in malignant gliomas:

comparative analysis and characterization, 570
SANCHEZ-PERNAUTE R. *See* Oiwa Y, 136
SANSING LH, KAZNATCHEEVA EA, PERKINS CJ, KOMAROFF E, GUTMAN FB, NEWMAN GC. Edema after intracerebral hemorrhage: correlations with coagulation parameters and treatment, 985
SANSUR CA, HEISS JD, DEVROOM HL, ESKIOGLU E, ENNIS R, OLDFIELD EH. Pathophysiology of headache associated with cough in patients with Chiari I malformation, 453
SASAKI T. *See* Suzuki K, 507
SATO A. *See* Kakizawa Y, 625
———. *See* Tanaka Y, 1188
SATO H. *See* Matsumaru Y, 426
SATO K, JOKURA H, SHIRANE R, AKABANE T, KARIBE H, YOSHIMOTO T. Trigeminal neuralgia associated with contralateral cerebellar arteriovenous malformation. Case illustration, 1318
SÄVELAND H. *See* Hillman J, 1149
———, HILLMAN J, FRIDRIKSSON S, JAKOBSSON KE, NILSSON O. Prevention of early rebleeding. Letters, 1148
SAWAYA R, SUKI D. Resection and prognosis. Letters, 226
SCHEITHAUER BW. *See* Ecker RD, 1182
SCHIEVINK WI, THOMPSON RC, YONG WH. A syndrome of spontaneous cerebral and cervical artery dissections with angiolipomatosis. Report of two cases, 1124
SCHIFFBAUER H. *See* Tang L, 837
SCHISANO G, NINA P. Prevention of early rebleeding. Letters, 1147
SCHLOTE W. *See* Herminghaus S, 74
SCHMIDT MH. *See* Chang SM, 1175
———, BERGER MS, LAMBORN KR, ALDAPE K, MCDERMOTT MW, PRADOS MD, CHANG SM. Repeated operations for infiltrative low-grade gliomas without intervening therapy, 1165
SCHMIEDEK P. *See* Vajkoczy P, 1227
SCHMUTZHARD E. *See* Pfausler B, 1040
SCHNYDER P. *See* Wintermark M, 828
SCHOBER M. *See* Pfausler B, 1040
SCHÜLER D. *See* Burkhard C, 1170
SCHÜLER G. *See* Burkhard C, 1170
SCHÜRING MP. *See* Lefranc F, 145
SCHUSTER JM. *See* Newell DW, 440
SCHWARTZ ML. *See* Tsao MN, 169
SCOTT R. *See* Nandi D, 651
SEEHERMAN H. *See* Sheehan JP, 125
SENGUPTA R. *See* Ogungbo B, 43
SGOUROS S. *See* Xenos C, 277
SHAFFREY ME. Book review, 222
SHAMOTO H. *See* Tominaga T, 617
SHARMA MR, NEWELL DW, GRANT GA. Diffuse cerebral venous air embolism following subarachnoid hemorrhage. Case illustration, 1320
SHEEHAN JM. *See* Sheehan JP, 125
SHEEHAN JP, SHEEHAN JM, SEEHERMAN H, QUIGG M, HELM GA. The safety and utility of recombinant human bone morphogenetic protein-2 for cranial procedures in a nonhuman primate model, 125
———, SUN MH, KONDZIOLKA D, FLICKINGER J, LUNSFORD LD. Radiosurgery in patients with renal cell carcinoma metastasis to the brain: long-term outcomes and prognostic factors influencing survival and local tumor control, 342
SHIEFF C. *See* Gnanalingham KK, 8
SHIMIZU H. *See* Tominaga T, 617
SHIMIZU S. Lumbar drain. Letters, 442
SHIMIZU T. *See* Wanifuchi H, 1145
SHINGO T. *See* Yoshida H, 874
SHINGU T, YAMADA K, HARA N, MORITAKE K, OSAGO H, TERASHIMA M, UEMURA T, YAMASAKI T, TSUCHIYA M. Growth inhibition of human malignant glioma cells induced by the PI3-K–specific inhibitor, 154
SHIRANE R. *See* Nakajima T, 57
———. *See* Sato K, 1318
SHUAIB A. *See* Yang Y, 397
SHUTTER L. Book review, 644
SICHEZ JP. *See* Duffau H, 764
SICHEZ N. *See* Duffau H, 764
SIDEROWF AD. *See* Umemura A, 779
SIESJÖ P. *See* Zemack G, 471
SILVANI A. *See* Broggi G, 935
SINGER P. *See* Chen JCT, 967
SINGER W. *See* Al-Gahtany M, 417
SINGHAL AB. *See* Topcuoglu MA, 1235
SIU KH. *See* Laidlaw JD, 444
SLEEMAN D. *See* Andrews PJD, 442
SLOAN AE. *See* Chang SM, 1175
SMELY C. *See* Tucha O, 21
SMITH DH, CHEN XH, IWATA A, GRAHAM DI. Amyloid β accumulation in axons after traumatic brain injury in humans, 1072
SMITH TP, ALEXANDER MJ, ENTERLINE DS. Delayed stenosis following placement of a polyethylene terephthalate endograft in the cervical carotid artery. Report of three cases, 421
SMITH ZA. *See* Frighetto L, 920
SMYTH HS. *See* Al-Gahtany M, 891
SNEAD OC III. *See* Önal C, 1017
SOEDA A. *See* Iihara K, 407
SON BC, KIM MC, MOON DE, KANG JK. Motor cortex stimulation in a patient with intractable complex regional pain syndrome Type II with hemibody involvement. Case report, 175
SONG H. *See* Zhang W, 846
SPETZLER RF. *See* Han PP, 3
———. *See* Passacantilli E, 219
SPISS H. *See* Pfausler B, 1040
STANNESS KA. *See* Grant GA, 554
STEIN JF. *See* Nandi D, 651
STEINBERG GK. *See* Fleetwood IG, 747
———. *See* Karabiyikoglu M, 1271
STERN MB. *See* Umemura A, 779
STOCCHETTI N. Hyperoxia: good or bad? Editorial, 944
———. *See* Mattioli C, 37
STOCCHETTI VN. *See* Magnoni S, 952
STONE JL. Book review, 645
STRÖMBLAD LG. *See* Zemack G, 471
STRUBLE RG. *See* Brewer GJ, 1291
SUAREZ JI. *See* Verrees M, 1307
SUGIU K. *See* Yasuhara T, 933
SUKI D. *See* Sawaya R, 226
SUN MC, HONEY CR, BERK C, WONG NLM, TSUI JKC. Regulation of aquaporin-4 in a traumatic brain injury model in rats, 565
SUN MH. *See* Sheehan JP, 342
SUNADA I. *See* Tsuyuguchi N, 1056
SUNG C. *See* Nguyen TT, 584
SUTER PM. *See* Treggiari MM, 978
SUTHERLAND GR. *See* Louw DF, 638
SUZUKI K, KODAMA N, SASAKI T, MATSUMOTO M, KONNO Y, SAKUMA J, OINUMA M, MURAKAWA M. Intraopera-

tive monitoring of blood flow insufficiency in the anterior choroidal artery during aneurysm surgery, 507
SWENSON MA. *See* Cohen-Gadol AA, 1247
SWERDLOFF R. *See* Zada G, 350
SWIFT D. *See* Albright AL, 291

TABARIN A. *See* Trouillas J, 1084
TADA T. *See* Attia W, 823
———. *See* Tanaka Y, 359, 1188
TAILLANDIER L. *See* Duffau H, 764
TAIRA T, KOBAYASHI T, HORI T. Disappearance of self-mutilating behavior in a patient with Lesch–Nyhan syndrome after bilateral chronic stimulation of the globus pallidus internus. Case report, 414
TAKAGI H. *See* Miyasaka Y, 190
TAKAGI K. *See* Fujimaki T, 1144
———, TSUCHIYA Y, OKINAGA K, HIRATA M, NAKAGOMI T, TAMURA A. Natural hypothermia immediately after transient global cerebral ischemia by spontaneous subarachnoid hemorrhage, 50
TAKAHASHI H. *See* Terao T, 1241
TAKAMI T. *See* Tsuyuguchi N, 1056
———, OHATA K, NISHIKAWA M, GOTO T, TERAKAWA Y, INOUE Y, WAKASA K, HARA M. Transposition of the oculomotor nerve for resection of a midbrain cavernoma. Technical note, 913
TAKASAWA H. *See* Kakizawa Y, 625
TAKASU S. *See* Maeda K, 854
TAKASUNA H. *See* Tanaka Y, 1188
TAKEMAE T. *See* Attia W, 823
TAKESHITA M. *See* Katsuta T, 404
TAKI W. *See* Toma N, 199
TAKIMOTO H. *See* Kubo S, 430
———, IWAISAKO K, KUBO S, YAMANAKA K, KARASAWA J, YOSHIMINE T. Transaqueductal aspiration of pontine hemorrhage with the aid of a neuroendoscope. Technical note, 917
TALAMANTES F. *See* Cerdá-Nicolás M, 194
TAMARGO RJ. *See* Antezana DF, 860
TAMIYA T. *See* Yasuhara T, 933
TAMURA A. *See* Takagi K, 50
TANAKA K. *See* Tsuyuguchi N, 1056
TANAKA R. *See* Nishiyama K, 1027
TANAKA Y. *See* Attia W, 823
———. *See* Kakizawa Y, 625
———, HONGO K, TADA T, SAKAI K, KAKIZAWA Y, KOBAYASHI S. Growth pattern and rate in residual nonfunctioning pituitary adenomas: correlations among tumor volume doubling time, patient age, and MIB-1 index, 359
———, KOBAYASHI S, HONGO K, TADA T, SATO A, TAKASUNA H. Clinical and neuroimaging characteristics of hydrocephalus associated with vestibular schwannoma, 1188
TANG BH. Trigeminal neuralgia. Letters, 647
TANG L, MANTLE M, FERRARI P, SCHIFFBAUER H, ROWLEY HA, BARBARO NM, BERGER MS, ROBERTS TPL. Consistency of interictal and ictal onset localization using magnetoencephalography in patients with partial epilepsy, 837
TANIGUCHI M. *See* Terao T, 1241
TANRIOVER N, KAWASHIMA M, RHOTON AL JR, ULM AJ, MERICLE RA. Microsurgical anatomy of the early branches of the middle cerebral artery: morphometric analysis and classification with angiographic correlation, 1277
TARANTINO M. *See* Lin J, 737
TAYLOR WR, CHEN JW, METZLER H, GENNARELLI TA, KELBCH C, KNOWLTON S, RICHARDSON J, LUTCH MJ, FARIN A, HULTS KN, MARSHALL LF. Quantitative pupillometry, a new technology: normative data and preliminary observations in patients with acute head injury. Technical note, 205
TEMEL Y. *See* Visser-Vandewalle V, 882
TENDER GC, KUTZ S, AWASTHI D, RIGBY P. Vascularized temporalis muscle flap for the treatment of otorrhea. Technical note, 1128
TERADA T, TSUURA M, MATSUMOTO H, MASUO O, TSUMOTO T, YAMAGA H, ITAKURA T. Endovascular therapy for stenosis of the petrous or cavernous portion of the internal carotid artery: percutaneous transluminal angioplasty compared with stent placement, 491
TERAKAWA Y. *See* Takami T, 913
TERAO T, TAKAHASHI H, YOKOCHI F, TANIGUCHI M, OKIYAMA R, HAMADA I. Hemorrhagic complication of stereotactic surgery in patients with movement disorders, 1241
TERASHIMA M. *See* Shingu T, 154
THOME C. *See* Vajkoczy P, 1227
THOMEER RTWM. *See* Malessy MJA, 261
THOMPSON RC. *See* Schievink WI, 1124
THOMSON S, TYAGI AK, CHUMAS PD. Intracranial hypertrophic calcification complicating neuroendoscopy. Report of three cases, 186
TIEL RL. *See* Kim DH, 993, 1005
TIO FO. *See* Levy EI, 544
TOBIAS JD. *See* Morenski JD, 611
TOMA N, MATSUSHIMA S, MURAO K, KAWAGUCHI K, IMANAKA-YOSHIDA K, YOSHIDA T, TAKI W. Histopathological findings in a human carotid artery after stent implantation. Case report, 199
TOMES DJ, HELLBUSCH LC, ALBERTS LR. Stretching and breaking characteristics of cerebrospinal fluid shunt tubing, 578
TOMINAGA T, SHAMOTO H, SHIMIZU H, WATANABE M, YOSHIMOTO T. Selective loss of Purkinje cells in transverse and sigmoid dural arteriovenous fistulas. Report of two cases, 617
TOMISHIMA T, SAITOH Y, NISHIDA T, MORRIS S, MARUNO M, YOSHIMINE T. Lymphangiomatosis of the skull. Case illustration, 1319
TONG S. *See* Trouillas J, 1084
TOPCUOGLU MA, OGILVY CS, CARTER BS, BUONANNO FS, KOROSHETZ WJ, SINGHAL AB. Subarachnoid hemorrhage without evident cause on initial angiography studies: diagnostic yield of subsequent angiography and other neuroimaging tests, 1235
TOPKA H. *See* Nowak DA, 903
TOUSSAINT LG III. *See* Rabinstein AA, 319
TRAYSTMAN RJ. *See* Antezana DF, 860
TREGGIARI MM, WALDER B, SUTER PM, ROMAND JA. Systematic review of the prevention of delayed ischemic neurological deficits with hypertension, hypervolemia, and hemodilution therapy following subarachnoid hemorrhage, 978
TROUILLAS J, DANIEL L, GUIGARD MP, TONG S, GOUVERNET J, JOUANNEAU E, JAN M, PERRIN G, FISCHER G, TABARIN A, ROUGON G, FIGARELLA-BRANGER D. Polysialylated neural cell adhesion molecules expressed in human pituitary tumors and related to extrasellar invasion, 1084

Tsao MN, Schwartz ML, Bernstein M, Halliday WC, Lightstone AW, Hamilton MG, Jaywant S, Laperriere N. Capillary hemangioma of the cavernous sinus. Report of two cases, 169
Tsuchiya M. *See* Shingu T, 154
Tsuchiya Y. *See* Takagi K, 50
Tsui JKC. *See* Sun MC, 565
Tsumoto T. *See* Terada T, 491
Tsutsumi K. *See* Nakaguchi H, 932
———. *See* Yoshikawa G, 1134
Tsuura M. *See* Terada T, 491
Tsuyuguchi N, Sunada I, Iwai Y, Yamanaka K, Tanaka K, Takami T, Otsuka Y, Sakamoto S, Ohata K, Goto T, Hara M. Methionine positron emission tomography of recurrent metastatic brain tumor and radiation necrosis after stereotactic radiosurgery: is a differential diagnosis possible? 1056
Tucha O, Smely C, Preier M, Becker G, Paul GM, Lange KW. Preoperative and postoperative cognitive functioning in patients with frontal meningiomas, 21
Tung TH, Novak CB, Mackinnon SE. Nerve transfers to the biceps and brachialis branches to improve elbow flexion strength after brachial plexus injuries, 313
Tyagi AK. *See* Thomson S, 186
Tyler BM. *See* Olivi A, 936
———. *See* Sampath P, 570
Tyler-Kabara EC. Trigeminal neuralgia. Letters, 647

Uemura T. *See* Shingu T, 154
Ueno M. *See* Kubo S, 430
Ulm AJ. *See* Tanriover N, 1277
Umemura A. *See* Samadani U, 888
———, Jaggi JL, Hurtig HI, Siderowf AD, Colcher A, Stern MB, Baltuch GH. Deep brain stimulation for movement disorders: morbidity and mortality in 109 patients, 779
Upshur REG. *See* Bernstein M, 485
Uske A. *See* Wintermark M, 828

Vajkoczy P, Horn P, Thome C, Munch E, Schmiedek P. Regional cerebral blood flow monitoring in the diagnosis of delayed ischemia following aneurysmal subarachnoid hemorrhage, 1227
Valcárcel B. *See* Clavo B, 1263
Valeriani V. *See* Magnoni S, 952
van Dellen JR. *See* Nathoo N, 302
van der Linden C. *See* Visser-Vandewalle V, 882
van Dijk JG. *See* Malessy MJA, 261
van Effenterre R. *See* Duffau H, 764
Vance ML. *See* Ellegala DB, 974
Veglia F. *See* Mattioli C, 37
Vennettilli M. *See* Burkholder LM, 607
Vermeulen M. *See* Roos Y, 1148
Verrees M, Filho JAF, Suarez JI, Ratcheson RA. Primary hypertension–induced cerebellar encephalopathy causing obstructive hydrocephalus. Case Report, 1307
Victor S. *See* Giller CA, 1299
Vidovich DV. *See* Nelson PK, 498
Villavincencio AT. *See* Bulsara KR, 524
Villemure JG. *See* Daniel RT, 438
Vinchon M. *See* Lefranc F, 145
Viñuela F. *See* Murayama Y, 947, 959
Viout P. *See* Galanaud D, 269
Visser-Vandewalle V, Temel Y, Colle H, van der Linden C. Bilateral high-frequency stimulation of the subthalamic nucleus in patients with multiple system atrophy–parkinsonism. Report of four cases, 882
Vivar R. *See* Ogungbo B, 43

Wakabayashi T. *See* Maeda K, 854
Wakasa K. *See* Takami T, 913
Walbridge S. *See* Nguyen TT, 584
Walder B. *See* Treggiari MM, 978
Walker ML. *See* Kestle JRW, 284
Wall ME. *See* Sampath P, 570
Walsh AR. *See* Xenos C, 277
Wanebo JE. *See* Lonser RR, 106
———. *See* Weil RJ, 95
———, Lonser RR, Glenn GM, Oldfield EH. The natural history of hemangioblastomas of the central nervous system in patients with von Hippel–Lindau disease, 82
Wang C. *See* Zada G, 350
Wang H. *See* Lanzino G, 1146
———, Lanzino G, Kraus RR, Fraser KW. Provocative test occlusion or the Matas test: who was Rudolf Matas? Historical vignette, 926
Wang J. *See* Lin J, 737
Wani MC. *See* Sampath P, 570
Wanifuchi H, Shimizu T, Maruyama T. Cerebrospinal fluid volume. Letters, 1145
Watanabe M. *See* Tominaga T, 617
Watson JC. *See* Hu G, 393
Webbe FM. *See* Erlanger D, 477
Weber S. *See* Krauss JK, 785
Weigel R. *See* Krauss JK, 785
Weil RJ. *See* Lonser RR, 106
———, Lonser RR, DeVroom HL, Wanebo JE, Oldfield EH. Surgical management of brainstem hemangioblastomas in patients with von Hippel–Lindau disease, 95
Weingart JD. *See* Sampath P, 570
Weiss E. *See* Burkholder LM, 607
Weiss MH. *See* Chen JCT, 951, 967
———. *See* Krieger MD, 719
Weiss S. *See* Önal C, 1017
White WL. *See* Kim LJ, 1312
Whiting D. *See* Zabramski JM, 725
Wieser HG, Ortega M, Friedman A, Yonekawa Y. Long-term seizure outcomes following amygdalohippocampectomy, 751
Wijdicks EFM. *See* Rabinstein AA, 319
Wiley C. *See* Hadjipanayis CG, 165
Winn HR. *See* Grant GA, 554
Wintermark M, Uske A, Chalaron M, Regli L, Maeder P, Meuli R, Schnyder P, Binaghi S. Multislice computerized tomography angiography in the evaluation of intracranial aneurysms: a comparison with intraarterial digital subtraction angiography, 828
Witte C. *See* Lang EW, 214
Wittsack J. *See* Herminghaus S, 74
Wolf AS. *See* Olivi A, 936
Wong NLM. *See* Sun MC, 565
Woo HH. *See* Nelson PK, 498

XENOS C, SGOUROS S, NATARAJAN K, WALSH AR, HOCKLEY A. Influence of shunt type on ventricular volume changes in children with hydrocephalus, 277

YAHIA AM. *See* Kim SH, 1116
YAMADA K. *See* Shingu T, 154
YAMADA N. *See* Iihara K, 407
YAMAGA H. *See* Terada T, 491
YAMAGUCHI K. *See* Nakajima T, 57
YAMAMOTO H, HIRASHIMA Y, HAMADA H, HAYASHI N, ORIGASA H, ENDO S. Independent predictors of recurrence of chronic subdural hematoma: results of multivariate analysis performed using a logistic regression model, 1217
YAMANAKA K. *See* Takimoto H, 917
———. *See* Tsuyuguchi N, 1056
YAMASAKI T. *See* Shingu T, 154
———, MORITAKE K, KLEIN G. Experimental appraisal of the lack of antitumor natural killer cell–mediated immunosurveillance in response to lymphomas growing in the mouse brain, 599
YAMASHITA U. *See* Kito T, 385
YANAKA K. *See* Matsumaru Y, 426
YANG T. *See* Yang Y, 397
YANG Y, LI Q, YANG T, HUSSAIN M, SHUAIB A. Reduced brain infarct volume and improved neurological outcome by inhibition of the NR2B subunit of NMDA receptors by using CP101,606-27 alone and in combination with rt-PA in a thromboembolic stroke model in rats, 397
YAO KC, KOMATA T, KONDO Y, KANZAWA T, KONDO S, GERMANO IM. Molecular response of human glioblastoma multiforme cells to ionizing radiation: cell cycle arrest, modulation of the expression of cyclin-dependent kinase inhibitors, and autophagy, 378
YASARGIL MG. *See* Burkhard C, 1170
YASUHARA T, TAMIYA T, SUGIU K, INOUE S, OHMOTO T. De novo aneurysms. Letters, 933
YAZDANI U. *See* Giller CA, 1299
YENARI MA. *See* Karabiyikoglu M, 1271
YOKOCHI F. *See* Terao T, 1241
YOKOTA A. *See* Kito T, 385
YONEKAWA Y. *See* Burkhard C, 1170
———. *See* Wieser HG, 751
YONG WH. *See* Schievink WI, 1124
YORDANOV AT. *See* Nguyen TT, 584
YOSHIDA H, DATE I, SHINGO T, FUJIWARA K, KOBAYASHI K, MIYOSHI Y, OHMOTO T. Stereotactic transplantation of a dopamine-producing capsule into the striatum for treatment of Parkinson disease: a preclinical primate study, 874
YOSHIDA J. *See* Maeda K, 854
YOSHIDA T. *See* Toma N, 199
YOSHIKAWA G, NAGATA K, KAWAMOTO S, TSUTSUMI K. Remarkable regression of optic glioma in an infant. Case illustration, 1134
YOSHIMINE T. *See* Kubo S, 430
———. *See* Takimoto H, 917
———. *See* Tomishima T, 1319
YOSHIMOTO T. *See* Nakajima T, 57
———. *See* Sato K, 1318
———. *See* Tominaga T, 617
YOSHIMOTO Y. Early aneurysm surgery. Letters, 443
YUTANI C. *See* Iihara K, 407

ZABRAMSKI JM, WHITING D, DAROUICHE RO, HORNER TG, OLSON J, ROBERTSON C, HAMILTON AJ. Efficacy of antimicrobial-impregnated external ventricular drain catheters: a prospective, randomized, controlled trial, 725
ZADA G, KELLY DF, COHAN P, WANG C, SWERDLOFF R. Endonasal transsphenoidal approach for pituitary adenomas and other sellar lesions: an assessment of efficacy, safety, and patient impressions, 350
ZAGER EL. *See* Samadani U, 888
ZANELLA FE. *See* Herminghaus S, 74
ZEMACK G, BELLNER J, SIESJÖ P, STRÖMBLAD LG, ROMNER B. Clinical experience with the use of a shunt with an adjustable valve in children with hydrocephalus, 471
ZHANG W, DEMATTIA JA, SONG H, COULDWELL WT. Communication between malignant glioma cells and vascular endothelial cells through gap junctions, 846
ZHAO B. *See* Lin J, 621
ZHAO X. *See* Hu G, 393
ZINNER J. *See* Nowak DA, 903
ZOLONDZ J. *See* Lang EW, 214

Subject Index

2-(4-morpholinyl)-8-phenylchromone
  Growth inhibition of human malignant glioma cells induced by the PI3-K–specific inhibitor, 154
3-carbamoyl-proxyl
  Neuroprotection by the stable nitroxide 3-carbamoyl-proxyl during reperfusion in a rat model of transient focal ischemia, 393
Accessory nerve
  Brachial plexus injury: factors affecting functional outcome in spinal accessory nerve transfer for the restoration of elbow flexion, 307
Acoustic neuroma
  Assessment of long-term remission of acromegaly following surgery, 719
  Association of proliferative activity and size in acoustic neuroma: implications for timing of surgery, 807
  Endonasal transsphenoidal approach for pituitary adenomas and other sellar lesions: an assessment of efficacy, safety, and patient impressions, 350
  Synchronous subarachnoid drop metastases from a pituitary adenoma with multiple recurrences. Case report, 1120
Acute brain swelling
  Hyperemia prior to acute brain swelling during rewarming of patients who have been treated with moderate hypothermia for severe head injuries, 793
Adenoma
  Polysialylated neural cell adhesion molecules expressed in human pituitary tumors and related to extrasellar invasion, 1084
Adenosine
  Adenosine-induced modulation of excitatory amino acid transport across isolated brain arterioles, 554
Adjustable valve
  Clinical experience with the use of a shunt with an adjustable valve in children with hydrocephalus, 471
Adolescent
  Recovery from mild concussion in high school athletes, 296
Adrenocorticotropic hormone
  Ectopic intracavernous sinus adrenocorticotropic hormone–secreting microadenoma: could this be a common cause of failed transsphenoidal surgery in Cushing disease? Case report, 1312
Age
  Aneurysmal subarachnoid hemorrhage in young adults, 43
Air embolism
  Diffuse cerebral venous air embolism following subarachnoid hemorrhage. Case illustration, 1320
Amyloid
  Amyloid β accumulation in axons after traumatic brain injury in humans, 1072
Amyloid precursor protein
  Amyloid β accumulation in axons after traumatic brain injury in humans, 1072
Anaplastic astrocytoma
  Prognostic value of magnetic resonance imaging–guided stereotactic biopsy in the evaluation of recurrent malignant astrocytoma compared with a lesion due to radiation effect, 14
Anemia
  Anemia, testosterone, and pituitary adenoma in men, 974
Aneurysm
  Aneurysmal subarachnoid hemorrhage in young adults, 43
  Barotrauma as a possible cause of aneurysmal subarachnoid hemorrhage. Case report, 180
  Intraoperative monitoring of blood flow insufficiency in the anterior choroidal artery during aneurysm surgery, 507
  Provocative test occlusion or the Matas test: who was Rudolph Matas? Historical vignette, 926
  Subclinoid aneurysms, 731
  Symptomatic vasospasm and outcomes following aneurysmal subarachnoid hemorrhage: a comparison between surgical repair and endovascular coil occlusion, 319
  Use of the peak troponin value to differentiate myocardial infarction from reversible neurogenic left ventricular dysfunction associated with aneurysmal subarachnoid hemorrhage, 524
Aneurysm clip
  Aneurysm clips. Historical vignette, 638
Angiogenesis
  Communication between malignant glioma cells and vascular endothelial cells through gap junctions, 846
Angiography
  Arteriovenous malformation in the trigeminal nerve. Case report, 908
  Comparison between perimesencephalic nonaneurysmal subarachnoid hemorrhage and subarachnoid hemorrhage caused by posterior circulation aneurysms, 529
  Development of multiple cerebral arteriovenous malformations documented in an adult by serial angiography. Case report, 190
  Subarachnoid hemorrhage without evident cause on initial angiography studies: diagnostic yield of subsequent angiography and other neuroimaging tests, 1235
Angiolipoma
  A syndrome of spontaneous cerebral and cervical artery dissections with angiolipomatosis. Report of two cases, 1124
Angioplasty
  Intracranial stent placement for the treatment of a carotid–cavernous fistula associated with intracranial angioplasty. Case report, 1116
Anterior choroidal artery
  Intraoperative monitoring of blood flow insufficiency in the anterior choroidal artery during aneurysm surgery, 507
Anterior clinoid process
  Subclinoid aneurysms, 731
Anterior communicating artery
  Barotrauma as a possible cause of aneurysmal subarachnoid hemorrhage. Case report, 180
Antibiotic
  Efficacy of antimicrobial-impregnated external ventricular drain catheters: a prospective, randomized, controlled trial, 725
Antitumor immunosurveillance
  Experimental appraisal of the lack of antitumor natural killer cell–mediated immunosurveillance in response to lymphomas growing in the mouse brain, 599
Apolipoprotein E
  Apolipoprotein E polymorphism and outcome after closed traumatic brain injury: influence of ethnic and regional differences, 302
Apoptosis
  Association of proliferative activity and size in acoustic neuroma: implications for timing of surgery, 807
  Growth inhibition of human malignant glioma cells induced by the PI3-K–specific inhibitor, 154
  Molecular response of human glioblastoma multiforme cells to ionizing radiation: cell cycle arrest, modulation of the expression of cyclin-dependent kinase inhibitors and autophagy, 378
  Progressive and extensive dopaminergic degeneration induced by convection-enhanced delivery of 6-hydroxydopamine

into the rat striatum: a novel rodent model of Parkinson disease, 136
Aprotinin
The efficacy and safety of aprotinin for hemostasis during intracranial surgery, 1208
Aquaporin
Regulation of aquaporin-4 in a traumatic brain injury model in rats, 565
Aqueductal stenosis
Endoscopic third ventriculostomy for shunt dysfunction in occlusive hydrocephalus: long-term follow up and review, 1032
Arnold-Chiari malformation
Pathophysiology of headache associated with cough in patients with Chiari I malformation, 453
Arterial stenosis
Endovascular therapy for stenosis of the petrous or cavernous portion of the internal carotid artery: percutaneous transluminal angioplasty compared with stent placement, 491
Arteriovenous malformation
Arteriovenous malformation in the trigeminal nerve. Case report, 908
Deep arteriovenous malformations of the basal ganglia and thalamus: natural history, 747
Development of multiple cerebral arteriovenous malformations documented in an adult by serial angiography. Case report, 190
Intention-to-treat analysis of Spetzler–Martin Grades IV and V arteriovenous malformations: natural history and treatment paradigm, 3
Microvascular pathological features of immediate perinidal parenchyma in cerebral arteriovenous malformations: giant bed capillaries, 823
Salvage retreatment after failure of radiosurgery in patients with arteriovenous malformations, 337
Surgical handling characteristics of an ethylene vinyl alcohol copolymer compared with *N*-butyl cyanoacrylate used for embolization of vessels in an arteriovenous malformation resection model in swine, 366
Three-dimensional angiography for radiosurgical treatment planning for arteriovenous malformations, 536
Trigeminal neuralgia associated with contralateral cerebellar arteriovenous malformation. Case illustration, 1318
Unusual venous drainage of an arteriovenous malformation. Case illustration, 642
Atherosclerosis
Endovascular therapy for stenosis of the petrous or cavernous portion of the internal carotid artery: percutaneous transluminal angioplasty compared with stent placement, 491
Athletic injury
Symptom-based assessment of the severity of a concussion, 477
Auditory cortex
Amusia following resection of a Heschl gyrus glioma. Case report, 1109
Autophagy
Molecular response of human glioblastoma multiforme cells to ionizing radiation: cell cycle arrest, modulation of the expression of cyclin-dependent kinase inhibitors, and autophagy, 378
Awake craniotomy
Nonlesional central lobule seizures: awake cortical mapping and subdural grid monitoring for resection of seizure focus, 1255
Axonal injury
Amyloid β accumulation in axons after traumatic brain injury in humans, 1072

Barotrauma
Barotrauma as a possible cause of aneurysmal subarachnoid hemorrhage. Case report, 180
Basal ganglion
Deep arteriovenous malformations of the basal ganglia and thalamus: natural history, 747
Basilar artery
In vivo model of intracranial stent implantation: a pilot study to examine the histological response of cerebral vessels after randomized implantation of heparin-coated and uncoated endoluminal stents in a blinded fashion, 544
Significance of a small bulge on the basilar artery in patients with perimesencephalic nonaneurysmal subarachnoid hemorrhage. Report of two cases, 426
Blood–brain barrier
Adenosine-induced modulation of excitatory amino acid transport across isolated brain arterioles, 554
Blood flow
Increased locoregional blood flow in brain tumors after cervical spinal cord stimulation, 1263
Body temperature
Natural hypothermia immediately after transient global cerebral ischemia induced by spontaneous subarachnoid hemorrhage, 50
Bone defect
Lymphangiomatosis of the skull. Case illustration, 1319
Bone flap
Preservation of bone flaps in patients with postcraniotomy infections, 1203
Bone morphogenetic protein
The safety and utility of recombinant human bone morphogenetic protein-2 for cranial procedures in a nonhuman primate model, 125
Book review
Antunovic V, Dragutinovic G, Levic Z, Samardzic M (eds). *Magnetic Resonance in the Diagnosis of C.N.S. Disorders*, 929
Chan PH (ed). *Cerebrovascular Disease: 22nd Princeton Conference*, 1143
Citow JS, Macdonald RL. *Neuroanatomy and Neurophysiology: A Review*, 931
Connolly ES, McKhann GM II, Huang J, Choudhri TF (eds). *Fundamentals of Operative Techniques in Neurosurgery*, 435
Deletis V, Shils JL (eds). *Neurophysiology in Neurosurgery: A Modern Intraoperative Approach*, 1321
Elisevich K, Smith BJ (eds). *Epilepsy Surgery: Case Studies and Commentaries*, 1323
Fager CA. *Quality of the Issue: Memoirs and Perspectives of a Neurosurgeon*, 930
Fossett DT, Caputy AJ (eds). *Operative Neurosurgical Anatomy*, 929
Gelber DA, Jeffery DR (eds). Clinical Evaluation and Management of Spasticity, 221
Guerrini R, Aicardi J, Andermann F, Hallett M (eds). *Epilepsy and Movement Disorders*, 435
Hennerici MG, Meairs SP (eds). *Cerebrovascular Ultrasound: Theory, Practice and Future Developments*, 220
James WWK (ed). *Keen of Philadelphia: The Collected Memoirs of William Williams Keen Jr.*, 645
Jennett B. *The Vegetative State: Medical Facts, Ethical and Legal Dilemmas*, 644
Kurtzman N. *Doing Nothing*, 436
Palmer S, Kriegsman KH, Palmer JB. *Spinal Cord Injury: A Guide for Living*, 221
Perez-Cruet MJ, Fessler RG (eds). *Outpatient Spinal Surgery*, 645
Rao RPN, Olshausen BA, Lewicki MS (eds). *Probabilistic Models of the Brain: Perception and Neural Function*, 1141
Sartor K (ed). *Diagnostic and Interventional Neuroradiology: A Multimodality Approach*, 1142
Seeger W, Zentner J. *Neuronavigation and Neuroanatomy*, 1141
Spetzler RF, Koos WT. *Color Atlas of Microneurosurgery: Microanatomy, Approaches, Techniques, 2nd ed, Vol 3:*

Intra- and Extracranial Revascularization and Intraspinal Pathology, 222
Steiger HJ, Uhl E (eds). *Risk Control and Quality Management in Neurosurgery. Acta Neurochirurgica, Supplement 78*, 644
Williams B. *Surviving "Terminal" Cancer*, 436
Woolsey TA, Hanaway J, Gado MH. *The Brain Atlas: A Visual Guide to the Human Central Nervous System, 2nd ed*, 1322
Yonekawa Y, Sakurai Y, Keller E, Tsukahara T (eds). *New Trends in Cerebral Aneurysm Management, Acta Neurochirurgica, Supplement 82*, 1322
Brachial plexus
Brachial plexus injury: factors affecting functional outcome in spinal accessory nerve transfer for the restoration of elbow flexion, 307
Functional magnetic resonance imaging and control over the biceps muscle after intercostal–musculocutaneous nerve transfer, 261
Nerve transfers to the biceps and brachialis branches to improve elbow flexion strength after brachial plexus injuries, 313
Neurogenic motor evoked potentials: role in brachial plexus surgery. Case report, 607
Brachial plexus injury
Outcomes of surgery in 1019 patients with brachial plexus lesions treated at Louisiana State University Health Sciences Center, 1005
Brain concussion
Symptom-based assessment of the severity of a concussion, 477
Brain edema
Regulation of aquaporin-4 in a traumatic brain injury model in rats, 565
Sex-related differences in patients with severe head injury: greater susceptibility to brain swelling in female patients 50 years of age and younger, 32
Brain injury
Regulation of aquaporin-4 in a traumatic brain injury model in rats, 565
Sex-related differences in patients with severe head injury: greater susceptibility to brain swelling in female patients 50 years of age and younger, 32
Brain metabolism
Lack of improvement in cerebral metabolism after hyperoxia in severe head injury: a microdialysis study, 952
Brain neoplasm
Amusia following resection of a Heschl gyrus glioma. Case report, 1109
Determination of histopathological tumor grade in neuroepithelial brain tumors by using spectral pattern analysis of in vivo spectroscopic data, 74
Experimental appraisal of the lack of antitumor natural killer cell–mediated immunosurveillance in response to lymphomas growing in the mouse brain, 599
Use of proton magnetic resonance spectroscopy of the brain to differentiate gliomatosis cerebri from low-grade glioma, 269
Brain neurosurgery
Convective distribution of macromolecules in the primate brain demonstrated using computerized tomography and magnetic resonance imaging, 584
Brain tissue
Feasibility of using the potassium titanyl phosphate laser with micromanipulators in robotic neurosurgery: a preliminary study in the rat, 131
Brain tissue oxygenation
Hyperoxia: good or bad? Letters, 223, 224
Monitoring of brain tissue oxygenation during aneurysm surgery: prediction of procedure-related ischemic events, 515
Brain tumor
Amusia following resection of a Heschl gyrus glioma. Case report, 1109
Brainstem auditory evoked potential
Improvement in brainstem auditory evoked potentials after suboccipital decompression in patients with Chiari I malformations, 459
Brainstem tumor
Intraparenchymal schwannoma of the medulla oblongata. Case report, 621
Brown tumor
Brown tumors of the skull base. Case report and review of the literature, 417
Bupivicaine
Effect of the local anesthetic agent bupivacaine prior to application of the skull-pin holder for craniotomies, 1194

Ca^{++} influx
Effects of the Ca^{++}-permeable nonselective cation channel blocker LOE 908 on subarachnoid hemorrhage–induced vasospasm in the basilar artery in rabbits, 561
Calvarial defect
The safety and utility of recombinant human bone morphogenetic protein-2 for cranial procedures in a nonhuman primate model, 125
Camptothecin
Camptothecin analogs in malignant gliomas: comparative analysis and characterization, 570
Camptothecin analog
Camptothecin analogs in malignant gliomas: comparative analysis and characterization, 570
Cardiac function
Use of the peak troponin value to differentiate myocardial infarction from reversible neurogenic left ventricular dysfunction associated with aneurysmal subarachnoid hemorrhage, 524
Cardiopulmonary resuscitation
Diffuse cerebral venous air embolism following subarachnoid hemorrhage. Case illustration, 1320
Carotid artery
Delayed stenosis following placement of a polyethylene terephthalate endograft in the cervical carotid artery. Report of three cases, 421
Histopathological findings in a human carotid artery after stent implantation. Case report, 199
A syndrome of spontaneous cerebral and cervical artery dissections with angiolipomatosis. Report of two cases, 1124
Carotid–cavernous fistula
Intracranial stent placement for the treatment of a carotid–cavernous fistula associated with intracranial angioplasty. Case report, 1116
Case management
Brain trauma. Letters, 1326, 1328
Catheter
Efficacy of antimicrobial-impregnated external ventricular drain catheters: a prospective, randomized, controlled trial, 725
Use of a wedged microcatheter for curative transarterial embolization of complex intracranial dural arteriovenous fistulas: indications, endovascular technique, and outcome in 21 patients, 498
Cavernoma
Transposition of the oculomotor nerve for resection of a midbrain cavernoma. Technical note, 913
Cavernous angioma
Thalamic deep brain stimulation for disabling tremor after excision of a midbrain cavernous angioma. Case report, 888
Cavernous sinus
Capillary hemangioma of the cavernous sinus. Report of two cases, 169

Image-guided frameless stereotactic biopsy of parasellar lesions. Technical note. 920
Cell implantation
Trauma-induced tumorigenesis of cells implanted into the rat spinal cord. 1065
Central lobule
Nonlesional central lobule seizures: awake cortical mapping and subdural grid monitoring for resection of seizure focus. 1255
Central nervous system
Convective distribution of macromolecules in the primate brain demonstrated using computerized tomography and magnetic resonance imaging. 584
The natural history of hemangioblastomas of the central nervous system in patients with von Hippel–Lindau disease. 82
Cerebral aneurysm
Aneurysm clips. Historical vignette. 638
Early aneurysm surgery. Letters. 443, 444
Guglielmi Detachable Coil embolization of cerebral aneurysms: 11 years' experience. 959
Multislice computerized tomography angiography in the evaluation of intracranial aneurysms: a comparison with intraarterial digital subtraction angiography. 828
A syndrome of spontaneous cerebral and cervical artery dissections with angiolipomatosis. Report of two cases. 1124
Systematic review of the prevention of delayed ischemic neurological deficits with hypertension, hypervolemia, and hemodilution therapy following subarachnoid hemorrhage. 978
Cerebral blood flow
Regional cerebral blood flow monitoring in the diagnosis of delayed ischemia following aneurysmal subarachnoid hemorrhage. 1227
Selective loss of Purkinje cells in transverse and sigmoid dural arteriovenous fistulas. Report of two cases. 617
Cerebral function
Primary hypertension-induced cerebellar encephalopathy causing obstructive hydrocephalus. Case Report. 1307
Cerebral ischemia
Attenuation of nitric oxide synthase isoform expression by mild hypothermia after focal cerebral ischemia: variations depending on timing of cooling. 1271
High-dose ibuprofen for reduction of striatal infarcts during middle cerebral artery occlusion in rats. 860
Neuroprotection by the stable nitroxide 3-carbamoyl-proxyl during reperfusion in a rat model of transient focal ischemia. 393
Cerebral vasospasm
Leukocytosis as an independent risk factor for cerebral vasospasm following aneurysmal subarachnoid hemorrhage. 1222
Cerebrospinal fluid
Cerebrospinal fluid volume. Letters. 1144, 1145
Changes in cerebrospinal fluid hydrodynamics following endoscopic third ventriculostomy for shunt-dependent noncommunicating hydrocephalus. 1027
Efficacy of antimicrobial-impregnated external ventricular drain catheters: a prospective, randomized, controlled trial. 725
Vascularized temporalis muscle flap for the treatment of otorrhea. Technical note. 1128
Cerebrospinal fluid pressure
Pathophysiology of headache associated with cough in patients with Chiari I malformation. 453
Cerebrospinal fluid shunt
Clinical experience with the use of a shunt with an adjustable valve in children with hydrocephalus. 471
Lumbar drain. Letters. 442, 443
Stretching and breaking characteristics of cerebrospinal fluid shunt tubing. 578
Cerebrovascular aneurysm
Monitoring of brain tissue oxygenation during aneurysm surgery: prediction of procedure-related ischemic events. 515
Cerebrovascular disease
Development of multiple cerebral arteriovenous malformations documented in an adult by serial angiography. Case report. 190
Cervical carotid aneurysm
Transcutaneous coil, stent, and balloon migration following endovascular treatment of a cervical carotid artery aneurysm. Case illustration. 1135
Chiari malformation
Improvement in brainstem auditory evoked potentials after suboccipital decompression in patients with Chiari I malformations. 459
Chiari I malformation
Rapid development of Chiari I malformation in an infant with Seckel syndrome and craniosynostosis. Case report and review of the literature. 1113
Children
Clinical experience with the use of a shunt with an adjustable valve in children with hydrocephalus. 471
Clival osteoblastoma in a child. Case illustration. 1133
Complications of invasive subdural grid monitoring in children with epilepsy. 1017
Improvement in brainstem auditory evoked potentials after suboccipital decompression in patients with Chiari I malformations. 459
Influence of shunt type on ventricular volume changes in children with hydrocephalus. 277
Localization of language function in children: results of electrical stimulation mapping. 465
Long-term intrathecal baclofen therapy for severe spasticity of cerebral origin. 291
Recombinant activated factor VII for cerebral injury–induced coagulopathy in pediatric patients. Report of three cases and review of the literature. 611
Remarkable regression of optic glioma in an infant. Case illustration. 1134
Third ventriculostomy for internal hydrocephalus complicated by unrecognized subdural hygroma and hematoma: a case report of a patient treated by Dr. Walter Dandy. Historical vignette. 1136
Chordoma
Chordoma of the skull base: predictors of tumor recurrence. 812
Chronic subdural hematoma
Independent predictors of recurrence of chronic subdural hematoma: results of multivariate analysis performed using a logistic regression model. 1217
Clip application
Aneurysmal subarachnoid hemorrhage in young adults. 43
Clivus
Clival osteoblastoma in a child. Case illustration. 1133
Coagulation cascade
Edema after intracerebral hemorrhage: correlations with coagulation parameters and treatment. 985
Coagulation disorder
Recombinant activated factor VII for cerebral injury–induced coagulopathy in pediatric patients. Report of three cases and review of the literature. 611
Cognitive function
Preoperative and postoperative cognitive functioning in patients with frontal meningiomas. 21
Coil
Transcutaneous coil, stent, and balloon migration following endovascular treatment of a cervical carotid artery aneurysm. Case illustration. 1135
Coil embolization
Continued growth of and increased symptoms from a thrombosed giant aneurysm of the vertebral artery after

complete endovascular occlusion and trapping: the role of vasa vasorum. Case report. 407
Complex regional pain syndrome
Motor cortex stimulation in a patient with intractable complex regional pain syndrome Type II with hemibody involvement. Case report. 175
Complication
Death and third ventriculostomy. Letters. 649. 650
Deep brain stimulation for movement disorders: morbidity and mortality in 109 patients. 779
Preservation of bone flaps in patients with postcraniotomy infections. 1203
Salvage retreatment after failure of radiosurgery in patients with arteriovenous malformations. 337
Computerized cognitive testing
Symptom-based assessment of the severity of a concussion. 477
Computerized tomography
Cerebrospinal fluid volume. Letters. 1144. 1145
Snowboarding and head injury. Letters. 932
Traumatic subarachnoid hemorrhage on the computerized tomography scan obtained at admission: a multicenter assessment of the accuracy of diagnosis and the potential impact on patient outcome. 37
Computerized tomography angiography
Multislice computerized tomography angiography in the evaluation of intracranial aneurysms: a comparison with intraarterial digital subtraction angiography. 828
Subarachnoid hemorrhage without evident cause on initial angiography studies: diagnostic yield of subsequent angiography and other neuroimaging tests. 1235
Concussion
Recovery from mild concussion in high school athletes. 296
Constriction velocity
Quantitative pupillometry a new technology: normative data and preliminary observations in patients with acute head injury. Technical note. 205
Controlled cortical impact
Cytidinediphosphocholine treatment to decrease traumatic brain injury–induced hippocampal neuronal death, cortical contusion volume, and neurological dysfunction in rats. 867
Convection-enhanced delivery
Convective distribution of macromolecules in the primate brain demonstrated using computerized tomography and magnetic resonance imaging. 584
Progressive and extensive dopaminergic degeneration induced by convection-enhanced delivery of 6-hydroxydopamine into the rat striatum: a novel rodent model of Parkinson disease. 136
Cortical function
Amusia following resection of a Heschl gyrus glioma. Case report. 1109
Cortical mapping
Nonlesional central lobule seizures: awake cortical mapping and subdural grid monitoring for resection of seizure focus. 1255
Cortisol
Transsphenoidal microsurgical treatment of Cushing disease: postoperative assessment of surgical efficacy by application of an overnight low-dose dexamethasone suppression test. 967
Cranial defect
Lymphangiomatosis of the skull. Case illustration. 1319
Craniectomy
The safety and utility of recombinant human bone morphogenetic protein-2 for cranial procedures in a nonhuman primate model. 125
Craniopharyngioma
Characterization of the levels of expression of retinoic acid receptors, galectin-3, macrophage migration inhibiting factor, and p53 in 51 adamantinomatous craniopharyngiomas. 145
Comparative genomic hybridization analysis of craniopharyngiomas. 162
Endonasal transsphenoidal approach for pituitary adenomas and other sellar lesions: an assessment of efficacy, safety, and patient impressions. 350
Craniosynostosis
Rapid development of Chiari I malformation in an infant with Seckel syndrome and craniosynostosis. Case report and review of the literature. 1113
Craniotomy
Effect of the local anesthetic agent bupivacaine prior to application of the skull-pin holder for craniotomies. 1194
Perioperative complications and neurological outcomes of first and second craniotomies among patients enrolled in the Glioma Outcome Project. 1175
Preservation of bone flaps in patients with postcraniotomy infections. 1203
The safety and utility of recombinant human bone morphogenetic protein-2 for cranial procedures in a nonhuman primate model. 125
Symptomatic vasospasm and outcomes following aneurysmal subarachnoid hemorrhage: a comparison between surgical repair and endovascular coil occlusion. 319
Cushing disease
Ectopic intracavernous sinus adrenocorticotropic hormone–secreting microadenoma: could this be a common cause of failed transsphenoidal surgery in Cushing disease? Case report. 1312
Endonasal transsphenoidal approach for pituitary adenomas and other sellar lesions: an assessment of efficacy, safety, and patient impressions. 350
Juxtaposition of an ectopic corticotroph adenoma of the sphenoid sinus with orthotopic intrasellar corticotroph hyperplasia in a patient with Cushing disease. Case report. 891
Transsphenoidal microsurgical treatment of Cushing disease: postoperative assessment of surgical efficacy by application of an overnight low-dose dexamethasone suppression test. 967
Cytidinediphosphocholine
Cytidinediphosphocholine treatment to decrease traumatic brain injury–induced hippocampal neuronal death, cortical contusion volume, and neurological dysfunction in rats. 867
Cytogenetics
Histologically benign metastatic meningioma: morphological and cytogenetic study. Case report. 194

De novo aneurysm
De novo aneurysms. Letters. 933
Deep brain stimulation
Bilateral high-frequency stimulation of the subthalamic nucleus in patients with multiple system atrophy–parkinsonism. Report of four cases. 882
Chronic stimulation of the globus pallidus internus for treatment of non-*DYT1* generalized dystonia and choreoathetosis: 2-year follow up. 785
Deep brain stimulation for movement disorders: morbidity and mortality in 109 patients. 779
Disappearance of self-mutilating behavior in a patient with Lesch–Nyhan syndrome after bilateral chronic stimulation of the globus pallidus internus. Case report. 414
Field potentials. Letters. 651
Hemorrhagic complication of stereotactic surgery in patients with movement disorders. 1241
Thalamic deep brain stimulation for disabling tremor after excision of a midbrain cavernous angioma. Case report. 888

Treatment of patients with intractable obsessive–compulsive disorder with anterior capsular stimulation. Case report, 1104
Validation of a near-infrared probe for detection of thin intracranial white matter structures, 1299
Delayed ischemic neurological deficit
Regional cerebral blood flow monitoring in the diagnosis of delayed ischemia following aneurysmal subarachnoid hemorrhage, 1227
Systematic review of the prevention of delayed ischemic neurological deficits with hypertension, hypervolemia, and hemodilution therapy following subarachnoid hemorrhage, 978
Dementia
Selective loss of Purkinje cells in transverse and sigmoid dural arteriovenous fistulas. Report of two cases, 617
Developmental study
Functional motor neurons differentiating from mouse multipotent spinal cord precursor cells in culture and after transplantation into transected sciatic nerve, 1094
Digital subtraction angiography
Multislice computerized tomography angiography in the evaluation of intracranial aneurysms: a comparison with intraarterial digital subtraction angiography, 828
Disease recurrence
Independent predictors of recurrence of chronic subdural hematoma: results of multivariate analysis performed using a logistic regression model, 1217
Dissecting aneurysm
Significance of a small bulge on the basilar artery in patients with perimesencephalic nonaneurysmal subarachnoid hemorrhage. Report of two cases, 426
Dissection
A syndrome of spontaneous cerebral and cervical artery dissections with angiolipomatosis. Report of two cases, 1124
Diurnal variation
Diurnal and seasonal variations in the onset of primary intracerebral hemorrhage in individuals living in Izumo City, Japan, 326
DNA mismatch repair
Delayed repletion of O^6-methylguanine–DNA methyltransferase resulting in failure to protect the human glioblastoma cell line SF767 from temozolomide-induced cytotoxicity, 591
DNA strand break
Delayed repletion of O^6-methylguanine–DNA methyltransferase resulting in failure to protect the human glioblastoma cell line SF767 from temozolomide-induced cytotoxicity, 591
Dog
In vivo model of intracranial stent implantation: a pilot study to examine the histological response of cerebral vessels after randomized implantation of heparin-coated and uncoated endoluminal stents in a blinded fashion, 544
Drop metastasis
Synchronous subarachnoid drop metastases from a pituitary adenoma with multiple recurrences. Case report, 1120
Drug delivery
Camptothecin analogs in malignant gliomas: comparative analysis and characterization, 570
Convective distribution of macromolecules in the primate brain demonstrated using computerized tomography and magnetic resonance imaging, 584
Long-term intrathecal baclofen therapy for severe spasticity of cerebral origin, 291
Progressive and extensive dopaminergic degeneration induced by convection-enhanced delivery of 6-hydroxydopamine into the rat striatum: a novel rodent model of Parkinson disease, 136
Dural arteriovenous fistula
Multiple cerebral aneurysms and a dural arteriovenous fistula in a patient with polyarteritis nodosa. Case illustration, 434
Selective loss of Purkinje cells in transverse and sigmoid dural arteriovenous fistulas. Report of two cases, 617
Use of a wedged microcatheter for curative transarterial embolization of complex intracranial dural arteriovenous fistulas: indications, endovascular technique, and outcome in 21 patients, 498
Dural ring
Subclinoid aneurysms, 731
Dural substitute
Clinical application of a physically and chemically processed human substitute for dura mater, 1198
Duraplasty
Improvement in brainstem auditory evoked potentials after suboccipital decompression in patients with Chiari I malformations, 459
Dystonia
Chronic stimulation of the globus pallidus internus for treatment of non-*DYT1* generalized dystonia and choreoathetosis: 2-year follow up, 785
Selective peripheral denervation for the treatment of intractable spasmodic torticollis: experience with 168 patients at the Mayo Clinic, 1247

Early branch
Microsurgical anatomy of the early branches of the middle cerebral artery: morphometric analysis and classification with angiographic correlation, 1277
Ectopic adenoma
Juxtaposition of an ectopic corticotroph adenoma of the sphenoid sinus with orthotopic intrasellar corticotroph hyperplasia in a patient with Cushing disease. Case report, 891
Edema
Edema after intracerebral hemorrhage: correlations with coagulation parameters and treatment, 985
Editorial
Cushing disease, 948, 951
Deep brain stimulation for obsessive–compulsive disorder, 941, 942
Guglielmi Detachable Coil technology, 945, 947
Hyperoxia: good or bad? 943, 944
Peripheral nerve surgery, 1157, 1158
Spetzler–Martin Grades IV and V arteriovenous malformations, 1, 2
Elbow flexion
Brachial plexus injury: factors affecting functional outcome in spinal accessory nerve transfer for the restoration of elbow flexion, 307
Electrical stimulation mapping
Localization of language function in children: results of electrical stimulation mapping, 465
Electrode penetration
Hemorrhagic complication of stereotactic surgery in patients with movement disorders, 1241
Embolization
Guglielmi Detachable Coil embolization of cerebral aneurysms: 11 years' experience, 959
Surgical handling characteristics of an ethylene vinyl alcohol copolymer compared with *N*-butyl cyanoacrylate used for embolization of vessels in an arteriovenous malformation resection model in swine, 366
Use of a wedged microcatheter for curative transarterial embolization of complex intracranial dural arteriovenous fistulas: indications, endovascular technique, and outcome in 21 patients, 498
Encephalopathy
Primary hypertension-induced cerebellar encephalopathy causing obstructive hydrocephalus. Case Report, 1307

Endoscopic third ventriculostomy
Changes in cerebrospinal fluid hydrodynamics following endoscopic third ventriculostomy for shunt-dependent noncommunicating hydrocephalus, 1027
Endoscopic third ventriculostomy for shunt dysfunction in occlusive hydrocephalus: long-term follow up and review, 1032
Endoscopic ventriculostomy
Hydrocephalus due to idiopathic stenosis of the foramina of Magendie and Luschka. Report of three cases, 897
Endoscopy
Endoscopically aided retroperitoneal placement of a lumboperitoneal shunt. Technical note, 430
Intracranial hypertrophic calcification complicating neuroendoscopy. Report of three cases, 186
Lack of benefit of endoscopic ventriculoperitoneal shunt insertion: a multicenter randomized trial, 284
Endothelial cell
Communication between malignant glioma cells and vascular endothelial cells through gap junctions, 846
Endothelial gap junction
Communication between malignant glioma cells and vascular endothelial cells through gap junctions, 846
Endovascular therapy
Aneurysmal subarachnoid hemorrhage in young adults, 43
Delayed stenosis following placement of a polyethylene terephthalate endograft in the cervical carotid artery. Report of three cases, 421
Guglielmi Detachable Coil embolization of cerebral aneurysms: 11 years' experience, 959
Symptomatic vasospasm and outcomes following aneurysmal subarachnoid hemorrhage: a comparison between surgical repair and endovascular coil occlusion, 319
Transcutaneous coil, stent, and balloon migration following endovascular treatment of a cervical carotid artery aneurysm. Case illustration, 1135
Epidemiological study
Diurnal and seasonal variations in the onset of primary intracerebral hemorrhage in individuals living in Izumo City, Japan, 326
Epidural blood patch
Broadening the clinical spectrum: unusual presentation of spontaneous cerebrospinal fluid hypovolemia. Case report, 903
Epilepsy
Consistency of interictal and ictal onset localization using magnetoencephalography in patients with partial epilepsy, 837
Nonlesional central lobule seizures: awake cortical mapping and subdural grid monitoring for resection of seizure focus, 1255
Epilepsy surgery
Complications of invasive subdural grid monitoring in children with epilepsy, 1017
Long-term seizure outcomes following amygdalohippocampectomy, 751
Secondary cerebellar hemorrhage. Letters, 226, 227
Theodore Brown Rasmussen (1910–2002): epilepsy surgeon, scientist, and teacher. Historical vignette, 631
Ethical assessment framework
Framework for bioethical assessment of an article on therapy, 485
Ethmoidal sinus
Brown tumors of the skull base. Case report and review of the literature, 417
Ethylene vinyl alcohol copolymer
Surgical handling characteristics of an ethylene vinyl alcohol copolymer compared with *N*-butyl cyanoacrylate used for embolization of vessels in an arteriovenous malformation resection model in swine, 366
Evidence-based medicine
Framework for bioethical assessment of an article on therapy, 485
Excitatory amino acid
Adenosine-induced modulation of excitatory amino acid transport across isolated brain arterioles, 554
Experimental lesion
Effect of neuregen nutrient medium on survival of cortical neurons after aspiration lesion in rats, 1291
External ventricular drain
Efficacy of antimicrobial-impregnated external ventricular drain catheters: a prospective, randomized, controlled trial, 725
Extradural approach
Transposition of the oculomotor nerve for resection of a midbrain cavernoma. Technical note, 913

Far-lateral approach
Intracranial extradural schwannoma of the 12th cranial nerve. Case illustration, 119
Fascia lata
Clinical application of a physically and chemically processed human substitute for dura mater, 1198
Fiberscope
Transaqueductal aspiration of pontine hemorrhage with the aid of a neuroendoscope. Technical note, 917
Field potential
Field potentials. Letters, 651
Fistula
Vascularized temporalis muscle flap for the treatment of otorrhea. Technical note, 1128
Focal cerebral ischemia
Reduced brain infarct volume and improved neurological outcome by inhibition of the NR2B subunit of NMDA receptors by using CP101,606-27 alone and in combination with rt-PA in a thromboembolic stroke model in rats, 397
Foramen of Luschka
Hydrocephalus due to idiopathic stenosis of the foramina of Magendie and Luschka. Report of three cases, 897
Foramen of Magendie
Hydrocephalus due to idiopathic stenosis of the foramina of Magendie and Luschka. Report of three cases, 897
Frontal lobe
Preoperative and postoperative cognitive functioning in patients with frontal meningiomas, 21
Functional magnetic resonance imaging
Cortical reorganization in patients with subcortical hemiparesis: neural mechanisms of functional recovery and prognostic implication, 64
Functional magnetic resonance imaging and control over the biceps muscle after intercostal–musculocutaneous nerve transfer, 261
Functional neurosurgery
Treatment of patients with intractable obsessive–compulsive disorder with anterior capsular stimulation. Case report, 1104
Functional stereotactic neurosurgery
Chronic stimulation of the globus pallidus internus for treatment of non-*DYT1* generalized dystonia and choreoathetosis: 2-year follow up, 785

Gamma knife surgery
Radiation exposure of normal temporal bone structures during stereotactically guided gamma knife surgery for vestibular schwannomas, 800
Radiosurgery in patients with renal cell carcinoma metastasis to the brain: long-term outcomes and prognostic factors influencing survival and local tumor control, 342
Gene regulation
Experimental appraisal of the lack of antitumor natural killer cell–mediated immunosurveillance in response to lymphomas growing in the mouse brain, 599

Giant aneurysm
Continued growth of and increased symptoms from a thrombosed giant aneurysm of the vertebral artery after complete endovascular occlusion and trapping: the role of vasa vasorum. Case report, 407
Glial cell line–derived neurotrophic factor
Glial cell line–derived neurotrophic factor–supplemented hibernation of fetal ventral mesencephalic neurons for transplantation in Parkinson disease: long-term storage, 1078
Glial fibrillary acidic protein
Morphological assessment of the development of multinucleated giant cells in glioma by using mitosis-specific phosphorylated antibodies, 854
Glioblastoma multiforme
Molecular response of human glioblastoma multiforme cells to ionizing radiation: cell cycle arrest, modulation of the expression of cyclin-dependent kinase inhibitors, and autophagy, 378
Resection and prognosis. Letters, 225, 226
Trauma-induced tumorigenesis of cells implanted into the rat spinal cord, 1065
Glioma
Camptothecin analogs in malignant gliomas: comparative analysis and characterization, 570
Cranial nerve hemangioblastoma. Letters, 935, 936
Cytotoxicity in glioma cells due to interleukin-12 and interleukin-18–stimulated macrophages mediated by interferon-γ–regulated nitric oxide, 385
Distinctions between pituicytoma and ordinary pilocytic astrocytoma. Case report, 404
Prognostic value of magnetic resonance imaging–guided stereotactic biopsy in the evaluation of recurrent malignant astrocytoma compared with a lesion due to radiation effect, 14
Use of proton magnetic resonance spectroscopy of the brain to differentiate gliomatosis cerebri from low-grade glioma, 269
Gliomatosis cerebri
Use of proton magnetic resonance spectroscopy of the brain to differentiate gliomatosis cerebri from low-grade glioma, 269
Gliosis
Effect of neuregen nutrient medium on survival of cortical neurons after aspiration lesion in rats, 1291
Global cerebral ischemia
Natural hypothermia immediately after transient global cerebral ischemia induced by spontaneous subarachnoid hemorrhage, 50
Globus pallidus
Chronic stimulation of the globus pallidus internus for treatment of non-*DYT1* generalized dystonia and choreoathetosis: 2-year follow up, 785
Grading system
Determination of histopathological tumor grade in neuroepithelial brain tumors by using spectral pattern analysis of in vivo spectroscopic data, 74
Graft
Delayed stenosis following placement of a polyethylene terephthalate endograft in the cervical carotid artery. Report of three cases, 421
Growth factor
Effects of human amniotic fluid on peripheral nerve scarring and regeneration in rats, 371
Growth hormone
Assessment of long-term remission of acromegaly following surgery, 719
Growth inhibition
Growth inhibition of human malignant glioma cells induced by the PI3-K–specific inhibitor, 154
Guglielmi Detachable Coil
Guglielmi Detachable Coil embolization of cerebral aneurysms: 11 years' experience, 959
Head injury
Hyperoxia: good or bad? Letters, 223, 224
Lack of improvement in cerebral metabolism after hyperoxia in severe head injury: a microdialysis study, 952
Predicting recovery. Letters, 440, 442
Quantitative pupillometry, a new technology: normative data and preliminary observations in patients with acute head injury. Technical note, 205
Snowboarding and head injury. Letters, 932
Traumatic subarachnoid hemorrhage on the computerized tomography scan obtained at admission: a multicenter assessment of the accuracy of diagnosis and the potential impact on patient outcome, 37
Headache
Pathophysiology of headache associated with cough in patients with Chiari I malformation, 453
Hemangioblastoma
Comparison of anterior and posterior surgical approaches in the treatment of ventral spinal hemangioblastomas in patients with von Hippel–Lindau disease, 117
Cranial nerve hemangioblastoma. Letters, 934, 935
The natural history of hemangioblastomas of the central nervous system in patients with von Hippel–Lindau disease, 82
Surgical management of spinal cord hemangioblastomas in patients with von Hippel–Lindau disease, 106
Hemangioma
Capillary hemangioma of the cavernous sinus. Report of two cases, 169
Hemangiopericytoma
Hemangiopericytoma in the central nervous system: treatment, pathological features, and long-term follow up in 38 patients, 1182
Hematoma
Third ventriculostomy for internal hydrocephalus complicated by unrecognized subdural hygroma and hematoma: a case report of a patient treated by Dr. Walter Dandy. Historical vignette, 1136
Hemiparesis
Cortical reorganization in patients with subcortical hemiparesis: neural mechanisms of functional recovery and prognostic implication, 64
Hemispherotomy
Hemispherotomy techniques. Letters, 438, 439
Hemodynamics
Effect of the local anesthetic agent bupivacaine prior to application of the skull-pin holder for craniotomies, 1194
Hemorrhage
Hemorrhagic complication of stereotactic surgery in patients with movement disorders, 1241
Hemostasis
The efficacy and safety of aprotinin for hemostasis during intracranial surgery, 1208
Heschl gyrus
Amusia following resection of a Heschl gyrus glioma. Case report, 1109
Hibernation
Glial cell line–derived neurotrophic factor–supplemented hibernation of fetal ventral mesencephalic neurons for transplantation in Parkinson disease: long-term storage, 1078
High-magnetic field
Cortical reorganization in patients with subcortical hemiparesis: neural mechanisms of functional recovery and prognostic implication, 64
Hippocampus
Cytidinediphosphocholine treatment to decrease traumatic brain injury–induced hippocampal neuronal death, cortical contusion volume, and neurological dysfunction in rats, 867
Histocompatibility antigen
Experimental appraisal of the lack of antitumor natural killer cell–mediated immunosurveillance in response to lymphomas growing in the mouse brain, 599

Histopathological study
Histopathological findings in a human carotid artery after stent implantation. Case report, 199
Microvascular pathological features of immediate perinidal parenchyma in cerebral arteriovenous malformations: giant bed capillaries, 823
History of neurosurgery
Aneurysm clips. Historical vignette, 638
Human allograft
Clinical application of a physically and chemically processed human substitute for dura mater, 1198
Human amniotic fluid
Effects of human amniotic fluid on peripheral nerve scarring and regeneration in rats, 371
Human telomerase reverse transcriptase
Chordoma of the skull base: predictors of tumor recurrence, 812
Hyaluronic acid
Effects of human amniotic fluid on peripheral nerve scarring and regeneration in rats, 371
Hydrocephalus
Clinical and neuroimaging characteristics of hydrocephalus associated with vestibular schwannoma, 1188
Clinical experience with the use of a shunt with an adjustable valve in children with hydrocephalus, 471
Endoscopic third ventriculostomy for shunt dysfunction in occlusive hydrocephalus: long-term follow up and review, 1032
Endoscopically aided retroperitoneal placement of a lumboperitoneal shunt. Technical note, 430
Influence of shunt type on ventricular volume changes in children with hydrocephalus, 277
Lack of benefit of endoscopic ventriculoperitoneal shunt insertion: a multicenter randomized trial, 284
Hyperemia
Hyperemia prior to acute brain swelling during rewarming of patients who have been treated with moderate hypothermia for severe head injuries, 793
Hyperoxia
Lack of improvement in cerebral metabolism after hyperoxia in severe head injury: a microdialysis study, 952
Hypertrophic calcification
Intracranial hypertrophic calcification complicating neuroendoscopy. Report of three cases, 186
Hypoglossal nerve
Intracranial extradural schwannoma of the 12th cranial nerve. Case illustration, 119
Hypogonadism
Anemia, testosterone, and pituitary adenoma in men, 974
Hypophysis
Distinctions between pituicytoma and ordinary pilocytic astrocytoma. Case report, 404
Hypothermia
Attenuation of nitric oxide synthase isoform expression by mild hypothermia after focal cerebral ischemia: variations depending on timing of cooling, 1271
High-dose ibuprofen for reduction of striatal infarcts during middle cerebral artery occlusion in rats, 860
Hyperemia prior to acute brain swelling during rewarming of patients who have been treated with moderate hypothermia for severe head injuries, 793
Natural hypothermia immediately after transient global cerebral ischemia induced by spontaneous subarachnoid hemorrhage, 50
Hypoxia
Increased locoregional blood flow in brain tumors after cervical spinal cord stimulation, 1263

Ibuprofen
High-dose ibuprofen for reduction of striatal infarcts during middle cerebral artery occlusion in rats, 860

Ictal spike
Consistency of interictal and ictal onset localization using magnetoencephalography in patients with partial epilepsy, 837
Idiopathic subarachnoid hemorrhage
Comparison between perimesencephalic nonaneurysmal subarachnoid hemorrhage and subarachnoid hemorrhage caused by posterior circulation aneurysms, 529
Image-guided surgery
Image-guided frameless stereotactic biopsy of parasellar lesions. Technical note, 920
Immune response
Experimental appraisal of the lack of antitumor natural killer cell–mediated immunosurveillance in response to lymphomas growing in the mouse brain, 599
Immunohistochemical study
Histopathological findings in a human carotid artery after stent implantation. Case report, 199
Immunohistochemistry
Characterization of the levels of expression of retinoic acid receptors, galectin-3, macrophage migration inhibiting factor, and p53 in 51 adamantinomatous craniopharyngiomas, 145
Infantile hydrocephalus
Third ventriculostomy for internal hydrocephalus complicated by unrecognized subdural hygroma and hematoma: a case report of a patient treated by Dr. Walter Dandy. Historical vignette, 1136
Infection
Efficacy of antimicrobial-impregnated external ventricular drain catheters: a prospective, randomized, controlled trial, 725
The impact of methicillin-resistant *Staphylococcus aureus* in a neurosurgical unit: a growing problem, 8
Informed consent
Framework for bioethical assessment of an article on therapy, 485
Insulin-like growth factor–I
Assessment of long-term remission of acromegaly following surgery, 719
Intercellular adhesion molecule-1
High-dose ibuprofen for reduction of striatal infarcts during middle cerebral artery occlusion in rats, 860
Intercostal nerve
Functional magnetic resonance imaging and control over the biceps muscle after intercostal–musculocutaneous nerve transfer, 261
Interferon
Cytotoxicity in glioma cells due to interleukin-12 and interleukin-18–stimulated macrophages mediated by interferon-γ–regulated nitric oxide, 385
Interictal spike
Consistency of interictal and ictal onset localization using magnetoencephalography in patients with partial epilepsy, 837
Interleukin 12
Cytotoxicity in glioma cells due to interleukin-12 and interleukin-18–stimulated macrophages mediated by interferon-γ–regulated nitric oxide, 385
Interleukin 18
Cytotoxicity in glioma cells due to interleukin-12 and interleukin-18–stimulated macrophages mediated by interferon-γ–regulated nitric oxide, 385
Internal carotid artery
Endovascular therapy for stenosis of the petrous or cavernous portion of the internal carotid artery: percutaneous transluminal angioplasty compared with stent placement, 491
Subclinoid aneurysms, 731
Intracarotid Amytal test
Theodore Brown Rasmussen (1910–2002): epilepsy surgeon, scientist, and teacher. Historical vignette, 631

Intracerebral hemorrhage
Diurnal and seasonal variations in the onset of primary intracerebral hemorrhage in individuals living in Izumo City, Japan, 326
Edema after intracerebral hemorrhage: correlations with coagulation parameters and treatment, 985
Intracranial anastomosis
Intracranial anastomosis. Letters, 439, 440
Intracranial aneurysm
Distal PICA aneurysms. Letters, 1144
Multiple cerebral aneurysms and a dural arteriovenous fistula in a patient with polyarteritis nodosa. Case illustration, 434
Prevention of early rebleeding. Letters, 1146, 1147, 1148, 1149
Intracranial compliance
Noninvasive intracranial compliance monitoring. Technical note and clinical results, 214
Intracranial hemorrhage
Deep arteriovenous malformations of the basal ganglia and thalamus: natural history, 74
The use of recombinant activated factor VII to reverse warfarin-induced anticoagulation in patients with hemorrhages in the central nervous system: preliminary findings, 737
Intracranial hypertension
Sex-related differences in patients with severe head injury: greater susceptibility to brain swelling in female patients 50 years of age and younger, 32
Intracranial hypotension
Broadening the clinical spectrum: unusual presentation of spontaneous cerebrospinal fluid hypovolemia. Case report, 903
Intracranial hypovolemia
Broadening the clinical spectrum: unusual presentation of spontaneous cerebrospinal fluid hypovolemia. Case report, 903
Intracranial pressure
Quantitative pupillometry, a new technology: normative data and preliminary observations in patients with acute head injury. Technical note, 205
Intracranial pressure monitoring
Noninvasive intracranial compliance monitoring. Technical note and clinical results, 214
Intracranial stenosis
Intracranial stent placement for the treatment of a carotid–cavernous fistula associated with intracranial angioplasty. Case report, 1116
Intracranial stent
In vivo model of intracranial stent implantation: a pilot study to examine the histological response of cerebral vessels after randomized implantation of heparin-coated and uncoated endoluminal stents in a blinded fashion, 544
Intraoperative bleeding
The efficacy and safety of aprotinin for hemostasis during intracranial surgery, 1208
Intraoperative monitoring
Intraoperative monitoring of blood flow insufficiency in the anterior choroidal artery during aneurysm surgery, 507
Monitoring of brain tissue oxygenation during aneurysm surgery: prediction of procedure-related ischemic events, 515
Intraoperative stimulation
Usefulness of intraoperative electrical subcortical mapping during surgery for low-grade gliomas located within eloquent brain regions: functional results in a consecutive series of 103 patients, 764
Intrathecal baclofen
Long-term intrathecal baclofen therapy for severe spasticity of cerebral origin, 291
Intraventricular vancomycin
Treatment of staphylococcal ventriculitis associated with external cerebrospinal fluid drains: a prospective randomized trial of intravenous compared with intraventricular vancomycin therapy, 1040
Invasive monitoring
Complications of invasive subdural grid monitoring in children with epilepsy, 1017
Ionizing radiation
Molecular response of human glioblastoma multiforme cells to ionizing radiation: cell cycle arrest, modulation of the expression of cyclin-dependent kinase inhibitors, and autophagy, 378

Ki-67
Association of proliferative activity and size in acoustic neuroma: implications for timing of surgery, 807

Lactate
Lack of improvement in cerebral metabolism after hyperoxia in severe head injury: a microdialysis study, 952
Language
Localization of language function in children: results of electrical stimulation mapping, 465
Usefulness of intraoperative electrical subcortical mapping during surgery for low-grade gliomas located within eloquent brain regions: functional results in a consecutive series of 103 patients, 764
Laparoscopy
Endoscopically aided retroperitoneal placement of a lumboperitoneal shunt. Technical note, 430
Laser
Feasibility of using the potassium titanyl phosphate laser with micromanipulators in robotic neurosurgery: a preliminary study in the rat, 131
Lenticulostriate artery
Microsurgical anatomy of the early branches of the middle cerebral artery: morphometric analysis and classification with angiographic correlation, 1277
Lesch–Nyhan syndrome
Disappearance of self-mutilating behavior in a patient with Lesch–Nyhan syndrome after bilateral chronic stimulation of the globus pallidus internus. Case report, 414
Leukocyte
Leukocytosis as an independent risk factor for cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 1222
Leukoencephalopathy
Primary hypertension-induced cerebellar encephalopathy causing obstructive hydrocephalus. Case Report, 1307
Long-term seizure outcome
Long-term seizure outcomes following amygdalohippocampectomy, 751
Low-grade glioma
Repeated operations for infiltrative low-grade gliomas without intervening therapy, 1165
Usefulness of intraoperative electrical subcortical mapping during surgery for low-grade gliomas located within eloquent brain regions: functional results in a consecutive series of 103 patients, 764
Lumbar drain
Lumbar drain. Letters, 442, 443
Synchronous subarachnoid drop metastases from a pituitary adenoma with multiple recurrences. Case report, 1120
Lumboperitoneal shunt
Endoscopically aided retroperitoneal placement of a lumboperitoneal shunt. Technical note, 430
Lymphangiomatosis
Lymphangiomatosis of the skull. Case illustration, 1319
Lymphocytic hypophysitis
Apoplectic lymphocytic hypophysitis. Case report, 183

M_1 segment
Microsurgical anatomy of the early branches of the middle cerebral artery: morphometric analysis and classification with angiographic correlation, 1277
Macaca fuscata
Stereotactic transplantation of a dopamine-producing capsule into the striatum for treatment of Parkinson disease: a preclinical primate study, 874
Macaca mulatta
Convective distribution of macromolecules in the primate brain demonstrated using computerized tomography and magnetic resonance imaging, 584
The safety and utility of recombinant human bone morphogenetic protein-2 for cranial procedures in a nonhuman primate model, 125
Macrophage
Cytotoxicity in glioma cells due to interleukin-12 and interleukin-18–stimulated macrophages mediated by interferon-γ–regulated nitric oxide, 385
Magnetic resonance angiography
Aneurysm size. Letters, 1325, 1326
Subarachnoid hemorrhage without evident cause on initial angiography studies: diagnostic yield of subsequent angiography and other neuroimaging tests, 1235
Magnetic resonance imaging
Intraventricular neurocysticercosis. Letters, 648
Microelectrodes. Letters, 1324
Rapid development of Chiari I malformation in an infant with Seckel syndrome and craniosynostosis. Case report and review of the literature, 1113
"Real" three-dimensional constructive interference in steady-state imaging to discern microneurosurgical anatomy. Technical note, 625
Subarachnoid hemorrhage without evident cause on initial angiography studies: diagnostic yield of subsequent angiography and other neuroimaging tests, 1235
Surgical management of brainstem hemangioblastomas in patients with von Hippel–Lindau disease, 95
Magnetic resonance spectroscopy
Determination of histopathological tumor grade in neuroepithelial brain tumors by using spectral pattern analysis of in vivo spectroscopic data, 74
Use of proton magnetic resonance spectroscopy of the brain to differentiate gliomatosis cerebri from low-grade glioma, 269
Magnetic source imaging
Consistency of interictal and ictal onset localization using magnetoencephalography in patients with partial epilepsy, 837
Magnetoencephalography
Consistency of interictal and ictal onset localization using magnetoencephalography in patients with partial epilepsy, 837
Malignant glioma
Communication between malignant glioma cells and vascular endothelial cells through gap junctions, 846
Growth inhibition of human malignant glioma cells induced by the PI3-K–specific inhibitor, 154
Perioperative complications and neurological outcomes of first and second craniotomies among patients enrolled in the Glioma Outcome Project, 1175
Malignant tumor
Polysialylated neural cell adhesion molecules expressed in human pituitary tumors and related to extrasellar invasion, 1084
Medulla oblongata
Intraparenchymal schwannoma of the medulla oblongata. Case report, 621
Meningioma
The efficacy and safety of aprotinin for hemostasis during intracranial surgery, 1208
Histologically benign metastatic meningioma: morphological and cytogenetic study. Case report, 194
Preoperative and postoperative cognitive functioning in patients with frontal meningiomas, 21
Metastasis
Histologically benign metastatic meningioma: morphological and cytogenetic study. Case report, 194
Methionine positron emission tomography of recurrent metastatic brain tumor and radiation necrosis after stereotactic radiosurgery: is a differential diagnosis possible? 1056
Radiosurgery in patients with renal cell carcinoma metastasis to the brain: long-term outcomes and prognostic factors influencing survival and local tumor control, 342
Methicillin-resistant *Staphylococcus aureus*
The impact of methicillin-resistant *Staphylococcus aureus* in a neurosurgical unit: a growing problem, 8
MIB-1 index
Growth pattern and rate in residual nonfunctioning pituitary adenomas: correlations among tumor volume doubling time, patient age, and MIB-1 index, 359
Microadenoma
Ectopic intracavernous sinus adrenocorticotropic hormone–secreting microadenoma: could this be a common cause of failed transsphenoidal surgery in Cushing disease? Case report, 1312
Microcirculation
Regional cerebral blood flow monitoring in the diagnosis of delayed ischemia following aneurysmal subarachnoid hemorrhage, 1227
Microdialysis
Lack of improvement in cerebral metabolism after hyperoxia in severe head injury: a microdialysis study, 952
Microsurgery
Intracranial Rosai–Dorfman disease treated with microsurgical resection and stereotactic radiosurgery. Case report, 165
Surgical management of brainstem hemangioblastomas in patients with von Hippel–Lindau disease, 95
Surgical management of spinal cord hemangioblastomas in patients with von Hippel–Lindau disease, 106
Microvascular decompression
Trigeminal neuralgia associated with contralateral cerebellar arteriovenous malformation. Case illustration, 1318
Trigeminal neuralgia. Letters, 647
Midbrain
Transposition of the oculomotor nerve for resection of a midbrain cavernoma. Technical note, 913
Midbrain tremor
Thalamic deep brain stimulation for disabling tremor after excision of a midbrain cavernous angioma. Case report, 888
Middle cerebral artery
Microsurgical anatomy of the early branches of the middle cerebral artery: morphometric analysis and classification with angiographic correlation, 1277
Middle fossa approach
Vascularized temporalis muscle flap for the treatment of otorrhea. Technical note, 1128
Migration inhibiting factor
Characterization of the levels of expression of retinoic acid receptors, galectin-3, macrophage migration inhibiting factor, and p53 in 51 adamantinomatous craniopharyngiomas, 145
Monoclonal tumor
Comparative genomic hybridization analysis of craniopharyngiomas, 162
Montreal Neurological Institute
Theodore Brown Rasmussen (1910–2002): epilepsy surgeon, scientist, and teacher. Historical vignette, 631

Motor cortex
Functional magnetic resonance imaging and control over the biceps muscle after intercostal–musculocutaneous nerve transfer. 261
Motor cortex stimulation
Motor cortex stimulation in a patient with intractable complex regional pain syndrome Type II with hemibody involvement. Case report. 175
Motor evoked potential
Intraoperative monitoring of blood flow insufficiency in the anterior choroidal artery during aneurysm surgery. 507
Neurogenic motor evoked potentials: role in brachial plexus surgery. Case report. 607
Motor reorganization
Cortical reorganization in patients with subcortical hemiparesis: neural mechanisms of functional recovery and prognostic implication. 64
Mouse
Experimental appraisal of the lack of antitumor natural killer cell–mediated immunosurveillance in response to lymphomas growing in the mouse brain. 599
Mucocele
Paget disease causing intracerebral mucoceles. Case illustration. 643
Multiinstitutional study
Efficacy of antimicrobial-impregnated external ventricular drain catheters: a prospective, randomized, controlled trial. 725
Multinucelated giant cell
Morphological assessment of the development of multinucleated giant cells in glioma by using mitosis-specific phosphorylated antibodies. 854
Multiple system atrophy–parkinsonism
Bilateral high-frequency stimulation of the subthalamic nucleus in patients with multiple system atrophy–parkinsonism. Report of four cases. 882
Multislice computerized tomography
Multislice computerized tomography angiography in the evaluation of intracranial aneurysms: a comparison with intraarterial digital subtraction angiography. 828
Multivariate analysis
Independent predictors of recurrence of chronic subdural hematoma: results of multivariate analysis performed using a logistic regression model. 1217
Myocyte
Functional motor neurons differentiating from mouse multipotent spinal cord precursor cells in culture and after transplantation into transected sciatic nerve. 1094

N-butyl cyanoacrylate
Surgical handling characteristics of an ethylene vinyl alcohol copolymer compared with *N*-butyl cyanoacrylate used for embolization of vessels in an arteriovenous malformation resection model in swine. 366
Use of a wedged microcatheter for curative transarterial embolization of complex intracranial dural arteriovenous fistulas: indications, endovascular technique, and outcome in 21 patients. 498
Natural history
Deep arteriovenous malformations of the basal ganglia and thalamus: natural history. 747
Intention-to-treat analysis of Spetzler–Martin Grades IV and V arteriovenous malformations: natural history and treatment paradigm. 3
Repeated operations for infiltrative low-grade gliomas without intervening therapy. 1165
Natural killer cell
Experimental appraisal of the lack of antitumor natural killer cell–mediated immunosurveillance in response to lymphomas growing in the mouse brain. 599
Near-infrared spectroscopy
Validation of a near-infrared probe for detection of thin intracranial white matter structures. 1299
Neck spasm
Selective peripheral denervation for the treatment of intractable spasmodic torticollis: experience with 168 patients at the Mayo Clinic. 1247
Needle biopsy
Image-guided frameless stereotactic biopsy of parasellar lesions. Technical note. 920
Neoplasm
The natural history of hemangioblastomas of the central nervous system in patients with von Hippel–Lindau disease. 82
Nerve action potential
Neurogenic motor evoked potentials: role in brachial plexus surgery. Case report. 607
Outcomes of surgery in 1019 patients with brachial plexus lesions treated at Louisiana State University Health Sciences Center. 1005
Surgical outcomes of 654 ulnar nerve lesions. 993
Nerve graft
Brachial plexus injury: factors affecting functional outcome in spinal accessory nerve transfer for the restoration of elbow flexion. 307
Outcomes of surgery in 1019 patients with brachial plexus lesions treated at Louisiana State University Health Sciences Center. 1005
Surgical outcomes of 654 ulnar nerve lesions. 993
Nerve sheath tumor
Outcomes of surgery in 1019 patients with brachial plexus lesions treated at Louisiana State University Health Sciences Center. 1005
Nerve transfer
Functional magnetic resonance imaging and control over the biceps muscle after intercostal–musculocutaneous nerve transfer. 261
Nerve transplantation
Nerve transfers to the biceps and brachialis branches to improve elbow flexion strength after brachial plexus injuries. 313
Neural cell adhesion molecule
Polysialylated neural cell adhesion molecules expressed in human pituitary tumors and related to extrasellar invasion. 1084
Neural progenitor cell
Functional motor neurons differentiating from mouse multipotent spinal cord precursor cells in culture and after transplantation into transected sciatic nerve. 1094
Neural transplantation
Glial cell line–derived neurotrophic factor–supplemented hibernation of fetal ventral mesencephalic neurons for transplantation in Parkinson disease: long-term storage. 1078
Stereotactic transplantation of a dopamine-producing capsule into the striatum for treatment of Parkinson disease: a preclinical primate study. 874
Neuroepithelial brain tumor
Determination of histopathological tumor grade in neuroepithelial brain tumors by using spectral pattern analysis of in vivo spectroscopic data. 74
Neuroma
Intraparenchymal schwannoma of the medulla oblongata. Case report. 621
Neuromonitoring
Regional cerebral blood flow monitoring in the diagnosis of delayed ischemia following aneurysmal subarachnoid hemorrhage. 1227
Neuron
Effect of neuregen nutrient medium on survival of cortical neurons after aspiration lesion in rats. 1291

Neuronavigation
Image-guided frameless stereotactic biopsy of parasellar lesions. Technical note, 920
Neuroprotection
Cytidinediphosphocholine treatment to decrease traumatic brain injury–induced hippocampal neuronal death, cortical contusion volume, and neurological dysfunction in rats, 867
Progressive and extensive dopaminergic degeneration induced by convection-enhanced delivery of 6-hydroxydopamine into the rat striatum: a novel rodent model of Parkinson disease, 136
Reduced brain infarct volume and improved neurological outcome by inhibition of the NR2B subunit of NMDA receptors by using CP101.606-27 alone and in combination with rt-PA in a thromboembolic stroke model in rats, 397
Neuropsychology
Preoperative and postoperative cognitive functioning in patients with frontal meningiomas, 21
Neurosurgery
Feasibility of using the potassium titanyl phosphate laser with micromanipulators in robotic neurosurgery: a preliminary study in the rat, 131
The impact of methicillin-resistant *Staphylococcus aureus* in a neurosurgical unit: a growing problem, 8
Nitric oxide
Attenuation of nitric oxide synthase isoform expression by mild hypothermia after focal cerebral ischemia: variations depending on timing of cooling, 1271
Cytotoxicity in glioma cells due to interleukin-12 and interleukin-18–stimulated macrophages mediated by interferon-γ–regulated nitric oxide, 385
Nitric oxide synthase
Attenuation of nitric oxide synthase isoform expression by mild hypothermia after focal cerebral ischemia: variations depending on timing of cooling, 1271
Nitroxide
Neuroprotection by the stable nitroxide 3-carbamoyl-proxyl during reperfusion in a rat model of transient focal ischemia, 393
Nonhuman primate
Stereotactic transplantation of a dopamine-producing capsule into the striatum for treatment of Parkinson disease: a preclinical primate study, 874
Nonselective cation channel
Effects of the Ca^{++}-permeable nonselective cation channel blocker LOE 908 on subarachnoid hemorrhage–induced vasospasm in the basilar artery in rabbits, 561
Nutrient
Effect of neuregen nutrient medium on survival of cortical neurons after aspiration lesion in rats, 1291

O^6-methylguanine
Delayed repletion of O^6-methylguanine–DNA methyltransferase resulting in failure to protect the human glioblastoma cell line SF767 from temozolomide-induced cytotoxicity, 591
O^6-methylguanine–DNA methyltransferase
Delayed repletion of O^6-methylguanine–DNA methyltransferase resulting in failure to protect the human glioblastoma cell line SF767 from temozolomide-induced cytotoxicity, 591
Oberlin procedure
Nerve transfers to the biceps and brachialis branches to improve elbow flexion strength after brachial plexus injuries, 313
Obsessive–compulsive disorder
Treatment of patients with intractable obsessive–compulsive disorder with anterior capsular stimulation. Case report, 1104
Obstructive hydrocephalus
Hydrocephalus due to idiopathic stenosis of the foramina of Magendie and Luschka. Report of three cases, 897
Primary hypertension-induced cerebellar encephalopathy causing obstructive hydrocephalus. Case Report, 1307
Occlusion test
Provocative test occlusion or the Matas test: who was Rudolph Matas? Historical vignette, 926
Oculomotor nerve
Transposition of the oculomotor nerve for resection of a midbrain cavernoma. Technical note, 913
Odontoid process
Clival osteoblastoma in a child. Case illustration, 1133
Oncogene
Comparative genomic hybridization analysis of craniopharyngiomas, 162
Optic glioma
Remarkable regression of optic glioma in an infant. Case illustration, 1134
Orbitozygomatic approach
Transposition of the oculomotor nerve for resection of a midbrain cavernoma. Technical note, 913
Osteoblastoma
Clival osteoblastoma in a child. Case illustration, 1133
Otorrhea
Vascularized temporalis muscle flap for the treatment of otorrhea. Technical note, 1128
Outcome
Apolipoprotein E polymorphism and outcome after closed traumatic brain injury: influence of ethnic and regional differences, 302
Perioperative complications and neurological outcomes of first and second craniotomies among patients enrolled in the Glioma Outcome Project, 1175
Transsphenoidal microsurgical treatment of Cushing disease: postoperative assessment of surgical efficacy by application of an overnight low-dose dexamethasone suppression test, 967
Traumatic subarachnoid hemorrhage on the computerized tomography scan obtained at admission: a multicenter assessment of the accuracy of diagnosis and the potential impact on patient outcome, 37

p53
Characterization of the levels of expression of retinoic acid receptors, galectin-3, macrophage migration inhibiting factor, and p53 in 51 adamantinomatous craniopharyngiomas, 145
Paget disease
Paget disease causing intracerebral mucoceles. Case illustration, 643
Parkinson disease
Glial cell line–derived neurotrophic factor–supplemented hibernation of fetal ventral mesencephalic neurons for transplantation in Parkinson disease: long-term storage, 1078
The impact of stereotactic pallidal surgery on the dopamine D_2 receptor in Parkinson disease: a positron emission tomography study, 57
Stereotactic transplantation of a dopamine-producing capsule into the striatum for treatment of Parkinson disease: a preclinical primate study, 874
PC12 cell
Stereotactic transplantation of a dopamine-producing capsule into the striatum for treatment of Parkinson disease: a preclinical primate study, 874
Pediatric cerebral injury
Recombinant activated factor VII for cerebral injury–induced coagulopathy in pediatric patients. Report of three cases and review of the literature, 611

Penfield, Wilder
Theodore Brown Rasmussen (1910–2002): epilepsy surgeon, scientist, and teacher. Historical vignette, 631
Percutaneous transluminal angioplasty
Endovascular therapy for stenosis of the petrous or cavernous portion of the internal carotid artery: percutaneous transluminal angioplasty compared with stent placement, 491
Perimesencephalic bleeding
Comparison between perimesencephalic nonaneurysmal subarachnoid hemorrhage and subarachnoid hemorrhage caused by posterior circulation aneurysms, 529
Perinidal brain tissue
Microvascular pathological features of immediate perinidal parenchyma in cerebral arteriovenous malformations: giant bed capillaries, 823
Peripheral nerve
Effects of human amniotic fluid on peripheral nerve scarring and regeneration in rats, 371
Peripheral nerve surgery and neurosurgeons: results of a national survey of practice patterns and attitudes, 1159
Peripheral neuropathy
Motor cortex stimulation in a patient with intractable complex regional pain syndrome Type II with hemibody involvement. Case report, 175
Phosphatidylinositol 3-kinase
Growth inhibition of human malignant glioma cells induced by the PI3-K–specific inhibitor, 154
Phospholipase
Cytidinediphosphocholine treatment to decrease traumatic brain injury–induced hippocampal neuronal death, cortical contusion volume, and neurological dysfunction in rats, 867
Phosphorylation
Morphological assessment of the development of multinucleated giant cells in glioma by using mitosis-specific phosphorylated antibodies, 854
Physiology
Pathophysiology of headache associated with cough in patients with Chiari I malformation, 453
Pig
Surgical handling characteristics of an ethylene vinyl alcohol copolymer compared with *N*-butyl cyanoacrylate used for embolization of vessels in an arteriovenous malformation resection model in swine, 366
Pilocytic astrocytoma
Distinctions between pituicytoma and ordinary pilocytic astrocytoma. Case report, 404
A population-based study of the incidence and survival rates in patients with pilocytic astrocytoma, 1170
Pituicytoma
Distinctions between pituicytoma and ordinary pilocytic astrocytoma. Case report, 404
Pituitary adenoma
Anemia, testosterone, and pituitary adenoma in men, 974
Assessment of long-term remission of acromegaly following surgery, 719
Endonasal transsphenoidal approach for pituitary adenomas and other sellar lesions: an assessment of efficacy, safety, and patient impressions, 350
Growth pattern and rate in residual nonfunctioning pituitary adenomas: correlations among tumor volume doubling time, patient age, and MIB-1 index, 359
Synchronous subarachnoid drop metastases from a pituitary adenoma with multiple recurrences. Case report, 1120
Pituitary apoplexy
Apoplectic lymphocytic hypophysitis. Case report, 183
Pituitary gland
Distinctions between pituicytoma and ordinary pilocytic astrocytoma. Case report, 404
Pituitary hyperplasia
Juxtaposition of an ectopic corticotroph adenoma of the sphenoid sinus with orthotopic intrasellar corticotroph hyperplasia in a patient with Cushing disease. Case report, 891
Pituitary tumor
Polysialylated neural cell adhesion molecules expressed in human pituitary tumors and related to extrasellar invasion, 1084
Transsphenoidal microsurgical treatment of Cushing disease: postoperative assessment of surgical efficacy by application of an overnight low-dose dexamethasone suppression test, 967
Plasticity
Functional magnetic resonance imaging and control over the biceps muscle after intercostal–musculocutaneous nerve transfer, 261
Platelet
Edema after intracerebral hemorrhage: correlations with coagulation parameters and treatment, 985
Polyarteritis nodosa
Multiple cerebral aneurysms and a dural arteriovenous fistula in a patient with polyarteritis nodosa. Case illustration, 434
Polymer
Camptothecin analogs in malignant gliomas: comparative analysis and characterization, 570
Polymorphism
Apolipoprotein E polymorphism and outcome after closed traumatic brain injury: influence of ethnic and regional differences, 302
Pontine hemorrhage
Transaqueductal aspiration of pontine hemorrhage with the aid of a neuroendoscope. Technical note, 917
Population-based study
A population-based study of the incidence and survival rates in patients with pilocytic astrocytoma, 1170
Positron emission tomography
Methionine positron emission tomography of recurrent metastatic brain tumor and radiation necrosis after stereotactic radiosurgery: is a differential diagnosis possible? 1056
Posterior circulation aneurysm
Comparison between perimesencephalic nonaneurysmal subarachnoid hemorrhage and subarachnoid hemorrhage caused by posterior circulation aneurysms, 529
Posterior inferior cerebellar artery
Distal PICA aneurysms. Letters, 1144
Postoperative complication
Perioperative complications and neurological outcomes of first and second craniotomies among patients enrolled in the Glioma Outcome Project, 1175
Postoperative infection
Preservation of bone flaps in patients with postcraniotomy infections, 1203
Potassium titanyl phosphate laser
Transaqueductal aspiration of pontine hemorrhage with the aid of a neuroendoscope. Technical note, 917
Presurgical mapping
Consistency of interictal and ictal onset localization using magnetoencephalography in patients with partial epilepsy, 837
Primary hyperparathyroidism
Brown tumors of the skull base. Case report and review of the literature, 417
Prognosis
Prognostic value of magnetic resonance imaging–guided stereotactic biopsy in the evaluation of recurrent malignant astrocytoma compared with a lesion due to radiation effect, 14
Prolactinoma
Endonasal transsphenoidal approach for pituitary adenomas and other sellar lesions: an assessment of efficacy, safety, and patient impressions, 350

Proliferating cell nuclear antigen
Association of proliferative activity and size in acoustic neuroma: implications for timing of surgery, 807
Pseudoaneurysm
Delayed stenosis following placement of a polyethylene terephthalate endograft in the cervical carotid artery. Report of three cases, 421
Pseudotumor cerebri
Pseudotumor cerebri syndrome: venous sinus obstruction and its treatment with stent placement, 1045
Psychosurgery
Treatment of patients with intractable obsessive–compulsive disorder with anterior capsular stimulation. Case report, 1104
PTEN
Growth inhibition of human malignant glioma cells induced by the PI3-K–specific inhibitor, 154
Pupillary reactivity
Quantitative pupillometry, a new technology: normative data and preliminary observations in patients with acute head injury. Technical note, 205
Purkinje cell
Selective loss of Purkinje cells in transverse and sigmoid dural arteriovenous fistulas. Report of two cases, 617

Quantitative pupillometry
Quantitative pupillometry, a new technology: normative data and preliminary observations in patients with acute head injury. Technical note, 205

Rabbit
Effects of the Ca^{++}-permeable nonselective cation channel blocker LOE 908 on subarachnoid hemorrhage–induced vasospasm in the basilar artery in rabbits, 561
Radiation complication
Transcutaneous coil, stent, and balloon migration following endovascular treatment of a cervical carotid artery aneurysm. Case illustration, 1135
Radiation necrosis
Methionine positron emission tomography of recurrent metastatic brain tumor and radiation necrosis after stereotactic radiosurgery: is a differential diagnosis possible? 1056
Radiosurgery
Hemangiopericytoma in the central nervous system: treatment, pathological features, and long-term follow up in 38 patients, 1182
Intracranial Rosai–Dorfman disease treated with microsurgical resection and stereotactic radiosurgery. Case report, 165
Radiosurgery in patients with renal cell carcinoma metastasis to the brain: long-term outcomes and prognostic factors influencing survival and local tumor control, 342
Radiotherapy
Hemangiopericytoma in the central nervous system: treatment, pathological features, and long-term follow up in 38 patients, 1182
Randomized controlled trial
Framework for bioethical assessment of an article on therapy, 485
Randomized trial
Lack of benefit of endoscopic ventriculoperitoneal shunt insertion: a multicenter randomized trial, 284
Rasmussen syndrome
Theodore Brown Rasmussen (1910–2002): epilepsy surgeon, scientist, and teacher. Historical vignette, 631
Rat
Attenuation of nitric oxide synthase isoform expression by mild hypothermia after focal cerebral ischemia: variations depending on timing of cooling, 1271
Convective distribution of macromolecules in the primate brain demonstrated using computerized tomography and magnetic resonance imaging, 584
Cytidinediphosphocholine treatment to decrease traumatic brain injury–induced hippocampal neuronal death, cortical contusion volume, and neurological dysfunction in rats, 867
Effect of neuregen nutrient medium on survival of cortical neurons after aspiration lesion in rats, 1291
Effects of human amniotic fluid on peripheral nerve scarring and regeneration in rats, 371
Feasibility of using the potassium titanyl phosphate laser with micromanipulators in robotic neurosurgery: a preliminary study in the rat, 131
Glial cell line–derived neurotrophic factor–supplemented hibernation of fetal ventral mesencephalic neurons for transplantation in Parkinson disease: long-term storage, 1078
High-dose ibuprofen for reduction of striatal infarcts during middle cerebral artery occlusion in rats, 860
Neuroprotection by the stable nitroxide 3-carbamoyl-proxyl during reperfusion in a rat model of transient focal ischemia, 393
Reduced brain infarct volume and improved neurological outcome by inhibition of the NR2B subunit of NMDA receptors by using CP101,606-27 alone and in combination with rt-PA in a thromboembolic stroke model in rats, 397
Validation of a near-infrared probe for detection of thin intracranial white matter structures, 1299
Rathke cleft cyst
Endonasal transsphenoidal approach for pituitary adenomas and other sellar lesions: an assessment of efficacy, safety, and patient impressions, 350
Recombinant activated factor VII
Recombinant activated factor VII for cerebral injury–induced coagulopathy in pediatric patients. Report of three cases and review of the literature, 611
The use of recombinant activated factor VII to reverse warfarin-induced anticoagulation in patients with hemorrhages in the central nervous system: preliminary findings, 737
Recurrence
Methionine positron emission tomography of recurrent metastatic brain tumor and radiation necrosis after stereotactic radiosurgery: is a differential diagnosis possible? 1056
Regeneration
Effects of human amniotic fluid on peripheral nerve scarring and regeneration in rats, 371
Progressive and extensive dopaminergic degeneration induced by convection-enhanced delivery of 6-hydroxydopamine into the rat striatum: a novel rodent model of Parkinson disease, 136
Regression
Remarkable regression of optic glioma in an infant. Case illustration, 1134
Renal cell carcinoma
Radiosurgery in patients with renal cell carcinoma metastasis to the brain: long-term outcomes and prognostic factors influencing survival and local tumor control, 342
Reperfusion damage
Neuroprotection by the stable nitroxide 3-carbamoyl-proxyl during reperfusion in a rat model of transient focal ischemia, 393
Rete mirabile
Surgical handling characteristics of an ethylene vinyl alcohol copolymer compared with *N*-butyl cyanoacrylate used for embolization of vessels in an arteriovenous malformation resection model in swine, 366
Retinoic acid receptor
Characterization of the levels of expression of retinoic acid receptors, galectin-3, macrophage migration inhibiting

factor, and p53 in 51 adamantinomatous craniopharyngiomas, 145
Retrograde flow
Unusual venous drainage of an arteriovenous malformation. Case illustration, 642
Retroperitoneum
Endoscopically aided retroperitoneal placement of a lumboperitoneal shunt. Technical note, 430
Rewarming
Hyperemia prior to acute brain swelling during rewarming of patients who have been treated with moderate hypothermia for severe head injuries, 793
Risk factor
Leukocytosis as an independent risk factor for cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 1222
Robotic surgery
Feasibility of using the potassium titanyl phosphate laser with micromanipulators in robotic neurosurgery: a preliminary study in the rat, 131
Root avulsion
Neurogenic motor evoked potentials: role in brachial plexus surgery. Case report, 607
Rosai–Dorfman disease
Intracranial Rosai–Dorfman disease treated with microsurgical resection and stereotactic radiosurgery. Case report, 165
Rudolph Matas
Provocative test occlusion or the Matas test: who was Rudolph Matas? Historical vignette, 926

Salvage radiosurgery
Salvage retreatment after failure of radiosurgery in patients with arteriovenous malformations, 337
Scar inhibition
Effects of human amniotic fluid on peripheral nerve scarring and regeneration in rats, 371
Schwannoma
Intracranial extradural schwannoma of the 12th cranial nerve. Case illustration, 119
Intraparenchymal schwannoma of the medulla oblongata. Case report, 621
Seasonal variation
Diurnal and seasonal variations in the onset of primary intracerebral hemorrhage in individuals living in Izumo City, Japan, 326
Secondary neuronal death
Cytidinediphosphocholine treatment to decrease traumatic brain injury–induced hippocampal neuronal death, cortical contusion volume, and neurological dysfunction in rats, 867
Segmentation
Influence of shunt type on ventricular volume changes in children with hydrocephalus, 277
Seizure
Consistency of interictal and ictal onset localization using magnetoencephalography in patients with partial epilepsy, 837
Seizure focus resection
Nonlesional central lobule seizures: awake cortical mapping and subdural grid monitoring for resection of seizure focus, 1255
Selective amygdalohippocampectomy
Long-term seizure outcomes following amygdalohippocampectomy, 751
Selective denervation
Selective peripheral denervation for the treatment of intractable spasmodic torticollis: experience with 168 patients at the Mayo Clinic, 1247
Self-mutilation
Disappearance of self-mutilating behavior in a patient with Lesch–Nyhan syndrome after bilateral chronic stimulation of the globus pallidus internus. Case report, 414
Sensorimotor cortex
Usefulness of intraoperative electrical subcortical mapping during surgery for low-grade gliomas located within eloquent brain regions: functional results in a consecutive series of 103 patients, 764
Severe head injury
Hyperemia prior to acute brain swelling during rewarming of patients who have been treated with moderate hypothermia for severe head injuries, 793
Sex-related difference
Sex-related differences in patients with severe head injury: greater susceptibility to brain swelling in female patients 50 years of age and younger, 32
Shunt
Changes in cerebrospinal fluid hydrodynamics following endoscopic third ventriculostomy for shunt-dependent noncommunicating hydrocephalus, 1027
Endoscopic third ventriculostomy for shunt dysfunction in occlusive hydrocephalus: long-term follow up and review, 1032
Shunt malfunction
Stretching and breaking characteristics of cerebrospinal fluid shunt tubing, 578
Shunt tubing fracture
Stretching and breaking characteristics of cerebrospinal fluid shunt tubing, 578
Silastic tube
Stretching and breaking characteristics of cerebrospinal fluid shunt tubing, 578
Single-photon emission computerized tomography
Increased locoregional blood flow in brain tumors after cervical spinal cord stimulation, 1263
Sinus histiocytosis
Intracranial Rosai–Dorfman disease treated with microsurgical resection and stereotactic radiosurgery. Case report, 165
Skull base
Brown tumors of the skull base. Case report and review of the literature, 417
Chordoma of the skull base: predictors of tumor recurrence, 812
Skull pin
Effect of the local anesthetic agent bupivacaine prior to application of the skull-pin holder for craniotomies, 1194
Somatic mutation
Comparative genomic hybridization analysis of craniopharyngiomas, 162
Somatosensory evoked potential
Neurogenic motor evoked potentials: role in brachial plexus surgery. Case report, 607
Spasticity
Long-term intrathecal baclofen therapy for severe spasticity of cerebral origin, 291
Spectral pattern analysis
Determination of histopathological tumor grade in neuroepithelial brain tumors by using spectral pattern analysis of in vivo spectroscopic data, 74
Spetzler–Martin grading system
Intention-to-treat analysis of Spetzler–Martin Grades IV and V arteriovenous malformations: natural history and treatment paradigm, 3
Sphenoid sinus
Juxtaposition of an ectopic corticotroph adenoma of the sphenoid sinus with orthotopic intrasellar corticotroph hyperplasia in a patient with Cushing disease. Case report, 891
Spinal cord
Functional motor neurons differentiating from mouse multipotent spinal cord precursor cells in culture and after transplantation into transected sciatic nerve, 1094
Surgical management of spinal cord hemangioblastomas in patients with von Hippel–Lindau disease, 106

Spinal cord stimulation
Increased locoregional blood flow in brain tumors after cervical spinal cord stimulation, 1263
Spinal stenosis
Spine patient outcomes research trial. Letters, 1150
Spine
Comparison of anterior and posterior surgical approaches in the treatment of ventral spinal hemangioblastomas in patients with von Hippel–Lindau disease, 117
Spondylolisthesis
Spine patient outcomes research trial. Letters, 1150
Spontaneous cerebrospinal fluid leak
Broadening the clinical spectrum: unusual presentation of spontaneous cerebrospinal fluid hypovolemia. Case report, 903
Sports neuropsychology
Symptom-based assessment of the severity of a concussion, 477
Stem cell
Functional motor neurons differentiating from mouse multipotent spinal cord precursor cells in culture and after transplantation into transected sciatic nerve, 1094
Stent
Endovascular therapy for stenosis of the petrous or cavernous portion of the internal carotid artery: percutaneous transluminal angioplasty compared with stent placement, 491
Histopathological findings in a human carotid artery after stent implantation. Case report, 199
Intracranial stent placement for the treatment of a carotid–cavernous fistula associated with intracranial angioplasty. Case report, 1116
Pseudotumor cerebri syndrome: venous sinus obstruction and its treatment with stent placement, 1045
Transcutaneous coil, stent, and balloon migration following endovascular treatment of a cervical carotid artery aneurysm. Case illustration, 1135
Stereotactic biopsy
Prognostic value of magnetic resonance imaging–guided stereotactic biopsy in the evaluation of recurrent malignant astrocytoma compared with a lesion due to radiation effect, 14
Stereotactic radiosurgery
Capillary hemangioma of the cavernous sinus. Report of two cases, 169
Methionine positron emission tomography of recurrent metastatic brain tumor and radiation necrosis after stereotactic radiosurgery: is a differential diagnosis possible? 1056
Radiation exposure of normal temporal bone structures during stereotactically guided gamma knife surgery for vestibular schwannomas, 800
Salvage retreatment after failure of radiosurgery in patients with arteriovenous malformations, 337
Surgical management of brainstem hemangioblastomas in patients with von Hippel–Lindau disease, 95
Three-dimensional angiography for radiosurgical treatment planning for arteriovenous malformations, 536
Stereotactic surgery
Hemorrhagic complication of stereotactic surgery in patients with movement disorders, 1241
Treatment of patients with intractable obsessive–compulsive disorder with anterior capsular stimulation. Case report, 1104
Validation of a near-infrared probe for detection of thin intracranial white matter structures, 1299
Stereotaxy
Deep brain stimulation for movement disorders: morbidity and mortality in 109 patients, 779
Image-guided frameless stereotactic biopsy of parasellar lesions. Technical note, 920
Stroke
Cortical reorganization in patients with subcortical hemiparesis: neural mechanisms of functional recovery and prognostic implication, 64
Deep arteriovenous malformations of the basal ganglia and thalamus: natural history, 747
High-dose ibuprofen for reduction of striatal infarcts during middle cerebral artery occlusion in rats, 860
Subarachnoid hemorrhage
Aneurysmal subarachnoid hemorrhage in young adults, 43
Barotrauma as a possible cause of aneurysmal subarachnoid hemorrhage. Case report, 180
Clinical significance of elevated troponin I levels in patients with nontraumatic subarachnoid hemorrhage, 741
Diffuse cerebral venous air embolism following subarachnoid hemorrhage. Case illustration, 1320
Early aneurysm surgery. Letters, 443, 444
Leukocytosis as an independent risk factor for cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 1222
Monitoring of brain tissue oxygenation during aneurysm surgery: prediction of procedure-related ischemic events, 515
Natural hypothermia immediately after transient global cerebral ischemia induced by spontaneous subarachnoid hemorrhage, 50
Prevention of early rebleeding. Letters, 1146, 1147, 1148, 1149
Significance of a small bulge on the basilar artery in patients with perimesencephalic nonaneurysmal subarachnoid hemorrhage. Report of two cases, 426
Subarachnoid hemorrhage without evident cause on initial angiography studies: diagnostic yield of subsequent angiography and other neuroimaging tests, 1235
Symptomatic vasospasm and outcomes following aneurysmal subarachnoid hemorrhage: a comparison between surgical repair and endovascular coil occlusion, 319
Traumatic subarachnoid hemorrhage on the computerized tomography scan obtained at admission: a multicenter assessment of the accuracy of diagnosis and the potential impact on patient outcome, 37
Use of the peak troponin value to differentiate myocardial infarction from reversible neurogenic left ventricular dysfunction associated with aneurysmal subarachnoid hemorrhage, 524
Subarachnoid space
Synchronous subarachnoid drop metastases from a pituitary adenoma with multiple recurrences. Case report, 1120
Subcortical mapping
Usefulness of intraoperative electrical subcortical mapping during surgery for low-grade gliomas located within eloquent brain regions: functional results in a consecutive series of 103 patients, 764
Subdural electrode grid
Complications of invasive subdural grid monitoring in children with epilepsy, 1017
Subdural hygroma
Third ventriculostomy for internal hydrocephalus complicated by unrecognized subdural hygroma and hematoma: a case report of a patient treated by Dr. Walter Dandy. Historical vignette, 1136
Suboccipital decompression
Improvement in brainstem auditory evoked potentials after suboccipital decompression in patients with Chiari I malformations, 459
Subthalamic nucleus
Bilateral high-frequency stimulation of the subthalamic nucleus in patients with multiple system atrophy–parkinsonism. Report of four cases, 882
Microelectrodes. Letters, 1324

Superior hypophyseal artery
De novo aneurysms. Letters, 933
Surgery
Usefulness of intraoperative electrical subcortical mapping during surgery for low-grade gliomas located within eloquent brain regions: functional results in a consecutive series of 103 patients, 764
Surgical approach
Unusual venous drainage of an arteriovenous malformation. Case illustration, 642
Survey
Peripheral nerve surgery and neurosurgeons: results of a national survey of practice patterns and attitudes, 1159
Survival
A population-based study of the incidence and survival rates in patients with pilocytic astrocytoma, 1170
Prognostic value of magnetic resonance imaging–guided stereotactic biopsy in the evaluation of recurrent malignant astrocytoma compared with a lesion due to radiation effect, 14
Transsphenoidal microsurgical treatment of Cushing disease: postoperative assessment of surgical efficacy by application of an overnight low-dose dexamethasone suppression test, 967
Syringomyelia
Improvement in brainstem auditory evoked potentials after suboccipital decompression in patients with Chiari I malformations, 459
Pathophysiology of headache associated with cough in patients with Chiari I malformation, 453
Surgical management of spinal cord hemangioblastomas in patients with von Hippel–Lindau disease, 106

Temporalis muscle flap
Vascularized temporalis muscle flap for the treatment of otorrhea. Technical note, 1128
Thalamus
Deep arteriovenous malformations of the basal ganglia and thalamus: natural history, 747
Third ventriculostomy
Death and third ventriculostomy. Letters, 649, 650
Intracranial hypertrophic calcification complicating neuroendoscopy. Report of three cases, 186
Thoracic outlet syndrome
Outcomes of surgery in 1019 patients with brachial plexus lesions treated at Louisiana State University Health Sciences Center, 1005
Three-dimensional angiography
Three-dimensional angiography for radiosurgical treatment planning for arteriovenous malformations, 536
Three-dimensional constructive interference in steady-state imaging
"Real" three-dimensional constructive interference in steady-state imaging to discern microneurosurgical anatomy. Technical note, 625
Thrombolysis
Reduced brain infarct volume and improved neurological outcome by inhibition of the NR2B subunit of NMDA receptors by using CP101,606-27 alone and in combination with rt-PA in a thromboembolic stroke model in rats, 397
Tissue plasminogen activator
Reduced brain infarct volume and improved neurological outcome by inhibition of the NR2B subunit of NMDA receptors by using CP101,606-27 alone and in combination with rt-PA in a thromboembolic stroke model in rats, 397
Torticollis
Selective peripheral denervation for the treatment of intractable spasmodic torticollis: experience with 168 patients at the Mayo Clinic, 1247
Transcranial Doppler ultrasonography
Hyperemia prior to acute brain swelling during rewarming of patients who have been treated with moderate hypothermia for severe head injuries, 793
Increased locoregional blood flow in brain tumors after cervical spinal cord stimulation, 1263
Transcranial electrical stimulation
Neurogenic motor evoked potentials: role in brachial plexus surgery. Case report, 607
Transsphenoidal approach
Transsphenoidal microsurgical treatment of Cushing disease: postoperative assessment of surgical efficacy by application of an overnight low-dose dexamethasone suppression test, 967
Transsphenoidal surgery
Assessment of long-term remission of acromegaly following surgery, 719
Endonasal transsphenoidal approach for pituitary adenomas and other sellar lesions: an assessment of efficacy, safety, and patient impressions, 350
Growth pattern and rate in residual nonfunctioning pituitary adenomas: correlations among tumor volume doubling time, patient age, and MIB-1 index, 359
Trauma
Regulation of aquaporin-4 in a traumatic brain injury model in rats, 565
Trauma-induced tumorigenesis of cells implanted into the rat spinal cord, 1065
Traumatic brain injury
Amyloid β accumulation in axons after traumatic brain injury in humans, 1072
Apolipoprotein E polymorphism and outcome after closed traumatic brain injury: influence of ethnic and regional differences, 302
Brain trauma. Letters, 1326, 1328
Recovery from mild concussion in high school athletes, 296
Trigeminal nerve
Arteriovenous malformation in the trigeminal nerve. Case report, 908
Trigeminal neuralgia
Trigeminal neuralgia. Letters, 647
Trigeminal neuralgia associated with contralateral cerebellar arteriovenous malformation. Case illustration, 1318
Triple-H therapy
Systematic review of the prevention of delayed ischemic neurological deficits with hypertension, hypervolemia, and hemodilution therapy following subarachnoid hemorrhage, 978
Troponin
Clinical significance of elevated troponin I levels in patients with nontraumatic subarachnoid hemorrhage, 741
Use of the peak troponin value to differentiate myocardial infarction from reversible neurogenic left ventricular dysfunction associated with aneurysmal subarachnoid hemorrhage, 524
Tumor
Increased locoregional blood flow in brain tumors after cervical spinal cord stimulation, 1263
Methionine positron emission tomography of recurrent metastatic brain tumor and radiation necrosis after stereotactic radiosurgery: is a differential diagnosis possible? 1056
Repeated operations for infiltrative low-grade gliomas without intervening therapy, 1165
Tumor incidence
A population-based study of the incidence and survival rates in patients with pilocytic astrocytoma, 1170
Tumor invasion
Polysialylated neural cell adhesion molecules expressed in human pituitary tumors and related to extrasellar invasion, 1084

Tumor recurrence
Characterization of the levels of expression of retinoic acid receptors, galectin-3, macrophage migration inhibiting factor, and p53 in 51 adamantinomatous craniopharyngiomas, 145
Chordoma of the skull base: predictors of tumor recurrence, 812
Repeated operations for infiltrative low-grade gliomas without intervening therapy, 1165
Tumor suppressor gene
Surgical management of brainstem hemangioblastomas in patients with von Hippel–Lindau disease, 95
Tumor volume
Growth pattern and rate in residual nonfunctioning pituitary adenomas: correlations among tumor volume doubling time, patient age, and MIB-1 index, 359
Tumorigenesis
Trauma-induced tumorigenesis of cells implanted into the rat spinal cord, 1065

Ulnar nerve
Surgical outcomes of 654 ulnar nerve lesions, 993
Unruptured aneurysm
Aneurysm size. Letters, 1325, 1326

Vascular endothelial growth factor
Communication between malignant glioma cells and vascular endothelial cells through gap junctions, 846
Vascular surgery
Provocative test occlusion or the Matas test: who was Rudolph Matas? Historical vignette, 926
Vasospasm
Effects of the Ca^{++}-permeable nonselective cation channel blocker LOE 908 on subarachnoid hemorrhage–induced vasospasm in the basilar artery in rabbits, 561
Regional cerebral blood flow monitoring in the diagnosis of delayed ischemia following aneurysmal subarachnoid hemorrhage, 1227
Symptomatic vasospasm and outcomes following aneurysmal subarachnoid hemorrhage: a comparison between surgical repair and endovascular coil occlusion, 319
Systematic review of the prevention of delayed ischemic neurological deficits with hypertension, hypervolemia, and hemodilution therapy following subarachnoid hemorrhage, 978
Venous drainage
Unusual venous drainage of an arteriovenous malformation. Case illustration, 642
Venous sinus obstruction
Pseudotumor cerebri syndrome: venous sinus obstruction and its treatment with stent placement, 1045
Ventralis intermedius nucleus
Thalamic deep brain stimulation for disabling tremor after excision of a midbrain cavernous angioma. Case report, 888

Ventricular dysfunction
Clinical significance of elevated troponin I levels in patients with nontraumatic subarachnoid hemorrhage, 741
Ventricular/intracranial volume
Influence of shunt type on ventricular volume changes in children with hydrocephalus, 277
Ventriculitis
Treatment of staphylococcal ventriculitis associated with external cerebrospinal fluid drains: a prospective randomized trial of intravenous compared with intraventricular vancomycin therapy, 1040
Ventriculoperitoneal shunt
Influence of shunt type on ventricular volume changes in children with hydrocephalus, 277
Lack of benefit of endoscopic ventriculoperitoneal shunt insertion: a multicenter randomized trial, 284
Ventriculostomy
Third ventriculostomy for internal hydrocephalus complicated by unrecognized subdural hygroma and hematoma: a case report of a patient treated by Dr. Walter Dandy. Historical vignette, 1136
Vertebral artery
Continued growth of and increased symptoms from a thrombosed giant aneurysm of the vertebral artery after complete endovascular occlusion and trapping: the role of vasa vasorum. Case report, 407
Vestibular schwannoma
Clinical and neuroimaging characteristics of hydrocephalus associated with vestibular schwannoma, 1188
The efficacy and safety of aprotinin for hemostasis during intracranial surgery, 1208
Radiation exposure of normal temporal bone structures during stereotactically guided gamma knife surgery for vestibular schwannomas, 800
Vimentin
Morphological assessment of the development of multinucleated giant cells in glioma by using mitosis-specific phosphorylated antibodies, 854
Von Hippel–Lindau disease
Comparison of anterior and posterior surgical approaches in the treatment of ventral spinal hemangioblastomas in patients with von Hippel–Lindau disease, 117
Cranial nerve hemangioblastoma. Letters, 934, 935
The natural history of hemangioblastomas of the central nervous system in patients with von Hippel–Lindau disease, 82
Surgical management of spinal cord hemangioblastomas in patients with von Hippel–Lindau disease, 106

Warfarin sodium
The use of recombinant activated factor VII to reverse warfarin-induced anticoagulation in patients with hemorrhages in the central nervous system: preliminary findings, 737
Waveform analysis
Noninvasive intracranial compliance monitoring. Technical note and clinical results, 214

Index to
Journal of Neurosurgery: Spine
Volume 98

January, March, and April 2003

Author Index

ABEL T. *See* Shapiro S, 90
ADACHI T. *See* Kayaba H, 251
ADRIAENSEN P. *See* Beuls EAM, 210
AGRILLO U, MASTRONARDI L, PUZZILLI F. Anterior Cervical Fusion. Letters, 114
AHRAR K. *See* Fourney DR, 21
AKYILDIZ A. *See* Çolak A, 275
ALAMEDA F, PEDRO C, BESSES C, GALITÓ E, MARIÑOSO ML, MUNNE A, SERRANO S. Primary epidural lymphoma. Case report, 215
ALLEN RM, SANDQUIST MA, PIATT JH JR, SELDEN NRW. Ultrasonographic screening in infants with isolated spinal strawberry nevi, 247
ALVAREZ JA. N of 1. Letters, 227
APFELBAUM RI. *See* Singh SK, 239
ASLAN O. *See* Çolak A, 275

BÄRLOCHER CB, KRAUSS JK, SEILER RW. Kryorhizotomy: an alternative technique for lumbar medial branch rhizotomy in lumbar facet syndrome, 14
BARROW DL. *See* Narayan P, 68
BARUT S. *See* Çolak A, 275
BAYKANER MK. *See* Dogulu F, 297
BELCE A. *See* Çolak A, 275
BENZEL EC. *See* Steinmetz MP, 1
BESSES C. *See* Alameda F, 215
BEULS EAM, VANORMELINGEN L, VAN AALST J, VANDERSTEEN M, ADRIAENSEN P, CORNIPS EMJ, VLES HJS, GELAN J. In vitro high-field magnetic resonance imaging–documented anatomy of a fetal myelomeningocele at 20 weeks' gestation. A contribution to the rationale of intrauterine surgical repair of spina bifida, 210
BILSKY MH. *See* Prabhu VC, 156
BLOUNT JP. *See* Tubbs RS, 43, 271
BOLAND PJ. *See* Prabhu VC, 156
BOSE B. Anterior cervical arthrodesis using DOC dynamic stabilization implant for improvement in sagittal angulation and controlled settling, 8

CAHILL DW, MARTIN GJ JR, HAJJAR MV, SONSTEIN W, GRAHAM LB, ENGELMAN RB. Suitability of bioresorbable cages for anterior cervical fusion, 195
ÇEVİKER N. *See* Dogulu F, 297
CEYLAN S. *See* Etus V, 299
CHAMBERLAIN RH. *See* Gonzalez LF, 202
CHEN H-J. *See* Lu K, 181
CHEN S-D. *See* Lu K, 181
CHEN Y-C. *See* Lu K, 181
CHIBA K. *See* Obara Y, 111
CHIHARA J. *See* Kayaba H, 251
CHLAN-FOURNEY J. *See* Fourney DR, 21
CHO C-L. *See* Lu K, 181
CHUNG HS. *See* Park Y-K, 264
CHUNG MS. *See* Yeom JS, 104
CIFTCI E. *See* Etus V, 299
CLAES L. *See* Schultheiss M, 50
COHEN ZR. *See* Fourney DR, 165
COHEN-GADOL AA. *See* Inoue T, 93
————, DEKUTOSKI MB, KIM CW, QUAST LM, KRAUSS WE. Safety of supplemental endplate screws in thoracic pedicle hook fixation, 31
————, ZIKEL OM, KOCH CA, SCHEITHAUER BW, KRAUSS WE. Spinal meningiomas in patients younger than 50 years of age: a 21-year experience, 258
COINDRE J-M. *See* Lacoste-Collin L, 218
ÇOLAK A, SOY O, UZUN H, ASLAN Ö, BARUT S, BELCE A, AKYILDIZ A, TAŞYÜREKLİ M. Neuroprotective effects of GYKI 52466 on experimental spinal cord injury in rats, 275
COOPER PR. *See* Ratliff JK, 230
CORNIPS EMJ. *See* Beuls EAM, 210
COSTAGLIOLA C, DI LORENZO N. Extreme Lateral–Transatlas Approach. Letters, 115
CRAWFORD NR. *See* Gonzalez LF, 202

DANTE SJ. *See* Harrop JS, 131
DEKUTOSKI MB. *See* Cohen-Gadol AA, 31
DELISLE M-B. *See* Lacoste-Collin L, 218
DESPEYROUX M-L. *See* Lacoste-Collin L, 218
DETWILER PW. *See* Spetzler RF, 119
DI LORENZO N. *See* Costagliola C, 115
DICKMAN CA. *See* Gonzalez LF, 202
DOGULU F, ÖNK A, ÖZTANIR N, ÇEVİKER N, BAYKANER MK. Cervical dermal sinus with tethered cord and syringomyelia. Case illustration, 297
DOITA M. *See* Iguchi T, 137
DOWLING A. *See* Murphy M, 110
DUCKER TB. Anterior Cervical Fusion. Letters, 114

ELSIG J-P. *See* Markwalder T-M, 222
ENGELMAN RB. *See* Cahill DW, 195
ETUS V, KURTKAYA O, KOC K, CIFTCI E, SAV A, CEYLAN S. Multisegmental spinal leptomeningeal fibrosis in Riedel thyroiditis. Case illustration, 299

FARZANNIA A, SHOKOUHI G, HADIDCHI S. Alkaptonuria and lumbar disc herniation. Report of three cases, 87
FAURE A, KHALFALLAH M, ROBERT R. Arachnoiditis Ossificans. Letters, 226
FEHLINGS MG. *See* Singh SK, 239
FERGUSON C. *See* Rapport RL, 282
FISCHER G. *See* Hallacq P, 288
FOURNEY DR, SCHOMER DF, NADER R, CHLAN-FOURNEY J, SUKI D, AHRAR K, RHINES LD, GOKASLAN ZL. Percutaneous vertebroplasty and kyphoplasty for painful vertebral body fractures in cancer patients, 21
FOURNEY DR, YORK JE, COHEN ZR, SUKI D, RHINES LD, GOKASLAN ZL. Management of atlantoaxial metastases with posterior occipitocervical stabilization, 165
FRASER VJ. *See* Olsen MA, 149
FUKAYA C, KATAYAMA Y, KASAI M, KURIHARA J, MAEJIMA S, YAMAMOTO T. Evaluation of time-dependent spread of tissue damage in experimental spinal cord injury by killed-end evoked potential: effect of high-dose methylprednisolone, 56
FUKUTAKE T. *See* Kubota M, 84

GALITÓ E. *See* Alameda F, 215
GELAN J. *See* Beuls EAM, 210
GILSBACH JM. *See* Korinth MC, 112
GOKASLAN ZL. *See* Fourney DR, 21, 165
GOMEZ-BROUCHET A. *See* Lacoste-Collin L, 218
GONZALEZ LF, CRAWFORD NR, CHAMBERLAIN RH, PEREZ GARZA LE, PREUL MC, SONNTAG VKH, DICKMAN CA. Craniovertebral junction fixation with transarticular screws: biomechanical analysis of a novel technique, 202
GOODKIN R. *See* Nemecek AN, 80
GRABB PA. *See* Tubbs RS, 43, 271
GRAHAM LB. *See* Cahill DW, 195

HACKER RJ, MILLER CG. Failed anterior cervical foraminotomy, 126
HADIDCHI S. *See* Farzannia A, 87
HAJJAR MV. *See* Cahill DW, 195
HALLACQ P, LABROUSSE F, STREICHENBERGER N, LISII D, FISCHER G. Bifocal myxopapillary ependymoma of the terminal filum: the end of a spectrum? Case report, 288
HARIMAYA K, SHIBA K, NOMURA H, IWAKI T, TAKEMITSU Y. Ossification of the posterior atlantoaxial membrane. Case report, 77
HARROP JS, SILVA MT, SHARAN AD, DANTE SJ, SIMEONE FA. Cervicothoracic radiculopathy treated using posterior cervical foraminotomy/discectomy, 131
HARTWIG E. *See* Schultheiss M, 50
HASSLER W. *See* Hejazi N, 96
HEBIGUCHI T. *See* Kayaba H, 251
HEIER L. *See* Prabhu VC, 156
HEJAZI N, WITZMANN A, HASSLER W. Intraoperative cervical epidurography: a simple modality for assessing the adequacy of decompression during anterior cervical procedures. Technical note, 96
HENN JS. *See* Hott JS, 294
HILLIER D. *See* Rapport RL, 282
HOTT JS, HENN JS, SONNTAG VKH. A new table-fixed retractor for anterior odontoid screw fixation. Technical note, 294
HSU F-F. *See* Lu K, 181
HSU H-C. *See* Lu K, 181
HURLBERT RJ. *See* Singh SK, 239

IGUCHI T, KANEMURA A, KURIHARA A, KASAHARA K, YOSHIYA S, DOITA M, NISHIDA K. Cervical laminoplasty: evaluation of bone bonding of a high porosity hydroxyapatite spacer, 137
INOUE T, COHEN-GADOL AA, KRAUSS WE. Low-pressure headaches and spinal cord herniation. Case report, 93
ITOH Y. *See* Kayaba H, 251
IWAKI T. *See* Harimaya K, 77
IWASAKI M. *See* Ogihara S, 300

JAMBHEKAR K. *See* Prabhu VC, 156
JANG JS, LEE SH, LIM SR. Guide device for percutaneous placement of translaminar facet screws after anterior lumbar interbody fusion. Technical note, 100
JHO H-D. Failed anterior cervical foraminotomy. Editorial, 121
JONES M. *See* Olsen MA, 149
JOSEPH V, RAJSHEKHAR V. Resolution of syringomyelia and basilar invagination after traction. Case illustration, 298

KAGER CD. *See* Steinmetz MP, 1
KANEMURA A. *See* Iguchi T, 137
KASAHARA K. *See* Iguchi T, 137
KASAI M. *See* Fukaya C, 56
KATAYAMA Y. *See* Fukaya C, 56
KATO T. *See* Kayaba H, 251
KATOH S. *See* Sairyo K, 290
KAWAGUCHI H. *See* Ogihara S, 300
KAWASHIMA M, TANRIOVER N, RHOTON AL JR, MATSUSHIMA T. The transverse process, intertransverse space, and vertebral artery in anterior approaches to the lower cervical spine, 188
KAYABA H, HEBIGUCHI T, ITOH Y, YOSHINO H, MIZUNO M, MORII M, ADACHI T, CHIHARA J, KATO T. Evaluation of anorectal function in patients with tethered cord syndrome: saline enema test and fecoflowmetry, 251
KHALFALLAH M. *See* Faure A, 226
KIM CW. *See* Cohen-Gadol AA, 31
KIM JH. *See* Park Y-K, 264
KIM KN. *See* Yoon DH, 73
KIM N. *See* Yeom JS, 104
KIM Y. *See* Yeom JS, 104
KINZL L. *See* Schultheiss M, 50
KITAGAWA T. *See* Ogihara S, 300
KNOSP E. *See* Saringer WF, 171
KOC K. *See* Etus V, 299
KOCH CA. *See* Cohen-Gadol AA, 258
KOMATSUBARA S. *See* Sairyo K, 290
KOMIYA S. *See* Matsunaga S, 63
KORINTH MC, MÜLLER HD, GILSBACH JM. Neurenteric cyst of the cervical spine with mediastinal extension. Case illustration, 112
KRAUSS JK. *See* Bärlocher CB, 14
KRAUSS WE. *See* Cohen-Gadol AA, 31, 258
————. *See* Inoue T, 93
KUBOTA M, SAEKI N, YAMAURA A, YAMAMOTO Y, NEMOTO Y, FUKUTAKE T. Congenital spondylolysis of the axis with associated myelopathy. Case report, 84
KURIHARA A. *See* Iguchi T, 137
KURIHARA J. *See* Fukaya C, 56
KURTKAYA O. *See* Etus V, 299

LABROUSSE F. *See* Hallacq P, 288
LACOSTE-COLLIN L, ROUX F-E, GOMEZ-BROUCHET A, DESPEYROUX

M-L, Uro-Coste E, Coindre J-M, Delisle M-B. Inflammatory myofibroblastic tumor: a spinal case with aggressive clinical course and ALK overexpression. Case report, 218
Laloux E. *See* Markwalder T-M, 222
Lasjaunias P. Spinal Cord Vascular Lesions. Letters, 117
Lauryssen C. *See* Olsen MA, 149
Ledlie JT, Renfro M. Balloon kyphoplasty: one-year outcomes in vertebral body height restoration, chronic pain, and activity levels, 36
Lee C-K. *See* Yeom JS, 104
Lee JB. *See* Yeom JS, 104
Lee SH. *See* Jang JS, 100
Liang C-L. *See* Lu K, 181
Lim SR. *See* Jang JS, 100
Lis E. *See* Prabhu VC, 156
Lisii D. *See* Hallacq P, 288
Lu K, Liang C-L, Chen H-J, Chen S-D, Hsu H-C, Chen Y-C, Hsu F-F, Cho C-L. Nuclear factor–κB-regulated cyclooxygenase-2 expression in surgery-associated paraspinal muscle injury in rats, 181

Maejima S. *See* Fukaya C, 56
Maiman D. *See* Singh SK, 239
Mariñoso ML. *See* Alameda F, 215
Mariottini A. *See* Palma L, 113
Markwalder T-M, Wenger M, Elsig J-P, Laloux E. The Wilhelm Tell technique for anterior lumbar interbody fusion. Technical note, 222
Martin GJ Jr. *See* Cahill DW, 195
Mastronardi L. *See* Agrillo U, 114
Matsumoto M. *See* Obara Y, 111
Matsunaga S, Nagano S, Onishi T, Morimoto N, Suzuki S, Komiya S. Age-related changes in expression of transforming growth factor–β and receptors in cells of intervertebral discs, 63
Matsushima T. *See* Kawashima M, 188
May D. *See* Payer M, 143
Mayfield J. *See* Olsen MA, 149
McDonald JW. N of 1. Letters, 228
McKelvie P. *See* Murphy M, 110
Miller CG. *See* Hacker RJ, 126
Mizuno M. *See* Kayaba H, 251
Morii M. *See* Kayaba H, 251
Morimoto K, Takemoto O, Wakayama A. Multiplication of infantile spinal lipomas after surgical untethering. Report of two cases, 285
Morimoto N. *See* Matsunaga S, 63
Mukai M. *See* Obara Y, 111
Müller HD. *See* Korinth MC, 112
Munne A. *See* Alameda F, 215
Murphy M, Timms C, McKelvie P, Dowling A, Trost N. Malignant optic nerve glioma: metastases to the spinal neuraxis. Case illustration, 110

Nader R. *See* Fourney DR, 21
Nagano S. *See* Matsunaga S, 63
Nakamura K. *See* Ogihara S, 300
Narayan P, Barrow DL. Intramedullary spinal cavernous malformation following spinal irradiation. Case report and review of the literature, 68
Nelson PK. *See* Prabhu VC, 156
Nemecek AN, Newell DW, Goodkin R. Transient rotational compression of the vertebral artery caused by herniated cervical disc. Case report, 80
Nemoto Y. *See* Kubota M, 84
Newell DW. *See* Nemecek AN, 80
Nishida K. *See* Iguchi T, 137
Nöbauer-Huhmann I. *See* Saringer WF, 171
Nomura H. *See* Harimaya K, 77

Oakes WJ. *See* Tubbs RS, 43, 271
Obara Y, Matsumoto M, Chiba K, Yabe H, Toyama Y, Mukai M. Solitary cervical fibrous tumor. Case illustration, 111
Ogihara S, Seichi A, Iwasaki M, Kawaguchi H, Kitagawa T, Tajiri Y, Nakamura K. Concurrent spinal schwannomas and meningiomas. Case illustration, 300
Oh SH. *See* Yoon DH, 73
Olsen MA, Mayfield J, Lauryssen C, Polish LB, Jones M, Vest J, Fraser VJ. Risk factors for surgical site infection in spinal surgery, 149
Onishi T. *See* Matsunaga S, 63
Önk A. *See* Dogulu F, 297
Öztanir N. *See* Dogulu F, 297

Palma L, Mariottini A. Cystic ectopic schwannoma extending anteriorly from the pontomedullary cistern to the thoracic spinal cord. Case illustration, 113
Pamir MN. *See* Türe U, 116
Panageas KS. *See* Prabhu VC, 156
Park Y-K, Kim JH, Chung HS, Suh JK. Microsurgical midline approach for the decompression of extraforaminal stenosis in L5–S1, 264
Payer M, May D, Reverdin A, Tessitore E. Implantation of an empty carbon fiber composite frame cage after single-level anterior cervical discectomy in the treatment of cervical disc herniation: preliminary results, 143
Pedro C. *See* Alameda F, 215
Perez Garza LE. *See* Gonzalez LF, 202
Piatt JH Jr. *See* Allen RM, 247
Polish LB. *See* Olsen MA, 149
Porter RW. *See* Spetzler RF, 119
Prabhu VC, Bilsky MH, Jambhekar K, Panageas KS, Boland PJ, Lis E, Heier L, Nelson PK. Results of preoperative embolization for metastatic spinal neoplasms, 156
Preul MC. *See* Gonzalez LF, 202
Purvines S. *See* Shapiro S, 90
Puzzilli F. *See* Agrillo U, 114

Quast LM. *See* Cohen-Gadol AA, 31

Rajshekhar V. *See* Joseph V, 298
Rapport RL, Hillier D, Scearce T, Ferguson C. Spontaneous intracranial hypotension from intradural thoracic disc herniation. Case report, 282
Ratliff JK, Cooper PR. Cervical laminoplasty: a critical review, 230
Reddy B. *See* Saringer WF, 171
Reddy M. *See* Saringer WF, 171
Regatschnig R. *See* Saringer WF, 171
Renfro M. *See* Ledlie JT, 36
Reverdin A. *See* Payer M, 143

RHINES LD. *See* Fourney DR, 21, 165
RHOTON AL JR. *See* Kawashima M, 188
RICKARDS L. *See* Singh SK, 239
ROBERT R. *See* Faure A, 226
ROUX F-E. *See* Lacoste-Collin L, 218

SAEKI N. *See* Kubota M, 84
SAIRYO K, KATOH S, SAKAMAKI T, KOMATSUBARA S, YASUI N. A new endoscopic technique to decompress lumbar nerve roots affected by spondylolysis. Technical note, 290
SAKAMAKI T. *See* Sairyo K, 290
SANDQUIST MA. *See* Allen RM, 247
SARINGER WF, REDDY B, NÖBAUER-HUHMANN I, REGATSCHNIG R, REDDY M, TSCHABITSCHER M, KNOSP E. Endoscopic anterior cervical foraminotomy for unilateral radiculopathy: anatomical morphometric analysis and preliminary clinical experience, 171
SAV A. *See* Etus V, 299
SCEARCE T. *See* Rapport RL, 282
SCHEITHAUER BW. *See* Cohen-Gadol AA, 258
SCHOMER DF. *See* Fourney DR, 21
SCHULTHEISS M, CLAES L, WILKE H-J, KINZL L, HARTWIG E. Enhanced primary stability through additional cementable cannulated rescue screw for anterior thoracolumbar plate application, 50
SEICHI A. *See* Ogihara S, 300
SEILER RW. *See* Bärlocher CB, 14
SELDEN NRW. *See* Allen RM, 247
SERRANO S. *See* Alameda F, 215
SHAPIRO S, ABEL T, PURVINES S. Surgical removal of epidural and intradural polymethylmethacrylate extravasation complicating percutaneous vertebroplasty for an osteoporotic lumbar compression fracture. Case report, 90
SHARAN AD. *See* Harrop JS, 131
SHIBA K. *See* Harimaya K, 77
SHOKOUHI G. *See* Farzannia A, 87
SILVA MT. *See* Harrop JS, 131
SIMEONE FA. *See* Harrop JS, 131
SINGH SK, RICKARDS L, APFELBAUM RI, HURLBERT RJ, MAIMAN D, FEHLINGS MG. Occipitocervical reconstruction with the Ohio Medical Instruments Loop: results of a multicenter evaluation in 30 cases, 239
SMYTH MD. *See* Tubbs RS, 271
SONNTAG VKH. *See* Gonzalez LF, 202
———. *See* Hott JS, 294
SONSTEIN W. *See* Cahill DW, 195
SOY O. *See* Çolak A, 275
SPETZLER RF, PORTER RW, DETWILER PW. Spinal Cord Vascular Lesions. Letters, 119
STEINMETZ MP, KAGER CD, BENZEL EC. Ventral correction of postsurgical cervical kyphosis, 1
STREICHENBERGER N. *See* Hallacq P, 288
SUH JK. *See* Park Y-K, 264
SUKI D. *See* Fourney DR, 21, 165
SUZUKI S. *See* Matsunaga S, 63

TAJIRI Y. *See* Ogihara S, 300
TAKEMITSU Y. *See* Harimaya K, 77
TAKEMOTO O. *See* Morimoto K, 285
TANRIOVER N. *See* Kawashima M, 188
TAŞYÜREKLI M. *See* Çolak A, 275
TESSITORE E. *See* Payer M, 143
TIMMS C. *See* Murphy M, 110
TOYAMA Y. *See* Obara Y, 111
TROST N. *See* Murphy M, 110
TSCHABITSCHER M. *See* Saringer WF, 171
TUBBS RS, SMYTH MD, WELLONS JC III, BLOUNT JP, GRABB PA, OAKES WJ. Atlantoaxial interlaminar distances in cervical flexion in children, 271
TUBBS RS, WELLONS JC III, BLOUNT JP, GRABB PA, OAKES WJ. Inclination of the odontoid process in the pediatric Chiari I malformation, 43
TÜRE U, PAMIR MN. Extreme Lateral–Transatlas Approach. Letters, 116

URO-COSTE E. *See* Lacoste-Collin L, 218
UZUN H. *See* Çolak A, 275

VAN AALST J. *See* Beuls EAM, 210
VANDERSTEEN M. *See* Beuls EAM, 210
VANORMELINGEN L. *See* Beuls EAM, 210
VEST J. *See* Olsen MA, 149
VLES HJS. *See* Beuls EAM, 210

WAKAYAMA A. *See* Morimoto K, 285
WELLONS JC III. *See* Tubbs RS, 43, 271
WENGER M. *See* Markwalder T-M, 222
WILKE H-J. *See* Schultheiss M, 50
WILKINSON HA. Arachnoiditis Ossificans. Letters, 226
WITZMANN A. *See* Hejazi N, 96

YABE H. *See* Obara Y, 111
YAMAMOTO T. *See* Fukaya C, 56
YAMAMOTO Y. *See* Kubota M, 84
YAMAURA A. *See* Kubota M, 84
YANG KH. *See* Yoon DH, 73
YASUI N. *See* Sairyo K, 290
YEOM JS, CHUNG MS, LEE C-K, KIM Y, KIM N, LEE JB. Evaluation of pedicle screw position on computerized tomography scans. Technical note, 104
YOON DH, YANG KH, KIM KN, OH SH. Posterior atlantoaxial dislocation without fracture. Case report, 73
YORK JE. *See* Fourney DR, 165
YOSHINO H. *See* Kayaba H, 251
YOSHIYA S. *See* Iguchi T, 137

ZIKEL OM. *See* Cohen-Gadol AA, 258

Subject Index

2,3-benzodiazepine
  Neuroprotective effects of GYKI 52466 on experimental spinal cord injury in rats, 275

α-amino-3-hydroxy-5-methylisoxazole-4-proprionic acid receptor
  Neuroprotective effects of GYKI 52466 on experimental spinal cord injury in rats, 275
ALK immunoreactivity
  Inflammatory myofibroblastic tumor: a spinal case with aggressive clinical course and ALK overexpression. Case report, 218
Alkaptonuria
  Alkaptonuria and lumbar disc herniation. Report of three cases, 87
Anorectal function
  Evaluation of anorectal function in patients with tethered cord syndrome: saline enema test and fecoflowmetry, 251
Anterior cervical discectomy
  Implantation of an empty carbon fiber composite frame cage after single-level anterior cervical discectomy in the treatment of cervical disc herniation: preliminary results, 143
  Intraoperative cervical epidurography: a simple modality for assessing the adequacy of decompression during anterior cervical procedures. Technical note, 96
Anterior cervical foraminotomy
  Endoscopic anterior cervical foraminotomy for unilateral radiculopathy: anatomical morphometric analysis and preliminary clinical experience, 171
Anterior cervical fusion
  Anterior cervical arthrodesis using DOC dynamic stabilization implant for improvement in sagittal angulation and controlled settling, 8
  Implantation of an empty carbon fiber composite frame cage after single-level anterior cervical discectomy in the treatment of cervical disc herniation: preliminary results, 143
  Intraoperative cervical epidurography: a simple modality for assessing the adequacy of decompression during anterior cervical procedures. Technical note, 96
Anterior lumbar interbody fusion
  Guide device for percutaneous placement of translaminar facet screws after anterior lumbar interbody fusion. Technical note, 100
  The Wilhelm Tell technique for anterior lumbar interbody fusion. Technical note, 222
Anterior root
  The transverse process, intertransverse space, and vertebral artery in anterior approaches to the lower cervical spine, 188
Anterior tubercle
  The transverse process, intertransverse space, and vertebral artery in anterior approaches to the lower cervical spine, 188
Artifact
  Evaluation of pedicle screw position on computerized tomography scans. Technical note, 104
Atlantoaxial dislocation
  Posterior atlantoaxial dislocation without fracture. Case report, 73
Atlantoaxial joint
  Atlantoaxial interlaminar distances in cervical flexion in children, 271
  Inclination of the odontoid process in the pediatric Chiari I malformation, 43
Atlantoaxial stability
  Atlantoaxial interlaminar distances in cervical flexion in children, 271
Atlantoaxial stabilization
  Management of atlantoaxial metastases with posterior occipitocervical stabilization, 165
Atlas
  Craniovertebral junction fixation with transarticular screws: biomechanical analysis of a novel technique, 202
Axis
  Congenital spondylolysis of the axis with associated myelopathy. Case report, 84
  Craniovertebral junction fixation with transarticular screws: biomechanical analysis of a novel technique, 202
Axis odontoid process
  Inclination of the odontoid process in the pediatric Chiari I malformation, 43
Balloon kyphoplasty
  Balloon kyphoplasty: one-year outcomes in vertebral body height restoration, chronic pain, and activity levels, 36
Basilar invagination
  Resolution of syringomyelia and basilar invagination after traction. Case illustration, 298
Biomechanical study
  Craniovertebral junction fixation with transarticular screws: biomechanical analysis of a novel technique, 202
  Enhanced primary stability through additional cementable cannulated rescue screw for anterior thoracolumbar plate application, 50
Bioresorbable implant
  Suitability of bioresorbable cages for anterior cervical fusion, 195
Bone bonding
  Cervical laminoplasty: evaluation of bone bonding of a high porosity hydroxyapatite spacer, 137
Bone cement
  Percutaneous vertebroplasty and kyphoplasty for painful vertebral body fractures in cancer patients, 21

Capillary hemangioma
  Ultrasonographic screening in infants with isolated spinal strawberry nevi, 247
Cat
  Evaluation of time-dependent spread of tissue damage in experi-

mental spinal cord injury by killed-end evoked potential: effect of high-dose methylprednisolone, 56
Cavernous malformation
Intramedullary spinal cavernous malformation following spinal irradiation. Case report and review of the literature, 68
CD34
Solitary cervical fibrous tumor. Case illustration, 111
Cerebrospinal fluid leak
Spontaneous intracranial hypotension from intradural thoracic disc herniation. Case report, 282
Cerebrospinal fluid spread
Malignant optic nerve glioma: metastases to the spinal neuraxis. Case illustration, 110
Cerebrospinal leak
Low-pressure headaches and spinal cord herniation. Case report, 93
Cervical myelopathy
Ossification of the posterior atlantoaxial membrane. Case report, 77
Cervical spine
Anterior cervical arthrodesis using DOC dynamic stabilization implant for improvement in sagittal angulation and controlled settling, 8
Atlantoaxial interlaminar distances in cervical flexion in children, 271
Cervical dermal sinus with tethered cord and syringomyelia. Case illustration, 297
Cervical laminoplasty: evaluation of bone bonding of a high porosity hydroxyapatite spacer, 137
Concurrent spinal schwannomas and meningiomas. Case illustration, 300
Failed anterior cervical foraminotomy, 126
Management of atlantoaxial metastases with posterior occipitocervical stabilization, 165
Neurenteric cyst of the cervical spine with mediastinal extension. Case illustration, 112
Occipitocervical reconstruction with the Ohio Medical Instruments Loop: results of a multicenter evaluation in 30 cases, 239
Solitary cervical fibrous tumor. Case illustration, 111
Suitability of bioresorbable cages for anterior cervical fusion, 195
Ventral correction of postsurgical cervical kyphosis, 1
Cervical spondylolysis
Congenital spondylolysis of the axis with associated myelopathy. Case report, 84
Ventral correction of postsurgical cervical kyphosis, 1
Cervical spondylotic myelopathy
Cervical laminoplasty: a critical review, 230
Cervicothoracic spine
Cervicothoracic radiculopathy treated using posterior cervical foraminotomy/discectomy, 131
Cystic ectopic schwannoma extending anteriorly from the pontomedullary cistern to the thoracic spinal cord. Case illustration, 113
Chiari malformation
Inclination of the odontoid process in the pediatric Chiari I malformation, 43
Resolution of syringomyelia and basilar invagination after traction. Case illustration, 298
Cistern
Cystic ectopic schwannoma extending anteriorly from the pontomedullary cistern to the thoracic spinal cord. Case illustration, 113
Clinical trial
Occipitocervical reconstruction with the Ohio Medical Instruments Loop: results of a multicenter evaluation in 30 cases, 239
Computerized tomography
Evaluation of pedicle screw position on computerized tomography scans. Technical note, 104
Congenital spondylolysis
Congenital spondylolysis of the axis with associated myelopathy. Case report, 84
Craniocervical junction
Craniovertebral junction fixation with transarticular screws: biomechanical analysis of a novel technique, 202
Inclination of the odontoid process in the pediatric Chiari I malformation, 43
Cyclooxygenase-2
Nuclear factor–κB-regulated cyclooxygenase-2 expression in surgery-associated paraspinal muscle injury in rats, 181

Decompression
A new endoscopic technique to decompress lumbar nerve roots affected by spondylolysis. Technical note, 290
Decompression surgery
Posterior atlantoaxial dislocation without fracture. Case report, 73
Degenerative disc disease
Age-related changes in expression of transforming growth factor–β and receptors in cells of intervertebral discs, 63
Dens
Inclination of the odontoid process in the pediatric Chiari I malformation, 43
Dermal sinus
Cervical dermal sinus with tethered cord and syringomyelia. Case illustration, 297
Disc herniation
Alkaptonuria and lumbar disc herniation. Report of three cases, 87
Discectomy
Cervicothoracic radiculopathy treated using posterior cervical foraminotomy/discectomy, 131
Discectomy
Failed anterior cervical foraminotomy, 126
Dura mater
Primary epidural lymphoma. Case report, 215
Dural repair
Low-pressure headaches and spinal cord herniation. Case report, 93

Ectopic schwannoma
Cystic ectopic schwannoma extending anteriorly from the pontomedullary cistern to the thoracic spinal cord. Case illustration, 113
Embolization
Results of preoperative embolization for metastatic spinal neoplasms, 156
Endoscope
A new endoscopic technique to decompress lumbar nerve roots affected by spondylolysis. Technical note, 290
Endoscopy
Endoscopic anterior cervical foraminotomy for unilateral radiculopathy: anatomical morphometric analysis and preliminary clinical experience, 171
Endplate screw
Safety of supplemental endplate screws in thoracic pedicle hook fixation, 31
Extraforaminal stenosis
Microsurgical midline approach for the decompression of extraforaminal stenosis in L5–S1, 264

Facet
Guide device for percutaneous placement of translaminar facet screws after anterior lumbar interbody fusion. Technical note, 100
Fat cell
Multiplication of infantile spinal lipomas after surgical untethering. Report of two cases, 285
Fecoflowmetry
Evaluation of anorectal function in patients with tethered cord syndrome: saline enema test and fecoflowmetry, 251
Fetal myelomeningocele
In vitro high-field magnetic resonance imaging–documented anatomy of a fetal myelomeningocele at 20 weeks' gestation. A contribution to the rationale of intrauterine surgical repair of spina bifida, 210
Filum terminale
Bifocal myxopapillary ependymoma of the terminal filum: the end of a spectrum? Case report, 288
Follicular center cell lymphoma
Primary epidural lymphoma. Case report, 215
Foraminotomy
Cervicothoracic radiculopathy treated using posterior cervical foraminotomy/discectomy, 131
Failed anterior cervical foraminotomy, 126
Fracture
Enhanced primary stability through additional cementable cannulated rescue screw for anterior thoracolumbar plate application, 50
Percutaneous vertebroplasty and kyphoplasty for painful vertebral body fractures in cancer patients, 21
Fusion
The Wilhelm Tell technique for anterior lumbar interbody fusion. Technical note, 222

Goat
Suitability of bioresorbable cages for anterior cervical fusion, 195
Guide device
Guide device for percutaneous placement of translaminar facet screws after anterior lumbar interbody fusion. Technical note, 100
GYKI 52466
Neuroprotective effects of GYKI 52466 on experimental spinal cord injury in rats, 275

Hangman fracture
Congenital spondylolysis of the axis with associated myelopathy. Case report, 84
Headache
Low-pressure headaches and spinal cord herniation. Case report, 93
Hydroxyapatite
Cervical laminoplasty: evaluation of bone bonding of a high porosity hydroxyapatite spacer, 137

Infant
Multiplication of infantile spinal lipomas after surgical untethering. Report of two cases, 285
Infection
Risk factors for surgical site infection in spinal surgery, 149
Inflammatory myofibroblastic tumor
Inflammatory myofibroblastic tumor: a spinal case with aggressive clinical course and ALK overexpression. Case report, 218
Interbody cage
Implantation of an empty carbon fiber composite frame cage after single-level anterior cervical discectomy in the treatment of cervical disc herniation: preliminary results, 143
Internal fixation
The Wilhelm Tell technique for anterior lumbar interbody fusion. Technical note, 222
Interspinous wiring
Posterior atlantoaxial dislocation without fracture. Case report, 73
Intervertebral disc
Age-related changes in expression of transforming growth factor–β and receptors in cells of intervertebral discs, 63
Intradural disc herniation
Spontaneous intracranial hypotension from intradural thoracic disc herniation. Case report, 282
Intramedullary lesion
Intramedullary spinal cavernous malformation following spinal irradiation. Case report and review of the literature, 68
Ionizing radiation
Spinal meningiomas in patients younger than 50 years of age: a 21-year experience, 258
Ischemia
Transient rotational compression of the vertebral artery caused by herniated cervical disc. Case report, 80

Kainate receptor
Neuroprotective effects of GYKI 52466 on experimental spinal cord injury in rats, 275
Killed-end evoked potential
Evaluation of time-dependent spread of tissue damage in experimental spinal cord injury by killed-end evoked potential: effect of high-dose methylprednisolone, 56
Kryorhizotomy
Kryorhizotomy: an alternative technique for lumbar medial branch rhizotomy in lumbar facet syndrome, 14
Kryotherapy
Kryorhizotomy: an alternative technique for lumbar medial branch rhizotomy in lumbar facet syndrome, 14
Kyphoplasty
Percutaneous vertebroplasty and kyphoplasty for painful vertebral body fractures in cancer patients, 21
Kyphosis
Ventral correction of postsurgical cervical kyphosis, 1

Laminectomy
Cervical laminoplasty: a critical review, 230
Risk factors for surgical site infection in spinal surgery, 149
Laminoplasty
Cervical laminoplasty: a critical review, 230
Cervical laminoplasty: evaluation of bone bonding of a high porosity hydroxyapatite spacer, 137
Leptomeningeal fibrosis
Multisegmental spinal leptomeningeal fibrosis in Riedel thyroiditis. Case illustration, 299
Lesion
Solitary cervical fibrous tumor. Case illustration, 111
Lipoma
Multiplication of infantile spinal lipomas after surgical untethering. Report of two cases, 285
Lumbar compression fracture
Surgical removal of epidural and intradural polymethylmethacrylate extravasation complicating percutaneous vertebroplasty for an osteoporotic lumbar compression fracture. Case report, 90

Lumbar facet syndrome
Kryorhizotomy: an alternative technique for lumbar medial branch rhizotomy in lumbar facet syndrome, 14
Lumbar spine
Alkaptonuria and lumbar disc herniation. Report of three cases, 87
Guide device for percutaneous placement of translaminar facet screws after anterior lumbar interbody fusion. Technical note, 100
A new endoscopic technique to decompress lumbar nerve roots affected by spondylolysis. Technical note, 290
Lumbar spondylosis
Microsurgical midline approach for the decompression of extraforaminal stenosis in L5–S1, 264
Lumbosacral spine
Microsurgical midline approach for the decompression of extraforaminal stenosis in L5–S1, 264
Lymphoma
Primary epidural lymphoma. Case report, 215

Magnetic resonance
Results of preoperative embolization for metastatic spinal neoplasms, 156
Magnetic resonance imaging
In vitro high-field magnetic resonance imaging–documented anatomy of a fetal myelomeningocele at 20 weeks' gestation. A contribution to the rationale of intrauterine surgical repair of spina bifida, 210
Meninges
Primary epidural lymphoma. Case report, 215
Meningioma
Concurrent spinal schwannomas and meningiomas. Case illustration, 300
Primary epidural lymphoma. Case report, 215
Spinal meningiomas in patients younger than 50 years of age: a 21-year experience, 258
Metastasis
Malignant optic nerve glioma: metastases to the spinal neuraxis. Case illustration, 110
Management of atlantoaxial metastases with posterior occipitocervical stabilization, 165
Percutaneous vertebroplasty and kyphoplasty for painful vertebral body fractures in cancer patients, 21
Results of preoperative embolization for metastatic spinal neoplasms, 156
Methylmethacrylate
Surgical removal of epidural and intradural polymethylmethacrylate extravasation complicating percutaneous vertebroplasty for an osteoporotic lumbar compression fracture. Case report, 90
Methylprednisolone
Evaluation of time-dependent spread of tissue damage in experimental spinal cord injury by killed-end evoked potential: effect of high-dose methylprednisolone, 56
Microsurgery
Microsurgical midline approach for the decompression of extraforaminal stenosis in L5–S1, 264
The transverse process, intertransverse space, and vertebral artery in anterior approaches to the lower cervical spine, 188
Mouse
Age-related changes in expression of transforming growth factor–β and receptors in cells of intervertebral discs, 63
Myeloma
Percutaneous vertebroplasty and kyphoplasty for painful vertebral body fractures in cancer patients, 21
Myelopathy
Congenital spondylolysis of the axis with associated myelopathy. Case report, 84
Myxopapillary ependymoma
Bifocal myxopapillary ependymoma of the terminal filum: the end of a spectrum? Case report, 288

Nerve root decompression
Endoscopic anterior cervical foraminotomy for unilateral radiculopathy: anatomical morphometric analysis and preliminary clinical experience, 171
Neurenteric cyst
Neurenteric cyst of the cervical spine with mediastinal extension. Case illustration, 112
Neurofibromatosis Type 2
Concurrent spinal schwannomas and meningiomas. Case illustration, 300
Spinal meningiomas in patients younger than 50 years of age: a 21-year experience, 258
Nuclear factor–κB
Nuclear factor–κB-regulated cyclooxygenase-2 expression in surgery-associated paraspinal muscle injury in rats, 181

Occipital condyle
Craniovertebral junction fixation with transarticular screws: biomechanical analysis of a novel technique, 202
Occult spinal dysraphism
Ultrasonographic screening in infants with isolated spinal strawberry nevi, 247
Ochronosis
Alkaptonuria and lumbar disc herniation. Report of three cases, 87
Odontoid fracture
A new table-fixed retractor for anterior odontoid screw fixation. Technical note, 294
Optic glioma
Malignant optic nerve glioma: metastases to the spinal neuraxis. Case illustration, 110
Ossification
Ossification of the posterior atlantoaxial membrane. Case report, 77
Ossification of the posterior longitudinal ligament
Cervical laminoplasty: a critical review, 230
Osteoporosis
Balloon kyphoplasty: one-year outcomes in vertebral body height restoration, chronic pain, and activity levels, 36
Enhanced primary stability through additional cementable cannulated rescue screw for anterior thoracolumbar plate application, 50
Surgical removal of epidural and intradural polymethylmethacrylate extravasation complicating percutaneous vertebroplasty for an osteoporotic lumbar compression fracture. Case report, 90

Pain management
Balloon kyphoplasty: one-year outcomes in vertebral body height restoration, chronic pain, and activity levels, 36
Palliation
Management of atlantoaxial metastases with posterior occipitocervical stabilization, 165
Paraspinal muscle
Nuclear factor–κB-regulated cyclooxygenase-2 expression in surgery-associated paraspinal muscle injury in rats, 181

Pediatric neurosurgery
Evaluation of anorectal function in patients with tethered cord syndrome: saline enema test and fecoflowmetry, 251
Pedicle hook
Safety of supplemental endplate screws in thoracic pedicle hook fixation, 31
Pedicle screw
Evaluation of pedicle screw position on computerized tomography scans. Technical note, 104
Polyglycolic acid
Suitability of bioresorbable cages for anterior cervical fusion, 195
Polylactic acid
Suitability of bioresorbable cages for anterior cervical fusion, 195
Pons
Cystic ectopic schwannoma extending anteriorly from the pontomedullary cistern to the thoracic spinal cord. Case illustration, 113
Positional headache
Spontaneous intracranial hypotension from intradural thoracic disc herniation. Case report, 282
Posterior approach
Cervicothoracic radiculopathy treated using posterior cervical foraminotomy/discectomy, 131
Posterior atlantoaxial membrane
Ossification of the posterior atlantoaxial membrane. Case report, 77
Posterior element
Atlantoaxial interlaminar distances in cervical flexion in children, 271

Quality of life
Balloon kyphoplasty: one-year outcomes in vertebral body height restoration, chronic pain, and activity levels, 36

Radiation therapy
Intramedullary spinal cavernous malformation following spinal irradiation. Case report and review of the literature, 68
Radiculopathy
Cervicothoracic radiculopathy treated using posterior cervical foraminotomy/discectomy, 131
Endoscopic anterior cervical foraminotomy for unilateral radiculopathy: anatomical morphometric analysis and preliminary clinical experience, 171
Failed anterior cervical foraminotomy, 126
Radiography
Intraoperative cervical epidurography: a simple modality for assessing the adequacy of decompression during anterior cervical procedures. Technical note, 96
Retraction
Nuclear factor–κB-regulated cyclooxygenase-2 expression in surgery-associated paraspinal muscle injury in rats, 181
Retractor
A new table-fixed retractor for anterior odontoid screw fixation. Technical note, 294
Rheumatoid arthritis
Occipitocervical reconstruction with the Ohio Medical Instruments Loop: results of a multicenter evaluation in 30 cases, 239
Rhizotomy
Kryorhizotomy: an alternative technique for lumbar medial branch rhizotomy in lumbar facet syndrome, 14
Riedel thyroiditis
Multisegmental spinal leptomeningeal fibrosis in Riedel thyroiditis. Case illustration, 299
Risk factor
Risk factors for surgical site infection in spinal surgery, 149

Saline enema test
Evaluation of anorectal function in patients with tethered cord syndrome: saline enema test and fecoflowmetry, 251
Schwannoma
Concurrent spinal schwannomas and meningiomas. Case illustration, 300
Screw fixation
A new table-fixed retractor for anterior odontoid screw fixation. Technical note, 294
Enhanced primary stability through additional cementable cannulated rescue screw for anterior thoracolumbar plate application, 50
Guide device for percutaneous placement of translaminar facet screws after anterior lumbar interbody fusion. Technical note, 100
Solitary fibrous tumor
Solitary cervical fibrous tumor. Case illustration, 111
Spina bifida
In vitro high-field magnetic resonance imaging–documented anatomy of a fetal myelomeningocele at 20 weeks' gestation. A contribution to the rationale of intrauterine surgical repair of spina bifida, 210
Spinal cord
Inflammatory myofibroblastic tumor: a spinal case with aggressive clinical course and ALK overexpression. Case report, 218
Intramedullary spinal cavernous malformation following spinal irradiation. Case report and review of the literature, 68
Spinal cord herniation
Low-pressure headaches and spinal cord herniation. Case report, 93
Spinal cord injury
Evaluation of time-dependent spread of tissue damage in experimental spinal cord injury by killed-end evoked potential: effect of high-dose methylprednisolone, 56
Neuroprotective effects of GYKI 52466 on experimental spinal cord injury in rats, 275
Spinal dysraphism
Neurenteric cyst of the cervical spine with mediastinal extension. Case illustration, 112
Spinal fusion
Anterior cervical arthrodesis using DOC dynamic stabilization implant for improvement in sagittal angulation and controlled settling, 8
Failed anterior cervical foraminotomy, 126
Risk factors for surgical site infection in spinal surgery, 149
Safety of supplemental endplate screws in thoracic pedicle hook fixation, 31
Suitability of bioresorbable cages for anterior cervical fusion, 195
Spinal instability
Occipitocervical reconstruction with the Ohio Medical Instruments Loop: results of a multicenter evaluation in 30 cases, 239
The Wilhelm Tell technique for anterior lumbar interbody fusion. Technical note, 222
Spinal neoplasm
Bifocal myxopapillary ependymoma of the terminal filum: the end of a spectrum? Case report, 288
Spinal stabilization
Anterior cervical arthrodesis using DOC dynamic stabilization implant for improvement in sagittal angulation and controlled settling, 8

Enhanced primary stability through additional cementable cannulated rescue screw for anterior thoracolumbar plate application, 50
Posterior atlantoaxial dislocation without fracture. Case report, 73
Spinal tumor
Results of preoperative embolization for metastatic spinal neoplasms, 156
Spine
Multisegmental spinal leptomeningeal fibrosis in Riedel thyroiditis. Case illustration, 299
Primary epidural lymphoma . Case report, 215
Spinal meningiomas in patients younger than 50 years of age: a 21-year experience, 258
The Wilhelm Tell technique for anterior lumbar interbody fusion. Technical note, 222
Spondylolysis
A new endoscopic technique to decompress lumbar nerve roots affected by spondylolysis. Technical note, 290
Strawberry nevus
Ultrasonographic screening in infants with isolated spinal strawberry nevi, 247
Syringomyelia
Cervical dermal sinus with tethered cord and syringomyelia. Case illustration, 297
Resolution of syringomyelia and basilar invagination after traction. Case illustration, 298

Tethered cord syndrome
Evaluation of anorectal function in patients with tethered cord syndrome: saline enema test and fecoflowmetry, 251
Tethered spinal cord
Cervical dermal sinus with tethered cord and syringomyelia. Case illustration, 297
Multiplication of infantile spinal lipomas after surgical untethering. Report of two cases, 285
Ultrasonographic screening in infants with isolated spinal strawberry nevi, 247
Thoracic spine
Safety of supplemental endplate screws in thoracic pedicle hook fixation, 31
Transarticular screw
Craniovertebral junction fixation with transarticular screws: biomechanical analysis of a novel technique, 202
Posterior atlantoaxial dislocation without fracture. Case report, 73
Transcranial Doppler ultrasonography
Transient rotational compression of the vertebral artery caused by herniated cervical disc. Case report, 80
Transforming growth factor
Age-related changes in expression of transforming growth factor–β and receptors in cells of intervertebral discs, 63
Transverse process
The transverse process, intertransverse space, and vertebral artery in anterior approaches to the lower cervical spine, 188
Trauma
Occipitocervical reconstruction with the Ohio Medical Instruments Loop: results of a multicenter evaluation in 30 cases, 239
Spinal meningiomas in patients younger than 50 years of age: a 21-year experience, 258

Vertebral artery
The transverse process, intertransverse space, and vertebral artery in anterior approaches to the lower cervical spine, 188
Vertebral compression fracture
Balloon kyphoplasty: one-year outcomes in vertebral body height restoration, chronic pain, and activity levels, 36
Vertebrobasilar insufficiency
Transient rotational compression of the vertebral artery caused by herniated cervical disc. Case report, 80
Vertebroplasty
Percutaneous vertebroplasty and kyphoplasty for painful vertebral body fractures in cancer patients, 21
Surgical removal of epidural and intradural polymethylmethacrylate extravasation complicating percutaneous vertebroplasty for an osteoporotic lumbar compression fracture. Case report, 90